



# POWER TOOL **ACCESSORIES** SEPTEMBER 2025



# Index Page

| <b>Category</b>                              |       | <b>Pages</b>                 |
|--|-------|------------------------------|
| <a href="#"><u>Cutting Wheel</u></a>         | ..... | <a href="#"><u>3-5</u></a>   |
| <a href="#"><u>DC Grinding Wheel</u></a>     | ..... | <a href="#"><u>6-7</u></a>   |
| <a href="#"><u>Flap Disc</u></a>             | ..... | <a href="#"><u>8</u></a>     |
| <a href="#"><u>Velcro Disc</u></a>           | ..... | <a href="#"><u>9</u></a>     |
| <a href="#"><u>Diamond Blade</u></a>         | ..... | <a href="#"><u>10-16</u></a> |
| <a href="#"><u>TCT Wood-Saw</u></a>          | ..... | <a href="#"><u>17-19</u></a> |
| <a href="#"><u>TCT Aluminium Cutting</u></a> | ..... | <a href="#"><u>20</u></a>    |
| <a href="#"><u>Diamond Core Bit</u></a>      | ..... | <a href="#"><u>21-24</u></a> |
| <a href="#"><u>Chisels</u></a>               | ..... | <a href="#"><u>25-26</u></a> |
| <a href="#"><u>Vibrator Shaft</u></a>        | ..... | <a href="#"><u>27-29</u></a> |
| <a href="#"><u>Planer Blade</u></a>          | ..... | <a href="#"><u>30</u></a>    |
| <a href="#"><u>Chainsaw Accessories</u></a>  | ..... | <a href="#"><u>31-32</u></a> |
| <a href="#"><u>Mixer Paddle</u></a>          | ..... | <a href="#"><u>33</u></a>    |

## CUTTING WHEEL GREEN

- ▶ **High-Speed Cutting Capability:**  
Designed for high-speed operation with angle grinder machines, allowing for efficient cutting and reduced cutting time
- ▶ **Variety of Sizes:**  
Available in thin and regular thickness and in 4inch, 5inch, 7inch diameters
- ▶ **Reinforced Construction:**  
Reinforced blade construction with fiberglass mesh to enhance strength and durability
- ▶ **Safety Features:**  
Steel Ring reinforced arbor hole to reduce the risk of wheel failure.



### Applications:

- ✓ **Metal Fabrication:** For cutting metal pipes, tubes, and profiles
- ✓ **Construction:** Used for cutting rebar, wire tie, steel angles, bars, etc.
- ✓ **Industrial Maintenance:** Suitable for industrial maintenance for cutting pipes, tubing, and other equipment.

| CUTTING WHEEL - GREEN |                 |              |               |                    |                |
|-----------------------|-----------------|--------------|---------------|--------------------|----------------|
| Dia mm.               | Thickness (Net) | Bore Dia(mm) | Billing Code  | Packing Box/Carton | Packing        |
| 107mm                 | 1.2mm (2Net)    | 16           | F GD 105-1(G) | 50 / 800           | Metal Box      |
| 125mm                 | 1.2mm (2Net)    | 22.23        | F GD 125-1(G) | 50 / 500           | Card-Board Box |
| 180mm                 | 1.6mm (2Net)    | 22.23        | F GD 180-2(G) | 50 / 200           | Card-Board Box |
| 180mm                 | 3mm (1Net)      | 22.23        | F GD 180-3(G) | 25 / 100           | Card-Board Box |

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## CUTTING WHEEL RED

- ▶ **High-Speed Cutting Capability:**  
Designed for high-speed operation with angle grinder machines, allowing for efficient cutting and reduced cutting time
- ▶ **Variety of Sizes:**  
Available in thin and regular thickness and in 4inch, 5inch, 7inch diameters
- ▶ **Reinforced Construction:**  
Reinforced blade construction with fiberglass mesh to enhance strength and durability
- ▶ **Safety Features:**  
Steel Ring reinforced arbor hole to reduce the risk of wheel failure.



### Applications:

- ✓ **Metal Fabrication:** For cutting metal pipes, tubes, and profiles
- ✓ **Construction:** Used for cutting rebar, wire tie, steel angles, bars, etc.
- ✓ **Industrial Maintenance:** Suitable for industrial maintenance for cutting pipes, tubing, and other equipment.

### CUTTING WHEEL - RED

| Dia mm. | Thickness (Net) | Bore Dia(mm) | Billing Code  | Packing Box/Carton | Packing        |
|---------|-----------------|--------------|---------------|--------------------|----------------|
| 107mm   | 1.2mm (2Net)    | 16           | F GD 105-1(R) | 50 / 800           | Metal Box      |
| 125mm   | 1.2mm (2Net)    | 22.23        | F GD 125-1(R) | 50 / 500           | Card-Board Box |
| 180mm   | 1.6mm (2Net)    | 22.23        | F GD 180-2(B) | 50 / 200           | Card-Board Box |
| 180mm   | 3mm (1Net)      | 22.23        | F GD 180-3(B) | 25/ 100            | Card-Board Box |

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## CUT-OFF DISC

- ▶ **High-Speed Cutting Capability:**  
Designed for high-speed operation with Cut-Off Saw machine, allowing for efficient cutting and reduced cutting time
- ▶ **Variety of Sizes:**  
Available in 1-net and 2-net configuration in 355mm disc diameter
- ▶ **Reinforced Construction:**  
Reinforced blade construction with fiberglass mesh to enhance strength and durability
- ▶ **Safety Features:**  
Steel Ring reinforced arbor hole to reduce the risk of wheel failure.



**Applications:**

- ✓ **Metal Fabrication:** For cutting metal pipes, tubes, and profiles
- ✓ **Construction:** Used for cutting rebar, wire tie, steel angles, bars, etc.
- ✓ **Industrial Maintenance:** Suitable for industrial maintenance for cutting pipes, tubing, and other equipment.

| CUT-OFF WHEEL |         |                 |              |                     |                    |
|---------------|---------|-----------------|--------------|---------------------|--------------------|
| Dia Inch      | Dia mm. | Thickness (Net) | Bore Dia(mm) | Billing Code        | Packing Box/Carton |
| 14"           | 355mm   | 2.8mm           | 25.4         | F GD 350 - 2.8(G)   | 25                 |
| 14"           | 355mm   | 3mm(2Net)       | 25.4         | F GD 350 - 3 DN (R) | 25                 |

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## DC GRINDING WHEEL GREEN

- ▶ **Depressed Center Design:**  
The wheel has a recessed center, allowing for grinding at an angle and improving accessibility to tight spaces
- ▶ **High-Quality Bonding:**  
The abrasive grains are held together by a high-quality bonding agent, ensuring durability and resistance to wear and tear
- ▶ **Reinforced Construction:**  
With fiberglass mesh which enhance strength and durability




### Applications:

- ✓ **Metal Fabrication:** For grinding and surface preparation of welds, surfaces, and edges
- ✓ **Construction:** Used in construction for grinding and preparing surfaces for coating or finishing
- ✓ **Automotive:** For repairing and refinishing vehicle bodies and parts.

| CUTTING WHEEL - GREEN |         |                 |              |                |                    |
|-----------------------|---------|-----------------|--------------|----------------|--------------------|
| Dia Inch              | Dia mm. | Thickness (Net) | Bore Dia(mm) | Billing Code   | Packing Box/Carton |
| 4"                    | 100mm   | 4mm (1.5Net)    | 16           | F DC 100-4 (G) | 25 / 200           |
| 4"                    | 100mm   | 6mm (2.5Net)    | 16           | F DC 100-6 (G) | 25 / 200           |
| 5"                    | 125mm   | 6mm (2.5Net)    | 22.23        | F DC 125-6 (G) | 25 / 100           |
| 7"                    | 180mm   | 6mm (2.5Net)    | 22.23        | F DC 180-6 (G) | 10 / 50            |

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## DC GRINDING WHEEL RED

- ▶ **Depressed Center Design:**  
The wheel has a recessed center, allowing for grinding at an angle and improving accessibility to tight spaces
- ▶ **High-Quality Bonding:**  
The abrasive grains are held together by a high-quality bonding agent, ensuring durability and resistance to wear and tear
- ▶ **Reinforced Construction:**  
With fiberglass mesh which enhance strength and durability



### Applications:

- ✓ **Metal Fabrication:** For grinding and surface preparation of welds, surfaces, and edges
- ✓ **Construction:** Used in construction for grinding and preparing surfaces for coating or finishing
- ✓ **Automotive:** For repairing and refinishing vehicle bodies and parts.

| CUTTING WHEEL - RED |         |                 |              |                |                    |
|---------------------|---------|-----------------|--------------|----------------|--------------------|
| Dia Inch            | Dia mm. | Thickness (Net) | Bore Dia(mm) | Billing Code   | Packing Box/Carton |
| 4"                  | 100mm   | 4mm (1.5Net)    | 16           | F DC 100-4 (R) | 25 / 200           |
| 4"                  | 100mm   | 6mm (2.5Net)    | 16           | F DC 100-6 (R) | 25 / 200           |
| 5"                  | 125mm   | 6mm (2.5Net)    | 22.23        | F DC 125-6 (R) | 25 / 100           |
| 7"                  | 180mm   | 6mm (2.5Net)    | 22.23        | F DC 180-6 (R) | 10 / 50            |

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)





# FORTÉ®

MY TOOLS – MY TRUST

## FLAP DISC (FIBER BACKING)

- ▶ **Fiber Backing:** The flaps are attached to a flexible fiber backing, allowing for conformability to complex shapes and surfaces
- ▶ **Variety of Grits:** Available in various grits, ranging from coarse to fine, to suit different applications
- ▶ **High Stock Removal:** Designed for high stock removal - Ideal for grinding and finishing tasks
- ▶ **Cool Operation:** Flap discs tend to run cooler than other abrasive tools, reducing the risk of heat damage to the workpiece




### Applications:

- ✓ **Metal Fabrication:** For grinding and surface preparation of welds, surfaces, and edges
- ✓ **Construction:** Used in construction for grinding and preparing surfaces for coating or finishing
- ✓ **Automotive:** For repairing and refinishing vehicle bodies and parts.

| FLAP DISC |         |            |              |              |                    |
|-----------|---------|------------|--------------|--------------|--------------------|
| Dia Inch  | Dia mm. | G rit Size | Bore Dia(mm) | Billing Code | Packing Box/Carton |
| 4"        | 100mm   | #40        | 16           | F FD 100-40  | 10 / 400           |
| 4"        | 100mm   | #60        | 16           | F FD 100-60  | 10 / 400           |
| 4"        | 100mm   | #80        | 16           | F FD 100-80  | 10 / 400           |
| 4"        | 100mm   | #120       | 16           | F FD 100-120 | 10 / 200           |
| 5"        | 125mm   | #60        | 22.23        | F FD 125-60  | 10 / 200           |
| 5"        | 125mm   | #80        | 22.23        | F FD 125-80  | 10 / 200           |
| 5"        | 125mm   | #120       | 22.23        | F FD 125-120 | 10 / 200           |

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back To Index](#)

## VELCRO SANDING DISC (YELLOW COLOUR)

- ▶ **Velcro Backing:** Feature a hook-and-loop backing that allows for quick and easy attachment to sanding pads or tools
- ▶ **Variety of Grits:** FORTe offers discs in various grits, ranging from coarse to fine, to suit different sanding applications
- ▶ **Flexibility:** Velcro sanding discs can be used on flat or curved surfaces - versatile for various sanding tasks
- ▶ **Dust Collection:** FORTe Velcro sanding discs feature 6 holes and 8 holes variety – suitable for different sanding machines



### Applications:


- ✓ **Woodworking:** Used in woodworking for sanding and finishing wood surfaces
- ✓ **Metal Fabrication:** Used for sanding and finishing metal surfaces
- ✓ **Drywall:** Used for sanding and finishing drywall surfaces.

| VELCRO SANDING DISC |         |           |         |              |                    |
|---------------------|---------|-----------|---------|--------------|--------------------|
| Dia Inch            | Dia mm. | Grit Size | Holes   | Billing Code | Packing Box/Carton |
| 5"                  | 125mm   | #60       | 6 Holes | VD 125-60    | 100                |
| 5"                  | 125mm   | #80       | 6 Holes | VD 125-80    | 100                |
| 5"                  | 125mm   | #120      | 6 Holes | VD 125-120   | 100                |
| 5"                  | 125mm   | #60       | 8 Holes | VD 125-60 H8 | 100                |
| 6"                  | 150mm   | #80       | 6 Holes | VD 150-80    | 100                |
| 6"                  | 150mm   | #120      | 6 Holes | VD 150-120   | 100                |
| 6"                  | 150mm   | #180      | 6 Holes | VD 150-180   | 100                |
| 6"                  | 150mm   | #220      | 6 Holes | VD 150-220   | 100                |
| 6"                  | 150mm   | #240      | 6 Holes | VD 150-240   | 100                |
| 6"                  | 150mm   | #320      | 6 Holes | VD 150-320   | 100                |
| 6"                  | 150mm   | #400      | 6 Holes | VD 150-400   | 100                |

NEW

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## DIAMOND BLADE STANDARD

- ▶ **Diamond Segments:** Special sintering technology for long blade life, effective cutting performance and durability
- ▶ **High-Cutting Speed:** Designed for high-speed cutting, making them ideal for applications where efficiency is critical
- ▶ **Long-Lasting Performance:** Offer long-lasting performance, reducing the need for frequent blade replacements
- ▶ **Variety of Segment Types:** Turbo, Segmented, or Continuous rim, to suit specific cutting applications.



### Applications:

- ✓ **Stone Fabrication:** For cutting granite, marble, and other stone materials
- ✓ **Construction:** Used in construction for cutting concrete, masonry, and other materials
- ✓ **Masonry:** Used in masonry for cutting brick, block, and other masonry materials.

| Diamond Blade - STANDARD Series |         |                  |              |              |                    |
|---------------------------------|---------|------------------|--------------|--------------|--------------------|
| Dia Inch                        | Dia mm. | Rim              | Bore Dia(mm) | Billing Code | Packing Box/Carton |
| 4"                              | 110mm   | Segmented Rim    | 20           | F DB 110-S   | 20 / 200           |
| 4"                              | 110mm   | Continuous Rim   | 20           | F DB 110-C   | 20 / 200           |
| 4"                              | 110mm   | Turbo Rim        | 20           | F DB 110-T   | 20 / 200           |
| 4"                              | 110mm   | Extra-Thin Turbo | 20           | F DB 110-XT  | 10 / 200           |
| 5"                              | 125mm   | Segmented Rim    | 22.23        | F DB 120-S   | 20/ 100            |
| 6"                              | 150mm   | Segmented Rim    | 22.23        | F DB 150-S   | 5 / 50             |
| 7"                              | 180mm   | Segmented Rim    | 22.23        | F DB 180-S   | 5 / 50             |

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## CONCRETE CUTTING DIAMOND BLADE

- ▶ Blades specially designed for CONCRETE Cutting applications
- ▶ Robust 'Thick-Edge-Rim' blade construct ensures stable cutting at high-speed
- ▶ Special design parabolic edge ensure fast cutting
- ▶ Thick steel core with Balanced rim design blade prevents blade breakage - ensures safety for workman
- ▶ Special sintering technology for long blade life



### Applications:

- ✓ Ideal for Reinforced Concrete Cutting & profiling
- ✓ Also suitable for groove making applications on Marble & other natural stone and brick wall

### Important:

- ✓ Use continuous water pouring on blade while cutting for best blade performance.

| Diamond Blade - CONCRETE CUTTING Specialist |         |                  |               |              |                    |
|---|---------|------------------|---------------|--------------|--------------------|
| Dia Inch                                    | Dia mm. | Rim              | Bore dia (mm) | Billing Code | Packing Box/Carton |
| 4"  | 110mm   | Concrete Cut Rim | 20            | F DB 110-CC  | 20 / 200           |
| 5"  | 125mm   | Concrete Cut Rim | 22.23         | F DB 125-CC  | 20 / 200           |


## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## DIAMOND BLADE FAST-CUT

- ▶ **Multi-Purpose Cutting:** 'Segmented Rim' designed for efficient cutting of Marble, Kota-stone, Cement, AAC Block, etc.
- ▶ **Diamond Segments:** Special sintering technology for long blade life, effective cutting performance and durability
- ▶ **High-Cutting Speed:** Designed for high-speed cutting, making them ideal for applications where efficiency is critical
- ▶ **Long-Lasting Performance:** Offer long-lasting performance, reducing the need for frequent blade replacements



### Applications:

- ✓ **Stone Fabrication:** For cutting granite, marble, and other stone materials
- ✓ **Construction:** Used in construction for cutting concrete, masonry, and other materials
- ✓ **Masonry:** Used in masonry for cutting brick, block, and other masonry materials.

### CUT-OFF WHEEL

| Dia Inch | Dia mm. | Rim           | Bore Dia(mm) | Billing Code | Packing Box/Carton |
|----------|---------|---------------|--------------|--------------|--------------------|
| 8"       | 200mm   | Segmented Rim | 25.4         | F DB 200-S   | 5 / 50             |
| 9"       | 230mm   | Segmented Rim | 25.4         | F DB 230-S   | 40                 |

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## GRANITE MASTER (DIAMOND BLADE)

- ▶ Blades specially designed for GRANITE cutting applications
- ▶ Best suited for 'dry-cutting'
- ▶ 'Thin' Blade ensures minimal edge chipping of work-piece
- ▶ Hot-Press Technology for long blade life
- ▶ Special design diamond grit and sintering material ensures fast cutting and long blade life



### Applications:

- ✓ Ideal for Granite Sheets cutting & profiling
- ✓ Also suitable for Marble & other natural stone cutting & profiling

### Important:

- ✓ Use continuous water pouring on blade while cutting for best blade performance.

| Rim            | Size mm    | Bore Dia (mm) | Billing Code  | Colour Box Packing | Carton Packing |
|----------------|------------|---------------|---------------|--------------------|----------------|
| Segmented Rim  | 110 mm(4") | 20            | F DB GM 110 S | 20 Pcs.            | 200 Pcs.       |
| Continuous Rim | 110 mm(4") | 20            | F DB GM 110 C | 20 Pcs.            | 200 Pcs.       |
| Segmented Rim  | 110 mm(5") | 22.23         | F DB GM 125 S | 20 Pcs.            | 200 Pcs.       |


## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## CERAMIC MASTER (ZERO CHIPPING) DIAMOND BLADE

- ▶ Blades specially designed for CERAMIC cutting applications
- ▶ 'Thin' Blade ensures minimal edge chipping of work-piece
- ▶ Hot-Press Technology for long blade life
- ▶ Special design diamond grit and sintering material ensures fast cutting and long cutting life



### Applications:

- ✓ Ideal for Granite Sheets cutting & profiling
- ✓ Also suitable for Marble & other natural stone cutting & profiling

### Important:

- ✓ Use continuous water pouring on blade while cutting for best blade performance.

| Rim               | Size mm    | Rim Thickness (mm) | Rim Height (mm) | Bore Dia (mm) | Billing Code | Colour Box Packing | Carton Packing |
|-------------------|------------|--------------------|-----------------|---------------|--------------|--------------------|----------------|
| Segmented Rim     | 110 mm(4") | 1.4                | 8               | 20            | F DB 110-ZS  | 20 Pcs.            | 200 Pcs.       |
| Super- Thin Turbo | 110 mm(4") | 1.4                | 8               | 20            | F DB 110-ZXT | 20 Pcs.            | 200 Pcs.       |

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## CONCRETE - MASTER (SEGMENTED RIM) DIAMOND BLADE

- ▶ Blades specially designed for Heavy-Duty cutting
- ▶ 24 Diamond Segments ensure fast cutting
- ▶ 12mm Segment height gives long cutting life
- ▶ 3.1mm Rim thickness gives strength to cutting edge
- ▶ Universal 25.4mm Bore Dia-Blade suitable for all types of concrete cutting machine
- ▶ Special sintering technology for long blade life




### Applications:

- ✓ Cutting Concrete / Reinforced-Concrete slabs, columns, beams
- ✓ Cutting Brick, Masonry walls
- ✓ Create Control joints in concrete, asphalt surface
- ✓ Cutting large marble, granite, stone blocks & columns
- ✓ Making deep grooves in all the above materials and surface types

| Rim           | Size (Diameter) | Rim Thickness (mm) | Bore dia (mm) | Billing Code | Carton Packing |
|---------------|-----------------|--------------------|---------------|--------------|----------------|
| SEGMENTED RIM | 400 mm (16")    | 3.1                | 25.4          | F CM 400-S   | 10 Pcs.        |

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## CONCRETE - MASTER (SEGMENTED RIM) DIAMOND BLADE

- ▶ Blades specially designed for Heavy-Duty cutting of 'reinforced concrete'
- ▶ 40 High-Quality Diamond Segments ensure fast cutting
- ▶ 3.1mm Rim thickness gives strength to cutting edge
- ▶ Universal 25.4mm Bore Dia- Blade suitable for all types of concrete cutting machine
- ▶ Special **sintering technology** for long blade life



### Applications:

- ✓ Cutting Concrete / Reinforced-Concrete slabs, columns, beams
- ✓ Cutting Brick, Masonry walls
- ✓ Create Control joints in concrete, asphalt surface
- ✓ Cutting large marble, granite, stone blocks & columns
- ✓ Making deep grooves in all the above materials and surface types

| Diamond Blade - CONCRETE Master - Heavy Duty |         |             |               |              |                    |
|--|---------|-------------|---------------|--------------|--------------------|
| Dia Inch                                     | Dia mm. | Rim         | Bore dia (mm) | Billing Code | Packing Box/Carton |
| 28"  | 710mm   | 40 Segments | 50            | F CM 710-S   | 1                  |

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## TCT SAW BLADE RAPID WOOD CUT

- ▶ **Carbide Tips** : Tough and wear-resistant - Provide excellent cutting performance and long life
- ▶ **High-Cutting Speed**: Designed for high-efficiency and high-productivity applications
- ▶ **Precision Ground Tip** : Ensures precision cutting and minimal vibration
- ▶ **Durable** : High-quality brazing of tip to steel body for strong and durable bonding
- ▶ **Tooth Configuration** : ATB tooth configuration to support high-speed cutting with minimal chip-off



### Applications:

- ✓ Ripping and Crosscutting Plywood & Solid Wood
- ✓ Cutting Plywood, MDF, Engineered wood, Particle Board, etc.
- ✓ Cabinetry and Furniture Making

| Size    | Diameter (mm) | Thickness (mm) | Bore Dia (mm) | Teeth | Code       |
|---------|---------------|----------------|---------------|-------|------------|
| 4 x 30T | 110           | 1.9            | 20            | 30    | F TCT 4-30 |
| 4 x 40T | 110           | 1.9            | 20            | 40    | F TCT 4-40 |
| 5 x 30T | 125           | 1.9            | 20            | 30    | F TCT 5-30 |
| 4 x 40T | 125           | 1.9            | 20            | 40    | F TCT 5-40 |
| 7 x 40T | 185           | 2.2            | 25.4          | 40    | F TCT 7-40 |

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## WOOD-MASTER TCT SAW BLADE (Nail Cutting)

- ▶ **Tungsten Carbide Tips:**  
Provide excellent hardness, wear resistance, and durability
- ▶ **Steel-Nail-Cutting Performance:** Making them ideal for cutting plywood and wood with steel nails
- ▶ **Long-Lasting Performance:**  
Reduces the need for frequent blade replacements
- ▶ **Precision Cutting:**  
Uniformly aligned teeth offer precise cutting - Suitable for applications where accuracy is essential.



### Applications:

- ✓ **Woodworking:** TCT blades are used in woodworking for cutting wood, plywood, and other wood products
- ✓ **Plastic Cutting:** TCT blades are suitable for cutting plastic materials, including PVC and ABS.

| TCT Blade - WOOD-MASTER |         |       |               |                    |
|-------------------------|---------|-------|---------------|--------------------|
| Dia Inch                | Dia mm. | Teeth | Billing Code  | Packing Box/Carton |
| 4"                      | 110mm   | 30    | F TCT WM 4-30 | 10 / 200           |
| 4"                      | 110mm   | 40    | F TCT WM 4-40 | 10 / 200           |
| 5"                      | 125mm   | 30    | F TCT WM 5-30 | 10 / 200           |
| 5"                      | 125mm   | 40    | F TCT WM 5-40 | 10 / 200           |

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



# TCT CIRCULAR SAW BLADE

- ▶ **Tungsten Carbide Tips:**  
Provide excellent hardness, wear resistance, and durability
- ▶ **High-Cutting Performance:**  
Making them ideal for heavy-duty cutting with 180mm and 230mm Circular saw machines
- ▶ **Long-Lasting Performance:**  
Reduces the need for frequent blade replacements
- ▶ **Precision Cutting:**  
Uniformly aligned teeth offer precise cutting - Suitable for applications where accuracy is essential.



**Applications:**

- ✓ **Woodworking:** TCT blades are used in woodworking for cutting wood, plywood, and other wood products
- ✓ **Plastic Cutting:** TCT blades are suitable for cutting plastic materials, including PVC and ABS.

| TCT Blade- CIRCULAR-SAW Blade |         |       |              |              |                    |
|-------------------------------|---------|-------|--------------|--------------|--------------------|
| Dia Inch                      | Dia mm. | Teeth | Bore Dia(mm) | Billing Code | Packing Box/Carton |
| 7"                            | 185mm   | 40    | 25.4         | F TCT 7-40   | 10 / 50            |
| 9"                            | 230mm   | 40    | 25.4         | F TCT 9-40   | 1 / 40             |


## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



# TCT ALUMINUM-CUT SAW BLADE

- ▶ **Tungsten Carbide Tips:** Provide excellent hardness, wear resistance, and durability
- ▶ **TCG Tooth Profile: 'Triple-Chip-Grind'** tooth profile gives fast cutting and burr-free edge finish
- ▶ **Precision Cutting:** Uniformly aligned teeth offer precise cutting - Suitable for applications where accuracy is essential. For best results, use with miter-saw machine
- ▶ **Long-Lasting Performance:** Reduces the need for frequent blade replacements



- Applications:**
- ✓ **Aluminum Cutting:** Ideal for aluminum sections, channels, angles, squares, round bars & rods cutting
  - ✓ **Woodworking:** TCT blades are used in woodworking for cutting wood, plywood, and other wood products
  - ✓ **Plastic Cutting:** TCT blades are suitable for cutting plastic materials, including PVC and ABS.

| TCT Blade - ALUMINUM Cutting |         |       |              |                 |                    |
|------------------------------|---------|-------|--------------|-----------------|--------------------|
| Dia Inch                     | Dia mm. | Teeth | Bore Dia(mm) | Billing Code    | Packing Box/Carton |
| 10"                          | 250mm   | 100   | 25.4         | F TCT AL 10-100 | 1 / 20             |
| 12"                          | 305mm   | 120   | 25.4         | F TCT AL 12-120 | 1 / 10             |

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## M-10 (SMALL) DIAMOND CORE BIT

- ▶ M-10 Thread - suitable for all 100mm (4 Inch) Angle Grinder machine
- ▶ Straight-aligned shank and treading prevents run-out
- ▶ High drilling accuracy with Minimum vibration during drilling and
- ▶ High-quality diamond and bonding matrix for long service life



### Applications:

- ✓ Drilling holes for pipes & cable, or conduits in concrete, brick-wall or stone (granites, marble, etc.)
- ✓ Creating holes for anchors in concrete, brick or stone for structural reinforcement
- ✓ Drilling holes for fixings, such as screws or anchors, in hard materials

| Dia (mm) | Total Length (mm) | Billing Code | Dia (mm) | Total Length (mm) | Billing Code | Dia (mm) | Total Length (mm) | Billing Code |
|----------|-------------------|--------------|----------|-------------------|--------------|----------|-------------------|--------------|
| 6        | 70                | FSCB06       | 19       | 70                | FSCB19       | 36       | 70                | FSCB36       |
| 6.5      | 70                | FSCB65       | 20       | 70                | FSCB20       | 37       | 70                | FSCB37       |
| 8        | 70                | FSCB08       | 22       | 70                | FSCB22       | 38       | 70                | FSCB38       |
| 10       | 70                | FSCB10       | 25       | 70                | FSCB25       | 40       | 70                | FSCB40       |
| 12       | 70                | FSCB12       | 26       | 70                | FSCB26       | 42       | 70                | FSCB42       |
| 14       | 70                | FSCB14       | 30       | 70                | FSCB30       | 45       | 70                | FSCB45       |
| 16       | 70                | FSCB16       | 32       | 70                | FSCB32       | 50       | 70                | FSCB50       |
| 18       | 70                | FSCB18       | 35       | 70                | FSCB35       |          |                   |              |

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## DIAMOND CORE BIT SHORT LENGTH: 350MM (UNC 1.1/4" \* 7)

- ▶ **Premium Diamond Grit:**  
Bits are made with high-quality diamond grit that provides rapid and clean drilling performance
- ▶ **High-Frequency Welding:**  
Ensuring a strong bond
- ▶ **Universal Thread:**  
UNC 1.1/4" \* 7
- ▶ **Durable Construction:**  
Bits are built with durable materials, to withstand heavy use
- ▶ **Sharp Drilling:** Designed for sharp drilling performance, reducing the risk of damage to the surrounding material.
- ▶ **Hand-Held Diamond Core Drill:**  
Short-length to enable easy working with hand-held Core Drill machine



### Applications:

- ✓ Construction: Drilling holes for pipes, air-ducts for tunnels, electrical conduits
- ✓ HVAC: Drilling holes for AC inlet/outlet pipes, exhaust fan, etc.
- ✓ Geological Exploration: Extracting core samples from rock formations

| DIAMOND CORE BIT - SHORT LENGTH (350mm Overall Length) |                     |              |                 |
|--|---------------------|--------------|-----------------|
| Dia (mm)   | Overall Length (mm) | Billing Code | Packing Pcs/Box |
| 53   | 350                 | F DCB 53-350 | 20              |
| 63   | 350                 | F DCB 63-350 | 15              |
| 76   | 350                 | F DCB 76-350 | 9               |
| 86   | 350                 | F DCB 86-350 | 9               |

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## DIAMOND CORE BIT FULL LENGTH: 450MM (UNC 1.1/4" \* 7)

- ▶ **Premium Diamond Grit:** Bits are made with high-quality diamond grit that provides rapid and clean drilling performance
- ▶ **High-Frequency Welding:** Ensuring a strong bond
- ▶ **Universal Thread:** UNC 1.1/4" \* 7
- ▶ **Durable Construction:** Bits are built with durable materials, to withstand heavy use
- ▶ **Sharp Drilling:** Designed for sharp drilling performance, reducing the risk of damage to the surrounding material.



### Applications:

- ✓ Construction: Drilling holes for pipes, air-ducts for tunnels, electrical conduits
- ✓ HVAC: Drilling holes for AC inlet/outlet pipes, exhaust fan, etc.
- ✓ Geological Exploration: Extracting core samples from rock formations

| DIAMOND CORE BIT - FULL LENGTH (450mm Overall Length) |                   |          |              |                 |
|---|-------------------|----------|--------------|-----------------|
| Dia (mm)  | Total Length (mm) | Segments | Billing Code | Packing Pcs/Box |
| 25  | 450               | 3        | F DCB 25     | 20              |
| 38  | 450               | 4        | F DCB 38     | 20              |
| 53  | 450               | 5        | F DCB 53     | 20              |
| 63  | 450               | 6        | F DCB 63     | 15              |
| 76  | 450               | 7        | F DCB 76     | 9               |
| 89  | 450               | 8        | F DCB 89     | 9               |
| 102   | 450               | 9        | F DCB 102    | 6               |
| 112   | 450               | 10       | F DCB 112    | 4               |
| 127   | 450               | 11       | F DCB 127    | 4               |
| 152   | 450               | 12       | F DCB 152    | 4               |
| 180   | 450               | 13       | F DCB 180    | 3               |
| 202   | 450               | 15       | F DCB 202    | 2               |
| 254   | 450               | 17       | F DCB 254    | 1               |
| 300   | 450               | 17       | F DCB 300    | 1               |

NEW

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)





# FORTÉ®

MY TOOLS – MY TRUST

## EXTENTION ROD DIAMOND CORE BIT (UNC 1.1/4" \* 7)

- ▶ **Universal Thread Type:** UNC 1.1/4"x7 Thread – Suitable for all core bits with this size spindle
- ▶ **Durable Materials:** Made from high-strength steel ensuring durability and resistance to wear and tear
- ▶ **Various Lengths:** Available in 400mm and 500mm. More length possible against orders!
- ▶ **Easy to Use:** Just attach / detach and use for deep drilling



### Applications:

- ✓ Construction: Drilling holes for pipes, air-ducts for tunnels, electrical conduits
- ✓ HVAC: Drilling holes for AC inlet/outlet pipes, exhaust fan, etc.
- ✓ Geological Exploration: Extracting core samples from rock formations

### DIAMOND CORE DRILL EXTENTION

| Spindle      | Length (mm) | Billing Code  | Packing Pcs/Box |
|--------------|-------------|---------------|-----------------|
| 1 1/4"-7 UNC | 400         | F DCB XTR-400 | 1               |
| 1 1/4"-7 UNC | 500         | F DCB XTR-500 | 1               |

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back To Index](#)



# FORTÉ®

## MY TOOLS – MY TRUST

### CHISELS

- ▶ High-Carbon Steel
- ▶ Heat-Treated
- ▶ Unique Edge Geometry
- ▶ Multiple Shanks Types & Sizes
- ▶ Range of Chisel Tips



#### Applications:

- ✓ Chipping brick-wall, tile and marble flooring,
- ✓ Breaking masonry and concrete structure
- ✓ Demolition work with hammers & breakers

| STEEL CHISELS - STANDARD SERIES           |              |             |             |                     |                  |
|---|--------------|-------------|-------------|---------------------|------------------|
| Shank                                     | Tip          | Length Inch | Length (mm) | Billing Code        | Packing          |
| SDS-PLUS : ROTARY HAMMER (2-26/3-26/etc.) | Bull Point   | 6"          | 160         | F CH SP 14-160 P    | 1 Pc.            |
|   | Bull Point   | 10"         | 250         | F CH SP 14-250 P    | 1 Pc.            |
|   | Flat         | 6"          | 160         | F CH SP 14-160 F    | 1 Pc.            |
|   | Flat         | 10"         | 250         | F CH SP 14-250 F    | 1 Pc.            |
|   | Flat - 25mm  | 6"          | 160         | F CH SP 14-160 F25  | 1 Pc. <b>NEW</b> |
|   | Spade - 50mm | 6"          | 160         | F CH SP 14-160 SP50 | 1 Pc.            |
| 17mm Hex : DEMOLITION HAMMER (5Kg.)       | Bull Point   | 12"         | 280         | F CH HX 17-280 P    | 1 Pc.            |
|   | Bull Point   | 16"         | 400         | F CH HX 17-400 P    | 1 Pc.            |
|   | Flat         | 12"         | 280         | F CH HX 17-280 F    | 1 Pc.            |
|   | Flat         | 16"         | 400         | F CH HX 17-400 F    | 1 Pc.            |
|   | Spade - 50mm | 12"         | 280         | F CH HX 17-280 SP50 | 1 Pc.            |
|   | Spade - 80mm | 12"         | 280         | F CH HX 17-280 SP80 | 1 Pc. <b>NEW</b> |
| SDS-MAX : DEMOLITION HAMMER (7kg, 11Kg.)  | Bull Point   | 12"         | 300         | F CH MX 18-300 P    | 1 Pc. <b>NEW</b> |
|   | Bull Point   | 16"         | 400         | F CH MX 18-400 P    | 1 Pc.            |
|   | Bull Point   | 24"         | 600         | F CH MX 18-600 P    | 1 Pc.            |
|   | Flat         | 12"         | 300         | F CH MX 18-300 F    | 1 Pc. <b>NEW</b> |
|   | Flat         | 16"         | 400         | F CH MX 18-400 F    | 1 Pc.            |
|   | Flat         | 24"         | 600         | F CH MX 18-600 F    | 1 Pc.            |
|   | Spade - 50mm | 16"         | 400         | F CH MX 18-400 SP50 | 1 Pc.            |
|   | Spade - 80mm | 16"         | 400         | F CH MX 18-400 SP80 | 1 Pc.            |
| 30mm Hex : DEMOLITION HAMMER              | Bull Point   | 16"         | 400         | F CH HX 30-400 P    | 1 Pc.            |
|   | Bull Point   | 24"         | 600         | F CH HX 30-600 P    | 1 Pc.            |
|   | Flat         | 16"         | 400         | F CH HX 30-400 F    | 1 Pc. <b>NEW</b> |

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
 Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back To Index](#)



# FORTÉ®

MY TOOLS – MY TRUST

## SELF-SHARPENING CHISELS

- ▶ **Specialized Coating or Material:** maintain the cutting edge
- ▶ **Unique Edge Geometry:** Optimize cutting performance and minimize wear.
- ▶ **Hardness and Toughness:** Made from high-hardness materials that resist wear and maintain their cutting edge
- ▶ **Self-Sharpening Mechanism**
- ▶ **Long-Lasting Performance:** Reduce the need for frequent sharpening.




### Applications:

- ✓ Chipping brick-wall, tile and marble flooring,
- ✓ Breaking masonry and concrete structure
- ✓ Chiselling & carving of stone

| Skank    | Tip        | Length Inch | Length (mm) | Billing Code        | Packing |
|----------|------------|-------------|-------------|---------------------|---------|
| SDS-PLUS | Bull Point | 10"         | 250         | F SSCH SDS 14-250 P | 1 Pc.   |
|          | Flat       | 10"         | 250         | F SSCH SDS 14-250 F | 1 Pc.   |
| 17MM HEX | Bull Point | 12"         | 280         | F SSCH HX 17-280 P  | 1 Pc.   |
|          | Flat       | 12"         | 280         | F SSCH HX 17-280 F  | 1 Pc.   |
| SDS-MAX  | Bull Point | 16"         | 400         | F SSCH MX 18-400 P  | 1 Pc.   |
|          | Flat       | 16"         | 400         | F SSCH MX 18-400 F  | 1 Pc.   |
| 30MM HEX | Bull Point | 16"         | 400         | F SSCH HX 30-410 P  | 1 Pc.   |
|          | Flat       | 16"         | 400         | F SSCH HX 30-410 F  | 1 Pc.   |

### Forté India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
 Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back To Index](#)



# FORTé®

MY TOOLS – MY TRUST

## CONCRETE VIBRATOR SHAFT PORTABLE M/C

- ▶ **Durable Construction:** FORTe forte Concrete vibrator shafts are built to withstand the rigors of construction sites and heavy use
- ▶ **High-Torque Motor:** Suitable for high-torque motor to ensure efficient vibration and consolidation of concrete
- ▶ **Flexible Shaft:** Rubberized sheathing for easier maneuverability and access to tight spaces
- ▶ **Interchangeable Heads:** Suitable for fitting in different all types of 'screw' hear vibrator machines



### Applications:


- ✓ **Construction Sites:** Used on construction sites for mixing and consolidating concrete in building foundations, walls, and floors
- ✓ **Concrete Finishing:** Essential for removing air-pockets in concrete mix, even distribution of concrete mix and its levelling for smooth surface finish.

### CONCRETE VIBRATOR SHAFT - For PORTABLE Machines

| Needle Dia (mm) | Total Length (Meters) | Billing Code   | Packing Box/Carton |
|-----------------|-----------------------|----------------|--------------------|
| 35mm            | 1.5 M                 | F PVS 35- 1.5M | 4                  |
| 35mm            | 2 M                   | F PVS 35- 2M   | 4                  |
| 35mm            | 3 M                   | F PVS 35- 3M   | 4                  |
| 35mm            | 4 M                   | F PVS 35- 4M   | 2                  |

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back To Index](#)

# CONCRETE VIBRATOR SHAFT HEAVY DUTY PORTABLE M/C

- ▶ **Heavy-Duty Application:** 50mm dia Needle with 1.5M, 2M and 3M shaft, suitable for Portable Concrete Vibrator machines
- ▶ **Durable Construction:** FORTe forte Concrete vibrator shafts are built to withstand the rigors of construction sites and heavy use
- ▶ **High-Torque Motor:** Suitable for high-torque motor to ensure efficient vibration and consolidation of concrete
- ▶ **Flexible Shaft:** Rubberized sheathing for easier maneuverability and access to tight spaces



**Applications:**

- ✓ **Construction Sites:** Used on construction sites for mixing and consolidating concrete in building foundations, walls, and floors
- ✓ **Concrete Finishing:** Essential for removing air-pockets in concrete mix, even distribution of concrete mix and its levelling for smooth surface finish.

| CONCRETE VIBRATOR SHAFT - For PORTABLE Machines |                       |               |                    |
|---|-----------------------|---------------|--------------------|
| Needle Dia (mm)                                 | Total Length (Meters) | Billing Code  | Packing Box/Carton |
| 50mm  | 1.5 M                 | F PVS 50-1.5M | 5                  |
| 50mm  | 2 M                   | F PVS 50- 2M  | 5                  |
| 50mm  | 3 M                   | F PVS 50- 3M  | 2                  |

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## CONCRETE VIBRATOR SHAFT STAND-TYPE M/C

- ▶ **Heavy-Duty Application** : 35MM & 50mm dia Needle with 4M and 6M length shaft – Suitable for “STAND-TYPE” Vibrator machines
- ▶ **Durable Construction** : FORTe forte Concrete vibrator shafts are built to withstand the rigors of construction sites and heavy use
- ▶ **High-Torque Motor** : Suitable for high-torque motor to ensure efficient vibration and consolidation of concrete
- ▶ **Flexible Shaft** : Rubberized sheathing for easier maneuverability and access to tight spaces



### Applications:

- ✓ **Construction Sites:** Used on construction sites for mixing and consolidating concrete in building foundations, walls, and floors
- ✓ **Concrete Finishing:** Essential for removing air-pockets in concrete mix, even distribution of concrete mix and its levelling for smooth surface finish.

| CONCRETE VIBRATOR SHAFT - (STAND-TYPE M/C) |                       |              |                    |
|--|-----------------------|--------------|--------------------|
| Needle Dia (mm)                            | Total Length (Meters) | Billing Code | Packing Box/Carton |
| 35mm                                       | 4 M                   | F CVS 35- 4M | 2                  |
| 35mm                                       | 6 M                   | F CVS 35- 6M | 1                  |
| 50mm                                       | 4 M                   | F CVS 50- 4M | 2                  |
| 50mm                                       | 6 M                   | F CVS 50- 6M | 1                  |



### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## 82MM PLANER & BELT (1900B)

- ▶ **PLANER BLADE:**
  - HSS (High-Speed-Steel)
  - TCT (Carbide Tip)
- ▶ **Universal 1900B design** blades – Suitable for all makes of Electric Planer machines
- ▶ **Sharp Cutting Edge** – Helps fast removal of wood fibres and creates smooth surface
- ▶ **Durable & Long-lasting** Blades require minimal resharping
- ▶ **PLANER BELT** High quality and long life Planer Belt – suitable for FORTE planer models and other makes planer machines



### Applications:

- ✓ **Construction Sites:** Used on construction sites for mixing and consolidating concrete in building foundations, walls, and floors
- ✓ **Concrete Finishing:** Essential for removing air-pockets in concrete mix, even distribution of concrete mix and its levelling for smooth surface finish.

| PLANER BLADE           |              |             |             |                    |                    |
|------------------------|--------------|-------------|-------------|--------------------|--------------------|
| Model                  | Cutting Edge | Packing     | Planer Size | Billing Code       | Packing Box/Carton |
| 1900B<br>(Makita Type) | HSS          | Plastic Box | 82mm        | F PLB M19-HSS (PB) | 1 Pair/100         |
|                        | TCT          | Plastic Box | 82mm        | F PLB M19-TCT PB   | 1 Pair/100         |

| PLANER BELT          |             |               |                    |
|----------------------|-------------|---------------|--------------------|
| Planer Model         | Planer Size | Billing Code  | Packing Box/Carton |
| 82*1mm<br>(Standard) | 82mm        | F PL-82 SP 03 | 1 Pc./100          |



### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## CHAIN & GUIDE-BAR

- ▶ **Cutting Teeth Profile:** 'Full-Chisel' profile feature sharp cutting teeth for efficiently cut through wood logs
- ▶ **Steel-Grade:** Carbon Steel grade material cutting tooth for high wear resistance and long-life of chain
- ▶ **Drive Links:** Precision drive links engage properly with the sprocket for smooth and efficient operation
- ▶ **Hi-Quality rivets:** Ensure faster cutting and long chain life



### Applications:

- ✓ **Logging:** Used in logging for cutting trees and processing wood
- ✓ **Tree Maintenance:** Ideal for felling, pruning and maintaining trees, including removing branches and cutting logs
- ✓ **Land Management:** For clearing brush and managing vegetation.

| MOTOR CHAINSAW - ACCESSORIES |            |       |             |              |                    |
|------------------------------|------------|-------|-------------|--------------|--------------------|
| Description                  | Blade Size | Links | Packing     | Billing Code | Packing Box/Carton |
| Chain                        | 16"        | 59    | Plastic Box | F SC 16-59   | 50                 |
|                              | 18"        | 72    | Metal Box   | F SC 18-72   | 50                 |
|                              | 22"        | 86    | Metal Box   | F SC 22-86   | 50                 |
|                              | 24"        | 94    | Plastic Box | F CS 24-94   | 50                 |
| Guide-Bar                    | 16"        |       | Paper Box   | F GB 16      | 1                  |
|                              | 18"        |       | Paper Box   | F GB 18      | 1                  |
|                              | 22"        |       | Paper Box   | F GB 22      | 1                  |

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
 Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## TCT CHAIN & GUIDE-BAR (AAC BLOCK CUTTER)

### ▶ Tungsten Carbide Tip Chain:

- ▶ Superior Grade Carbide Tip designed for AAC block cutting at high speed
- ▶ Strong links give strength to chain rotating at high - speed
- ▶ Tempered rivets for long chain life

### ▶ TCT Chain Guide-Bar

- ▶ Special design guide-bar for AAC Block cutting machine
- ▶ Guide-bar made for high grade steel for long life
- ▶ Spring action absorbs cutting jerks for smooth cutting




### Applications:

- ✓ AAC (autoclaved aerated concrete) block cutting
- ✓ AAC block wall cutting
- ✓ Brick-wall cutting
- ✓ Cutting window in AAC block wall & Brick-wall

| Size | Description           | Code            |
|------|-----------------------|-----------------|
| 14"  | CARBIDE TIP SAW CHAIN | F TCT- SC 14-53 |
| Size | Description           | Code            |
| 14"  | TCT CHAIN GUIDE-BAR   | F GB-TCT 14     |

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



## PAINT MIXER PADDLE

- ▶ Mixer Blade is made of high-quality steel for longer blade life
- ▶ Straight-aligned shank and treading prevents blade wobbling and material splash
- ▶ Special design blade ensures homogeneous & complete mixing in short-time
- ▶ Available in universal M12 and M14 thread shanks
- ▶ Suitable for mixing a variety of liquids and semi-liquid materials with hand-held paint mixer machines



### Applications:

- ✓ Ideal for mixing all types of indoor and outdoor quality paints
- ✓ Best suited for putty - mixing
- ✓ Also suitable material mixing, water-proofing material mixing, etc. With Hand-held mixer machine

| Shank             | Blade Dia (mm) | Blade Length (mm) | Billing Code | Packing Pcs/ |
|-------------------|----------------|-------------------|--------------|--------------|
| M-12 THREAD SHANK | 105mm          | 500mm             | F MB M12     | 4            |
| M-14 THREAD SHANK | 120mm          | 500mm             | F MB M14     | 4            |

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)





**MY TOOL**  
**MY TRUST**

**Forte India Enterprises Pvt. Ltd**

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)

