



POWER PRODUCTS JANUARY 2026



Index Page

Category

Pages

| | |
|--|-------|
| Brushless Grinder | 4-5 |
| Cordless Tool | 6-9 |
| Angle Grinder | 10-28 |
| Dia Grinder | 29-32 |
| Straight Grinder | 33 |
| Electric Drill | 34-38 |
| Impact Drill | 39-42 |
| Screwdriver Drill | 43 |
| Impact Tool | 44-45 |
| Cutter | 46-53 |
| Band-Saw | 54 |
| Circular Saw | 55-56 |
| Cut-Off Saw | 57-61 |
| Miter Saw | 62-63 |
| Rotary Hammer Drill | 64-70 |
| Demolition Hammer | 71-77 |
| Diamond Core Drill | 78-81 |
| Wall / Concrete Cutter | 82-86 |
| Wood Planer | 87-89 |
| Jig Saw | 90-91 |
| Trimmer / Router | 92-95 |
| Orbital Sander | 96-97 |
| Random Orbital Sander | 98-99 |



Index Page

Category

Pages

| | |
|--|-------------------------|
| Polisher | 100-101 |
| Concrete Vibrator | 102-103 |
| Blower | 104 |
| Heat-Gun | 105-106 |
| Paint Tools | 107-108 |
| Pressure Washer | 109-110 |
| Chainsaw | 111-113 |
| Brush Cutter | 114-115 |
| Construction Tools | 116-117 |



New

ANGLE GRINDER
BRUSH-LESS
100MM / 1200W
F AGBL 100-12



- ▶ **NO-CARBON-BRUSH (Brushless)** Electric Motor
- ▶ **LOW MAINTENANCE COST** due to minimal motor parts wear-out
- ▶ **Powerful 1200w**, Double Insulation **Brushless** motor
- ▶ **Soft-Start** helps reduce starting jerk and improves hand control of machine
- ▶ **Auto-Start-Protection** prevents accidental start of machine in case of power outage and re-start
- ▶ **Soft-Press Switch** gives long life and ease of operation
- ▶ **Light Indicator** glows until 400 hours warranty period
- ▶ **All Japanese Bearings** for long tool life and less maintenance
- ▶ **Light-weight, Low-noise, Low-vibration** – Less fatigue to operators



Ultra Slim Body

1.45 Kgs Weight

Most suited for:

- ✓ Stone cutting, grinding & edge profiling
- ✓ Concrete cutting, grinding & edge profiling
- ✓ Heavy-duty Engineering applications in steel & other metal grinding & cutting application
- ✓ Polishing & finishing applications
- ✓ Similar heavy-duty applications



Machine #113

Packing: 6 Pcs./Carton

SPECIFICATIONS:

| | |
|-------------------|--------------|
| DISC DIAMETER | : 100MM |
| SPINDLE | : M10 |
| Rated Input Power | : 1200W |
| Rated Voltage | : 220~240V |
| Rated Frequency | : 50 Hz |
| No-Load-Speed | : 11,000 RPM |

DOUBLE INSULATION

ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE

Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in






FORTÉ®

MY TOOLS – MY TRUST

New

ANGLE GRINDER BRUSH-LESS 125MM / 1200W F AGBL 125-12



Double Insulation



- **NO-CARBON-BRUSH (Brushless)** Electric Motor
- **LOW MAINTENANCE COST** due to minimal motor parts wear-out
- **Powerful 1200w**, Double Insulation **Brushless** motor
- **Soft-Start** helps reduce starting jerk and improves hand control of machine
- **Auto-Start-Protection** prevents accidental start of machine in case of power outage and re-start
- **Soft-Press Switch** gives long life and ease of operation
- **Light Indicator** glows until 400 hours warranty period
- **All Japanese Bearings** for long tool life and less maintenance
- **Light-weight, Low-noise, Low-vibration** – Less fatigue to operators



1.46 Kgs Weight

Ultra Slim Body

Most suited for:

- ✓ Stone cutting, grinding & edge profiling
- ✓ Concrete cutting, grinding & edge profiling
- ✓ Heavy-duty Engineering applications in steel & other metal grinding & cutting application
- ✓ Polishing & finishing applications
- ✓ Similar heavy-duty applications



Machine #114

Packing: 6 Pcs./Carton

SPECIFICATIONS:

DISC DIAMETER : 125MM
 SPINDLE : M14
 Rated Input Power : 1200W
 Rated Voltage : 220~240V
 Rated Frequency : 50 Hz
 No-Load-Speed : 11,000 RPM

DOUBLE INSULATION

ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
 Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

12V CORDLESS DRIVER DRILL

10mm / 22N.m / 2-Speed
F CDD 10-12V



- ▶ 12V DC Motor delivers powerful Drilling, Driving & Fastening performance
- ▶ Work-Output in single re-charge:
 - ▶ 220 nos. 6*50mm self-tapping screw fastening in pine wood
 - ▶ 30 holes in 40mm Pine wood block using 20mm Flat Wood Drill Bit
 - ▶ 32 holes in 5mm thickness MS sheet using 6mm dia HSS Drill bit
- ▶ 2.0Ah Li-Ion Battery-pack ensures approx. 40 minutes normal working in a single re-charge
- ▶ 2 nos. Battery-pack with each machine – One battery-pack is running and 2nd battery-pack is re-charging
- ▶ 22N.m Torque, Thanks to robust gear-box and large-gears-set tool construction
- ▶ 2-Speed function for varied rotation speed, impact frequency and torque – suitable for a variety of fastening and drilling jobs.



Most suited for:

- ✓ Woodworking and Carpentry- Drilling pilot holes and Driving Wood-Screws
- ✓ Metalworking and Fabrication- Drilling holes in metal, Driving metal screws:
- ✓ Furniture Assembly and Installation- Driving furniture screws for assembling and installing furniture, Tightening furniture bolts
- ✓ Automotive Maintenance- Loosening bolts and nuts for maintenance and repairs, Tightening fasteners



Machine # 90

Packing: 6 Pcs./Carton

SPECIFICATIONS:

Battery: Li-Ion
Capacity: 12V / 2.0Ah x 2nos.
Chuck Capacity: 1.5- 10mm
Max. Screw Dia. : 7mm
Max. Drilling Dia.: Steel: 10mm
Wood: 20mm
No-Load-Speed: Low: 0-400rpm
High: 0-1300rpm
Torque Setting: 15+1
Max. Torque: 22Nm

DOUBLE INSULATION

Includes:

1 Pc. Screwdriver Bit

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

12V CORDLESS BLOWER (Variable Speed) 2.0Ah F CBL-VS 18V



- **18V DC Motor** delivers powerful performance
- **2.0Ah Li-Ion Battery-pack** ensures approx. 20 minutes air-blowing in a single re-charge
- **2 nos. Battery-pack** with each machine – One battery-pack is running and 2nd battery-pack is re-charging
- **Light-weight** yet powerful tool construct
- **Variable-Speed** – Press-Control Variable speed trigger switch
- **Easy-access switch** – built in the handle for single hand working
- **Lock-On** feature – Allows continuous air-blowing
- **Versatile Two-tools-in-one:** Quickly converts to a vacuum



Most suited for:

- ✓ **Dusting and cleaning** : Ceilings, fans, AC vents, machines, equipment, etc.
Blowing air after concrete cutting, stone carvings, etc.
- ✓ **Drying and Evaporation** : Floors, walls, cement joints, drying paint, ink, or adhesives
- ✓ **Inflation and Sealing**
- ✓ **Industrial and Commercial building & offices** maintenance
- ✓ **Agricultural** - Drying crops, grains, fruits, and vegetables
- ✓ **Horticultural** - Removing dry leaves and twigs, from greenhouses and gardens.



Machine # 91

Packing: 4 Pcs./Carton

SPECIFICATIONS:

Battery : Li-Ion

Capacity: 18V / 2.0Ah

Wind Volume: 1.6 - 3 CMM

No-Load Speed: 0-13000 rpm

Includes:

1 Pc. Dust collection bag

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

18V CORDLESS TILE VIBRATOR (Variable Speed)

2.0Ah

F TV I 30-VS



- ▶ 18V DC Motor delivers powerful performance
- ▶ 2.0Ah Li-Ion Battery-pack ensures long-periods of vibration function for continuous work for hours
- ▶ 2 nos. Battery-pack with each machine – One battery-pack is running and 2nd battery-pack is re-charging
- ▶ Single-Lever for tile lifting & resting function – Easy to operate
- ▶ Large 130mm Dia Section Base – Suitable for all sizes Tiles
- ▶ Variable-Speed Regulator – Controlled vibration delivery
- ▶ Aux. Hand-Rest Handle facilitates balance pressure apply on tile during installation
- ▶ Lock-On feature Carbon Brush Allows continued vibration delivery



Most suited for:

- ✓ **Tile Installation-** Removing air pockets, Consolidating tile adhesive to prevent uneven settling
- ✓ **Flooring and Paving-** Compacting flooring materials, Settling paving materials
- ✓ **Ceramic and Porcelain Production-** Vibrating ceramic or porcelain materials to remove air pockets, Improving material uniformity



SPECIFICATIONS:

Suction Cup Dia: 130mm
Battery: Li-Ion
Capacity: 18V, 2.0Ah x 2pcs.
Vibration Frequency: 0- 7500/min

Also Include:

- 1pc. Charger
- 1pc. Auxillary battery

Machine # 66

Packing: 4 Pcs./Carton

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)

**20V CORDLESS
IMPACT WRENCH
(Brushless)
12.7mm/600N.m/3-Speed
F CBIW 12-600**



- 20V BRUSHLESS Motor delivers powerful performance and long-life
- 4.0Ah Li-Ion Battery-pack ensures approx. 80 minutes normal working in a single re-charge
- 3A "Fast Charger" needs less than 80 minutes for full charging
- 2 nos. Battery-pack with each machine and Fast-charger means "No Waiting" for battery re-charging – One battery-pack is running and 2nd battery-pack is re-charging
- 600N.m Torque, Thanks to robust gear-box and large-gears-set tool construction
- 3-Speed function for varied rotation speed, impact frequency and torque – suitable for a variety of job requirements

Most suited for:

- ✓ Standard Bolt : M10 – M24
- ✓ High-Tensile Bolt : Mr10-M16
- ✓ Removing and tightening lug nuts on automotive wheels during tire changes
- ✓ Loosening stubborn fasteners on parts & components
- ✓ Assembling and disassembling construction scaffolding
- ✓ Installing decking and other structural components
- ✓ Applications in Assembly lines where high torque is required

FORTé CARE

Use genuine Forte spares for performance and life of tool

| | |
|---|---|
|  |  |
| Armature | Field Coil |
|  |  |
| Gear Assembly | PCB |
|  | |
| Switch | |



Single Pc Packing

Machine #111

Packing: 4Pcs./Carton

SPECIFICATIONS:

Square Drive :12.7mm (1/2")
Rated Voltage : 20V
Battery Capacity : 4.0Ah *2 BATTERY PACKS
No-Load-Speed

Low: 1800rpm
Middle:2000rpm
High:2200rpm

Impact Frequency : Low:3000ipm
Middle:3300ipm
High:3600ipm

Max. Torque : Low:500N.m
Middle:540N.m
High:600N.m

Capacity :M10-M24

Max. Capacity (Bolt size):

Standard Bolt :M10-M24

High Tensile Bolt :M10-M16

ALSO INCLUDE:

3A Charger -1 Pc., Belt-1 Pc., Clip-1 Pc., 22mm*60mm Length Socket -1 Pc., 20V 4.0Ah Battery-2Pcs.

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in






MY TOOLS – MY TRUST

ANGLE GRINDER

100MM / 750W

F AG 100-7



Double Insulation



- ▶ Best-in-Class 750w, Double Insulation motor
- ▶ Toggle Switch (Back-switch) for easy tool handling
- ▶ Slim-body for comfortable yet firm hand-grip
- ▶ Spindle-lock for easy disc change
- ▶ Two-position side handle
- ▶ Top-class Bearings
- ▶ Unique inner flange profile for firm wheel/blade grip
- ▶ Low-noise, Low-vibration



HIGH Wear-resistant
HIGH Heat-resistant
Armature winding cord
(Black)



Most suited for:

- ✓ Light Engineering steel & other metal grinding & cutting application
- ✓ Burrs removal & edge shaping
- ✓ Polishing & finishing applications
- ✓ Stone cutting, grinding & edge profiling
- ✓ Tile cutting, grinding & edge profiling
- ✓ Similar light-duty applications

FORTé CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch



Machine # 1

Packing: 8 Pcs./Carton

SPECIFICATION

DISC DIAMETER : 100 MM
 RATED INPUT POWER : 750 W
 RATED VOLTAGE : 220 V
 RATED FREQUENCY : 50 HZ
 NO LOAD SPEED : 10,500 RPM

DOUBLE INSULATION

ALSO INCLUDES:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

ANGLE GRINDER (SIDE SWITCH) 100MM / 750W F AG 100-SS



Double Insulation



- **Best-in-Class 750w**, Double Insulation motor
- **Side Switch (Front-switch)** facilitates single hand tool handling
- **Slim-body** for comfortable yet firm hand-grip
- **Spindle-lock** for easy disc change
- Two-position side handle
- **Top-class Bearings**
- **Unique inner flange profile** for firm wheel/blade grip
- **Low-noise, Low-vibration**



Most suited for:

- ✓ Ligh Engineering steel & other metal grinding & cutting application
- ✓ Burrs removal & edge shaping
- ✓ Polishing & finishing applications
- ✓ Stone cutting, grinding & edge profiling
- ✓ Tile cutting, grinding & edge profiling
- ✓ Similar light-duly applications.

NEW

HIGH Wear-resistant
HIGH Heat-resistant
Armature winding cord
(Black)



Use genuine Forte spares for performance and life of tool



Armature



Field Coil



Carbon Brush



Gear Assembly



Switch



Machine # 2

Packing: 8 Pcs./Carton

SPECIFICATION

DISC DIAMETER : 100 MM
RATED INPUT POWER : 750 W
RATED VOLTAGE : 220 V
RATED FREQUENCY : 50 HZ
NO LOAD SPEED : 11,000 RPM

DOUBLE INSULATION

ALSO INCLUDES:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

New

ANGLE GRINDER
“PADDLE SWITCH”
100MM / 900W
F AG 100-9 PS



► **Paddle-Switch Angle Grinder:**

- Easy On-Off Control with single-hand working
- Reduced accidental-start -ups – Machine requires deliberate action to start machine
- Comfort-grip for long-time working



► **Powerful 900w Double Insulation Motor**

► **M-10 Spindle**

► **Branded bearings for low vibration, noise and for long tool life**

NEW

HIGH Wear-resistant
HIGH Heat-resistant
Armature winding cord
(Black)

Most suited for:

- ✓ Granite cutting and shaping
- ✓ Wall cutting/chasing
- ✓ Concrete cutting & grinding
- ✓ Casting material grinding, profiling
- ✓ High Carbon steel cutting & grinding
- ✓ Similar heavy-duty & demanding applications.

FORTé
CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch

SPECIFICATIONS:

DISCDIAMETER : 100MM
SPINDLE : M10
RATEDINPUTPOWER : 900W
RATEDVOLTAGE : 220~240V
RATED FREQUENCY : 50Hz
NO-LOADSPEED : 12,000 RPM

DOUBLE INSULATION

ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

Single Pc Packing

Machine # 107

Packing: 8 Pcs./Caton **FREE!** ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

ANGLE GRINDER

(Heavy-Duty)
100mm / 950W
F AG 100-950



Double Insulation



- ▶ Slim-body for easy hand-grip
- ▶ Powerful, 950w Double insulation motor
- ▶ Big-size bearing for stable performance & long-life
- ▶ Spindle-lock for easy disc change
- ▶ Two position side handle
- ▶ Best-in-class branded Bearings
- ▶ Unique inner-flange profile for firm wheel/blade grip



HIGH Wear-resistant
HIGH Heat-resistant
Armature winding cord
(Black)



Most suited for:

- ✓ Granite cutting and shaping
- ✓ Wall cutting/chasing
- ✓ Concrete cutting & grinding
- ✓ Casting material grinding, profiling
- ✓ High Carbon steel cutting & grinding
- ✓ Similar heavy-duty & demanding applications.

FORTé
CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch



Single Pc Packing

Machine # 105

Packing: 8 Pcs./Caton

SPECIFICATION

DISC DIAMETER : 100 MM
RATED INPUT POWER : 950 W
RATED VOLTAGE : 220-240 V
RATED FREQUENCY : 50 HZ
NO LOAD SPEED : 11,000 RPM

DOUBLE INSULATION
ALSO INCLUDES:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

FREE! ONE PAIR OF CARBON BRUSH
(Original Machine Quality)

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

New

ANGLE GRINDER (Heavy-Duty)
SIDE SWITCH
100mm / 950W
F AG 100-950 SS



Double Insulation



- Slim-body for easy hand-grip
- Powerful, 950w Double insulation motor
- Big-size bearing for stable performance & long-life
- Spindle-lock for easy disc change
- Two position side handle
- Best-in-class branded Bearings
- Unique inner-flange profile for firm wheel/blade grip



HIGH Wear-resistant
HIGH Heat-resistant
Armature winding cord
(Black)



- Most suited for:**
- ✓ Granite cutting and shaping
 - ✓ Wall cutting/chasing
 - ✓ Concrete cutting & grinding
 - ✓ Casting material grinding, profiling
 - ✓ High Carbon steel cutting & grinding
 - ✓ Similar heavy-duly & demanding applications.

FORTé CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch



Single Pc Packing
Machine # 110
Packing: 8 Pcs./Caton

SPECIFICATION

| | |
|-------------------|--------------|
| DISC DIAMETER | : 100 MM |
| SPINDLE | : M10 |
| RATED INPUT POWER | : 950 W |
| RATED VOLTAGE | : 220-240 V |
| RATED FREQUENCY | : 50 HZ |
| NO LOAD SPEED | : 11,000 RPM |
| DOUBLE INSULATION | |

- ALSO INCLUDES:**
- 1) WHEEL GUARD
 - 2) SIDE HANDLE
 - 3) WHEEL KEY

FREE! ONE PAIR OF CARBON BRUSH (Original Machine Quality)

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

ANGLE GRINDER

No. 411
100MM / 1100W
F AG 4-1100



Double Insulation



- Most-Powerful-in-Class 1100w, Double Insulation motor
- Toggle Switch (Back-switch) for easy tool handling
- Slim-body for comfortable yet firm hand-grip
- Spindle-lock for easy disc change
- Two-position side handle
- All Japanese Bearings
- Unique inner flange profile for firm wheel/blade grip
- Low-noise, Low-vibration



NEW
HIGH Wear-resistant
HIGH Heat-resistant
Armature winding cord
(Black)



Most suited for:

- ✓ Stone cutting, grinding & edge profiling
- ✓ Concrete cutting, grinding & edge profiling
- ✓ Heavy-duty Engineering applications in steel & other metal grinding & cutting application
- ✓ Polishing & finishing applications
- ✓ Similar heavy-duty applications.

FORTé
CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch



Machine # 3

Packing: 6 Pcs./Carton

SPECIFICATION

DISC DIAMETER : 100 MM
RATED INPUT POWER : 1100 W
RATED VOLTAGE : 220 V
RATED FREQUENCY : 50 HZ
NO LOAD SPEED : 11,000 RPM
DOUBLE INSULATION

ALSO INCLUDES:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

**ANGLE GRINDER
(Side Switch)
100MM / 1100W
F AG 4-1100 SS**



Double Insulation



- Most-Powerful-in-Class 1100w, Double Insulation motor
- Side-Switch (Front-switch) for single hand tool handling
- Slim-body for comfortable yet firm hand-grip
- Spindle-lock for easy disc change
- Two-position side handle
- All Japanese Bearings
- Unique inner flange profile for firm wheel/blade grip
- Low-noise, Low-vibration



Most suited for:

- ✓ Stone cutting, grinding & edge profiling
- ✓ Concrete cutting, grinding & edge profiling
- ✓ Heavy-duty Engineering applications in steel & other metal grinding & cutting application
- ✓ Polishing & finishing applications
- ✓ Similar heavy-duty applications.

FORTé CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch



Machine # 93

Packing: 6 Pcs./Carton

SPECIFICATIONS:

DISC DIAMETER : 100 MM
 SPINDLE : M10
 RATED INPUT POWER : 1100 W
 RATED VOLTAGE : 220 ~ 240V
 RATED FREQUENCY : 50 Hz
 NO-LOAD SPEED : 3900-11000 RPM

Double Insulation

ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST


ANGLE GRINDER

Variable Speed

(Side Switch)

100MM / 1100W

F AG 4-1100 VS



Double Insulation



- ▶ **Most-Powerful-in-Class 1100w,**
Double Insulation motor
- ▶ **Variable Speed** regulator to
control disc / blade speed
- ▶ **Side-Switch (Front-switch)**
for single hand tool handling
- ▶ **Slim-body** for comfortable
yet firm hand-grip
- ▶ **Spindle-lock** for easy disc change
- ▶ Two-position side handle
- ▶ **All Japanese Bearings**
- ▶ **Unique inner flange profile** for
firm wheel/blade grip
- ▶ **Low-noise, Low-vibration**



Most suited for:

- ✓ Polishing & finishing applications on a variety of materials
- ✓ Stone cutting, grinding & edge profiling
- ✓ Concrete cutting, grinding & edge profiling
- ✓ Heavy-duty Engineering applications in steel & other metal grinding & cutting application
- ✓ Similar heavy-duty applications.

FORTé
CARE

Use genuine Forté spares for performance and life of tool



Armature



Field Coil



Carbon Brush



Gear Assembly



Switch



Machine # 79

Packing: 6 Pcs./Carton

SPECIFICATIONS:

| | |
|-------------------|------------------|
| DISC DIAMETER | : 100 MM |
| SPINDLE | : M10 |
| RATED INPUT POWER | : 1100 W |
| RATED VOLTAGE | : 220 ~ 240V |
| RATED FREQUENCY | : 50 Hz |
| NO-LOAD SPEED | : 3900-11000 RPM |

Double Insulation

ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

ANGLE GRINDER 125MM / 860W F AG 125-8 WSF



- Best-in-Class 860w, Double Insulation motor
- Toggle Switch (Back-switch) for easy tool handling
- Slim-body for comfortable yet firm hand-grip
- Extra supply of special M10 flange with each machine
- Spindle-lock for easy disc change
- Two-position side handle
- All 3 Japanese Bearings
- Auto-Stop Carbon Brush for armature safety
- Unique inner flange profile for firm wheel/blade grip
- Low-noise, Low-vibration



HIGH Wear-resistant
HIGH Heat-resistant
Armature winding cord
(Black)



Most suited for:

- ✓ Light Engineering steel & other metal grinding & cutting application
- ✓ Burrs removal & edge shaping
- ✓ Polishing & finishing applications
- ✓ Stone cutting, grinding & edge profiling
- ✓ Tile cutting, grinding & edge profiling
- ✓ Similar light-duty applications.

FORTé CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch



Machine # 4

Packing: 8 Pcs./Carton

SPECIFICATION

DISC DIAMETER : 125 MM
 RATED INPUT POWER : 860 W
 RATED VOLTAGE : 220 V
 RATED FREQUENCY : 50 HZ
 NO LOAD SPEED : 11,000 RPM

DOUBLE INSULATION

ALSO INCLUDES:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

New

ANGLE GRINDER
“PADDLE SWITCH”
125MM / 900W
F AG 125-9 PS



▶ **Paddle-Switch Angle Grinder:**

- Easy On-Off Control with single-hand working
- Reduced accidental-start -ups – Machine requires deliberate action to start machine
- Comfort-grip for long -time working



▶ **Powerful 900w Double Insulation Motor**

▶ **M-14 Spindle**

▶ **Branded bearings for low vibration, and for long tool life**

NEW

HIGH Wear-resistant
HIGH Heat-resistant
Armature winding cord
(Black)

- Most suited for:**
- ✓ Granite cutting and shaping
 - ✓ Wall cutting/chasing
 - ✓ Concrete cutting & grinding
 - ✓ Casting material grinding, profiling
 - ✓ High Carbon steel cutting & grinding
 - ✓ Similar heavy-duly & demanding applications.

FORTé
CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch

SPECIFICATIONS:

DISCDIAMETER : 125MM
SPINDLE : M14
RATEDINPUTPOWER : 900W
RATEDVOLTAGE : 220~240V
RATED FREQUENCY : 50Hz
NO-LOADSPEED : 12,000 RPM

DOUBLE INSULATION

ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

Single Pc Packing

Machine # 106

Packing: 8 Pcs./Caton **FREE!** ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.
Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

New

ANGLE GRINDER
(Heavy Duty)
125MM / 950W
F AG 125 - 950



- ▶ Slim-body for easy hand-grip
- ▶ Powerful, 950w Double insulation motor
- ▶ M14 Spindle
- ▶ Big-size bearing for stable performance & long-life
- ▶ Spindle-lock for easy disc change
- ▶ Two position side handle
- ▶ Best-in-class branded Bearings
- ▶ Unique inner-flange profile for firm wheel/blade grip



NEW

HIGH Wear-resistant
HIGH Heat-resistant
Armature winding cord
(Black)

- Most suited for:**
- ✓ Granite cutting and shaping
 - ✓ Wall cutting/chasing
 - ✓ Concrete cutting & grinding
 - ✓ Casting material grinding, profiling
 - ✓ High Carbon steel cutting & grinding
 - ✓ Similar heavy-duty & demanding applications.

FORTé CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch



Single Pc Packing

Machine # 123

Packing: 8 Pcs./Caton

SPECIFICATIONS:

DISC DIAMETER : 125MM
SPINDLE : M14
RATED INPUT POWER : 950W
RATED VOLTAGE : 220~240V
RATED FREQUENCY : 50Hz
NO-LOAD SPEED : 11,000 RPM

DOUBLE INSULATION

ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

FREE! ONE PAIR OF CARBON BRUSH (Original Machine Quality)

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

New

ANGLE GRINDER
No. 511
125MM / 1100W
F AG 5-1100



- Most-Powerful-in-Class 1100w, Double Insulation motor
- Toggle Switch (Back-switch) for easy tool handling
- Slim-body for comfortable yet firm hand-grip
- M14 Spindle-lock for easy disc change
- Two-position side handle
- All Japanese Bearings
- Unique inner flange profile for firm wheel/blade grip
- Low-noise, Low-vibration



HIGH Wear-resistant
HIGH Heat-resistant
Armature winding cord
(Black)



- Most suited for:**
- ✓ Stone cutting, grinding & edge profiling
 - ✓ Concrete cutting, grinding & edge profiling
 - ✓ Heavy-duty Engineering applications in steel & other metal grinding & cutting application
 - ✓ Polishing & finishing applications
 - ✓ Similar heavy-duty applications.

FORTé CARE
Use genuine Forte spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch



SPECIFICATIONS:

| | |
|-------------------|--------------|
| DISC DIAMETER | : 125MM |
| SPINDLE | : M14 |
| RATED INPUT POWER | : 1100W |
| RATED VOLTAGE | : 220~240V |
| RATED FREQUENCY | : 50Hz |
| NO-LOAD SPEED | : 11,000 RPM |
| DOUBLE INSULATION | |

ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

Machine # 122
Packing: 8 Pcs./Carton

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

ANGLE GRINDER
(Long Body)
125MM / 1400W
F AG 125-14



- **Best-In-Class 1400W** – Double Insulation Motor for powerful performance
- **High-precision gear/pinion set** ensures machine stability during heavy-duty grinding and cutting work
- **Branded bearings** ensure low-noise, low-vibration
- **Long ergonomic design handle** for easy machine holding for long hours
- **Two-position Side handle**
- **Spindle-lock** for quick wheel change
- **Out-side Carbon Brush window** for quick change



- Most suited for:**
- ✓ **Automotive & Fabrication:** Cutting & Grinding steel & metal parts
 - ✓ **Polishing & Finishing** of casting parts & components, Removal of rust & corrosion and Polishing metal surfaces, etc.
 - ✓ **Metalworking:** Cutting & deburring metal pipes & tubes, Grinding and smoothening metal surfaces, Sharpening metal tools
 - ✓ **Masonry & brick wall cutting** and wall chasing
 - ✓ **Welding preparation** and weld removal

FORTé CARE
Use genuine Forte spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch

SPECIFICATION

RATED FREQUENCY : 220V/50Hz
NO LOAD SPEED : 9300 rpm
RATED INPUT POWER : 1400W
OUTPUT SHAFT DIMENSIONS : M14
DISC DIAMETER : 125 mm
DOUBLE INSULATION

Machine # 5
Packing: 4 Pcs./Carton

ALSO INCLUDES :
1) Side Handle - 1 pc.
2) Wrench - 1 pc.

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.
Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

ANGLE GRINDER VARIABLE SPEED

125MM / 1400W
F AG 125-14 VS



Double Insulation



- ▶ **Best-In-Class 1400W** – Double Insulation Motor for powerful performance
- ▶ **6-Step Variable Speed regulator** – suitable for a variety of applications
- ▶ **High-precision gear/pinion set** ensures machine stability during heavy-duty grinding and cutting work
- ▶ **Branded bearings** ensure low-noise, low-vibration
- ▶ **Long ergonomic design handle** for easy machine holding for long hours
- ▶ **Two-position Side handle**
- ▶ **Spindle-lock** for quick wheel change
- ▶ **Out-side Carbon Brush window** for quick change



Most suited for:

- ✓ Variable speed allows Polishing & Finishing of different types of materials - Casting parts & components, Removal of rust & corrosion and Polishing metal surfaces, etc.
- ✓ Automotive & Fabrication: Cutting & Grinding steel & metal parts
- ✓ Metalworking: Cutting & deburring metal pipes & tubes, Grinding and smoothing metal surfaces, Sharpening metal tools.
- ✓ Masonry & brick wall cutting and wall chasing
- ✓ Welding preparation and weld removal.



Machine # 71

Packing: 4 Pcs./Carton

SPECIFICATIONS :

DISC DIAMETER : 125mm
 SOINDLE : M14
 RATED INPUT POWER : 1400W
 RATED VOLTAGE : 220 ~ 240V
 RATED FREQUENCY : 50 Hz
 NO-LOAD SPEED : 3900-10500 rpm

Double Insulation

ALSO INCLUDE :
- Set of Spanners

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

New

ANGLE GRINDER
No. 723
180MM / 2300W
F AG 7-2300



- ▶ **Best-In-Class 2300W** – Double Insulation Motor for powerful performance
- ▶ **High-Speed & Light-Weight** machine construction ensures higher productivity
- ▶ **Rotating-handle** allows easy grinding / cutting from different angles
- ▶ **Two-step, Lock-on Trigger switch** – safe for workers
- ▶ **Spindle-lock** for quick wheel change
- ▶ **Long, ergonomic design handle**
- ▶ **Branded bearings** ensure low-noise, low-vibration
- ▶ **Out-side Carbon Brush window** for quick change



Most suited for:

- ✓ **Automotive & Fabrication:** Cutting & Grinding steel & metal parts
- ✓ **Metalworking:** Cutting & deburring metal pipes & tubes, Grinding and smoothing metal surfaces, Sharpening metal tools.
- ✓ **Polishing & Finishing** of casting parts & components, Removal of rust & corrosion and Polishing metal surfaces, etc.

FORTé CARE

Use genuine Forté spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch

SPECIFICATIONS:

DISC DIAMETER : 180 MM
 SPINDLE : M14
 RATED INPUT POWER : 2300 W
 RATED VOLTAGE : 220 ~ 240V
 RATED FREQUENCY : 50 Hz
 NO-LOAD SPEED : 8400 RPM

Double Insulation

ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

Machine # 6

Packing: 2 Pcs./Carton

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.
 Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
 Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

ANGLE GRINDER

180MM / 2600W

F AG 180-26



Double Insulation



- **Powerful 2600W – Double Insulation Motor**
- **Two-step, Lock-on Trigger switch – safe for workers**
- **Spindle-lock for quick wheel change**
- **Long, ergonomic design handle allows easy manoeuvrability of machine with ease**
- **Branded bearings ensure low-noise, low-vibration**
- **Out-side Carbon Brush window for quick change**



HIGH Wear-resistant
HIGH Heat-resistant
Armature winding cord
(Black)



Most suited for:

- ✓ Highly rated angle grinder for Stone / Granite / Marble Block Cutting
- ✓ Automotive & Fabrication: Cutting & Grinding steel & metal parts
- ✓ Metalworking: Cutting & deburring metal pipes & tubes, Grinding and smoothing metal surfaces,
- ✓ Sharpening metal tools.
- ✓ Polishing & Finishing of casting parts & components, Removal of rust & corrosion and Polishing metal surfaces, etc.

FORTé
CARE

Use genuine Forte spares for performance and life of tool



Armature



Field Coil



Carbon Brush



Gear Assembly



Switch



Machine # 72

Packing: 2 Pcs./Carton

SPECIFICATIONS:

| | |
|-------------------|--------------|
| DISC DIAMETER | : 180 MM |
| SPINDLE | : M14 |
| RATED INPUT POWER | : 2600 W |
| RATED VOLTAGE | : 220 ~ 240V |
| RATED FREQUENCY | : 50 Hz |
| NO-LOAD SPEED | : 7800 RPM |

Double Insulation

ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

ANGLE GRINDER (Without Soft-Start)

230MM / 2600W

F AG 230-26 WS



Double Insulation



- ▶ **Powerful 2600W** – Double Insulation Motor
- ▶ **Two-step, Lock-on Trigger switch** – safe for workers
- ▶ **Spindle-lock** for quick wheel change
- ▶ **Long, ergonomic design handle** allows easy manoeuvrability of machine with ease
- ▶ **Branded bearings** ensure low-noise, low-vibration
- ▶ **Out-side Carbon Brush window** for quick change



HIGH Wear-resistant
HIGH Heat-resistant
Armature winding cord
(Black)



Most suited for:

- ✓ Highly rated angle grinder for Stone / Granite / Marble Block Cutting
- ✓ Automotive & Fabrication: Cutting & Grinding steel & metal parts
- ✓ Metalworking: Cutting & deburring metal pipes & tubes, Grinding and smoothing metal surfaces, Sharpening metal tools.
- ✓ Polishing & Finishing of casting parts & components, Removal of rust & corrosion and Polishing metal surfaces, etc.



CARE

Use genuine Forte spares for performance and life of tool

| | |
|---|--|
|  Armature |  Field Coil |
|  Carbon Brush |  Gear Assembly |
|  Switch | |



SPECIFICATION

DISC DIAMETER : 230MM
RATED INPUT POWER : 2600W
RATED VOLTAGE : 220 V
RATED FREQUENCY : 50 HZ
NO LOAD SPEED : 6500 RPM

DOUBLE INSULATION

ALSO INCLUDES:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

Machine # 94

Packing: 2 Pcs./Carton

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

ANGLE GRINDER

230MM / 2600W

F AG 230-26



Double Insulation



- ▶ **Powerful 2600W** – Double Insulation Motor
- ▶ **Soft-Start** ensures load-protection of machine
- ▶ **Two-step, Lock-on Trigger switch** – safe for workers
- ▶ **Spindle-lock** for quick wheel change
- ▶ **Long, ergonomic design handle** allows easy manoeuvrability of machine with ease
- ▶ **Branded bearings** ensure low-noise, low-vibration
- ▶ **Out-side Carbon Brush window** for quick change



HIGH Wear-resistant
HIGH Heat-resistant
Armature winding cord
(Black)



Most suited for:

- ✓ Highly rated angle grinder for Stone / Granite / Marble Block Cutting
- ✓ Automotive & Fabrication: Cutting & Grinding steel & metal parts
- ✓ Metalworking: Cutting & deburring metal pipes & tubes, Grinding and smoothening metal surfaces, Sharpening metal tools.
- ✓ Polishing & Finishing of casting parts & components, Removal of rust & corrosion and Polishing metal surfaces, etc.

FORTé
CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch



Machine # 7

Packing: 2 Pcs./Carton

SPECIFICATION

DISC DIAMETER : 230MM
 RATED INPUT POWER : 2600W
 RATED VOLTAGE : 220 V
 RATED FREQUENCY : 50 HZ
 NO LOAD SPEED : 6500 RPM

DOUBLE INSULATION

ALSO INCLUDES:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



FORTÉ®

MY TOOLS – MY TRUST

New

ANGLE GRINDER (HEAVY DUTY) 230MM / 3000W F AG 230-300 HD

- ▶ Best-In-Class '**Heavy-Duty**' 3000w - Double Insulation Motor - Suitable for demanding grinding / cutting applications
- ▶ High-precision power transmission (gear/pinion) system ensures **machine stability during heavy-duty grinding and cutting work**
- ▶ Branded bearings ensure **low-noise, low-vibration** and enhanced comfort to workman
- ▶ Long ergonomic design handle for **easy machine holding** for long hours
- ▶ Two-position Side handle
- ▶ Spindle-lock for quick wheel change
- ▶ Out-side Carbon Brush window for quick change



Applications:

- ✓ Automotive & Fabrication: Cutting & Grinding metal parts, Heavy-duty Grinding and Polishing of Die-casting parts & components, Removal of rust & corrosion
- ✓ Polishing metal surfaces, etc.
- ✓ Stone & Construction: Cutting and grinding
- ✓ Granites, Marble, Sand-stone, Black-stone, etc, Grinding Concrete surfaces, Removing old mortar and grout
- ✓ Metalworking: Cutting & deburring metal pipes & tubes, Grinding and smoothening metal surfaces, Sharpening metal tools. Welding preparation and weld removal



Single Pc Packing

Machine #121

Packing: 2 Pcs. / Carton

SPECIFICATIONS:

| | |
|-------------------|-----------|
| DISC DIAMETER | :230 MM |
| SPINDLE : | :M14 |
| RATED INPUT POWER | :3000 W |
| RATED VOLTAGE | :220~240V |
| RATED FREQUENCY | :50 Hz |
| NO-LOAD SPEED | :6500 RPM |

Double Insulation

ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)

DIE GRINDER

(Bottle Type)

6MM / 300W

F DG 6 - 24



- ▶ Best-in-class 300W Motor – Small yet powerful
- ▶ Button-Press switch – easy to operate
- ▶ Standard Nut-Type collet for easy bit assembly & removal
- ▶ Dust-proof tool construct
- ▶ Four (4) Branded Bearings construction ensure low-noise, low-vibration



Most suited for:

- ✓ Metalworking: Deburring metal pipes & tubes, Grinding and smoothening metal surfaces, Edge sharpening of metal tools.
- ✓ Automotive & Steel Fabrication: Grinding, shaping, finishing steel & metal parts
- ✓ Polishing & Finishing of light die casting parts & components, Removal of rust & corrosion and Polishing metal surfaces, etc.



Machine # 84

Packing: 10 Pcs./Carton

SPECIFICATIONS:

| | |
|-------------------|------------|
| Max. Collet Size | : 6 mm |
| Max. Disc Dia | : 25mm |
| Rated Input Power | : 300w |
| Rated Voltage | : 220~240V |
| Rated Frequency | : 50 Hz |
| No-Load Speed | : 26000rpm |

ALSO INCLUDE:

- 3mm Collet - 1 Pc
- 6mm Collet - 1 Pc
- Set of Spanners

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in





MY TOOLS – MY TRUST

DIE GRINDER (VARIABLE SPEED)

25MM / 400W
F DG 25-40 VS



- ▶ **Powerful 400W Motor**
- ▶ **Variable Speed** regulator for a variety of materials application
- ▶ **A multi-purpose machine** for grinding / finishing / polishing applications
- ▶ **Toggle switch** – easy to operate
- ▶ **Unique built-in collet** for easy bit assembly & removal
- ▶ **Branded bearings** ensure low-noise, low-vibration
- ▶ **Out-side Carbon Brush** window for quick change



Most suited for:

- ✓ **Stone Working:** Carving in Stone / Granite / Marble in temple work
- ✓ **Metalworking:** Deburring metal pipes & tubes, Grinding and smoothening metal surfaces, Edge sharpening of metal tools.
- ✓ **Automotive & Steel Fabrication:** Grinding, shaping, finishing steel & metal parts
- ✓ **Polishing & Finishing** of die casting parts & components, Removal of rust & corrosion and Polishing metal surfaces, etc.



Machine # 58

Packing: 6 Pcs./Carton

SPECIFICATIONS :

Max. Wheel Dia. : 25mm
Collect : 6mm
Rated Input Power : 400w
Rated Voltage : 220~240V
Rated Frequency : 50 Hz
No-Load Speed : 28,500rpm

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

DIE GRINDER

“PRO”

25MM / 550W

F DG 25-PRO



Double Insulation



- Powerful 550W Double Insulation Motor
- Rubber sheathing on neck part – ensures comfortable and non-slip hand grip of machine neck while operating
- Toggle switch – easy to operate
- Unique built-in collet for easy bit assembly & removal
- Dust-proof tool construct Four (4) Branded Bearings construction ensure low-noise, low-vibration
- Out-side Carbon Brush window for quick change



Most suited for:

- ✓ Stone Working: Carving in Stone / Granite / Marble in temple work
- ✓ Metalworking: Deburring metal pipes & tubes, Grinding and smoothening metal surfaces, Edge sharpening of metal tools.
- ✓ Automotive & Steel Fabrication: Grinding, shaping, finishing steel & metal parts
- ✓ Polishing & Finishing of die casting parts & components, Removal of rust & corrosion and Polishing metal surfaces, etc.



Machine # 61

Packing: 8 Pcs./Carton

SPECIFICATIONS :

| | |
|-------------------|------------|
| Collect | : 6mm |
| Rated Input Power | : 550W |
| Rated Voltage | : 220~240V |
| Rated Frequency | : 50 Hz |
| No-Load Speed | : 29,00rpm |

DOUBLE INSULATION

ALSO INCLUDES

2 pcs wrench

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

DIE GRINDER

PRO-NC

25MM / 550W

F DG 25-PRO NC



Double Insulation



- **Powerful 550W Double Insulation Motor**
- **Rubber sheathing** on neck part – ensures comfortable and non-slip hand grip of machine neck while operating
- **Toggle switch** – easy to operate
- **Standard Nut-type Collet** for bit assembly & removal
- **Dust-proof tool construct** Four (4) **Branded Bearings** construction ensure low-noise, low-vibration
- **Out-side Carbon Brush window** for quick change



Most suited for:

- ✓ **Stone Working:** Carving in Stone / Granite / Marble in temple work
- ✓ **Metalworking:** Deburring metal pipes & tubes, Grinding and smoothening metal surfaces, Edge sharpening of metal tools.
- ✓ **Automotive & Steel Fabrication:** Grinding, shaping, finishing steel & metal parts
- ✓ **Polishing & Finishing** of die casting parts & components, Removal of rust & corrosion and Polishing metal surfaces, etc.



FORTé
CARE
Use genuine Forte spares for performance and life of tool



Armature



Field Coil



Carbon Brush



Gear Assembly



Switch



Machine # 95

Packing: 8 Pcs./Carton

SPECIFICATIONS:

Collet : 6mm
Rated Input Power : 550W
Rated Voltage : 220~240V
Rated Frequency : 50 Hz
No Load Speed : 29000rpm

Double Insulation

Also Include:
2 pcs wrench

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

STRAIGHT GRINDER (VARIABLE SPEED)

125MM / 1050W
F SG 125-VS



Double Insulation



- ▶ Most Powerful-In-Class
1050W Double Insulation Motor
- ▶ Variable-speed regulator to control speed basis job requirements
- ▶ Rubber sheathing on neck part – ensures comfortable and non-slip hand grip of machine neck while operating
- ▶ Trigger switch – easy to operate
- ▶ Dust-proof tool construct Four (4) Branded Bearings construction ensure low-noise, low-vibration
- ▶ Out-side Carbon Brush window for quick change



Most suited for:

- ✓ **Metalworking:** Easy grinding, stock-removal, polishing job in narrow, difficult-to-access job
- ✓ Fast yet controlled surface **Deburring** metal pipes & tubes, **Grinding and smoothing** metal surfaces
- ✓ **Automotive & Steel Fabrication:** Grinding, shaping, finishing steel & metal parts
- ✓ **Polishing & Finishing** of die casting parts & components, Removal of rust & corrosion and Polishing metal surfaces, etc.



SPECIFICATIONS :

Disc Dia. : 125mm
Spindle : M14
Rated Input Power : 1050w
Rated Voltage : 220~240V
Rated Frequency : 50 Hz
No-Load Speed : 0-5,000rpm

Double Insulation

ALSO INCLUDE:

- Set of Spanners

FREE! ONE PAIR OF CARBON BRUSH



Machine # 64

Packing: 4 Pcs./Carton

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

ELECTRIC DRILL 6.5MM / 350W F ED 6-35 RE



Double Insulation



- ▶ **Best-In-Class Powerful 350W** – Double Insulation Motor – **Safe Tool** for working in high moisture environment
- ▶ **Reverse / Forward Rotation** allows easy drill withdrawal / removal
- ▶ **Variable Speed Switch** (press control) facilitates **Rotary Drilling & Fastening** in different materials
- ▶ **Lock-On Switch** for continuous working
- ▶ **Compact & Light-weight** machine construct
- ▶ **Branded chuck** gives longer chuck working life
- ▶ for **All branded bearing** construction – low noise, low vibration



Most suited for:

- ✓ Drilling holes (with suitable High-Speed-Steel Drill bits) in sheet metal, MS plates, angles, squares & tubes
- ✓ Drilling holes (with suitable Wood-Drill Bits) in ply-wood, wood-panels, particle boards
- ✓ Fastening / un-fastening Screws in Metal, Wood, Plastic materials.



Machine # 9

Packing: 10 Pcs./Carton

SPECIFICATIONS :

Max. Drilling Dia. : Steel-6.5mm
: Wood-9mm
Drill Diameter : 0.8-6.5mm
Rated Input Power : 350w
Rated Voltage : 220~240V
Rated Frequency : 50 Hz
No-Load Speed : 0,4500rpm
Double Insulation

Also Include:

Chuck Key - 1pc.

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

ELECTRIC DRILL 10MM / 450W F ED 10-45



Double Insulation



- ▶ **Best-In-Class Powerful 450W** – Double Insulation Motor – Safe Tool for working in high moisture environment
- ▶ **Reverse / Forward Rotation** allows easy drill withdrawal / removal
- ▶ **Variable Speed Regulator** facilitates “controlled” Drilling & Fastening in different materials
- ▶ **Lock-On Switch** for continuous working
- ▶ **Compact & Ultra-Light-weight** machine construct
- ▶ **Branded chuck** gives longer chuck working life
- ▶ **for All branded bearing construction** – low noise, low vibration



Most suited for:

- ✓ Drilling holes (with suitable High-Speed-Steel Drill bits) in sheet metal, MS plates, angles, squares & tubes
- ✓ Drilling holes (with suitable Wood-Drill Bits) in ply-wood, wood-panels, particle boards
- ✓ Fastening / un-fastening Screws in Metal, Wood, Plastic materials.



Machine # 81

Packing: 10 Pcs./Carton

SPECIFICATIONS:

Max Drilling Dia : Steel-10mm,
Wood-18mm

Rated Input Power: 450W

Rated Voltage : 220 ~ 240V

Rated Frequency : 50 Hz

No-Load-Speed : 0-3900 rpm

DOUBLE INSULATION

ALSO INCLUDE:

Chuck Key - 1 Pc.

FREE!

ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

ELECTRIC DRILL

“ PRO ”

10MM / 450W

F ED 10 - PRO



Double Insulation



- **Best-In-Class Powerful 450W – Double Insulation Motor – Safe Tool** for working in high moisture environment
- **Reverse / Forward Rotation** allows easy drill withdrawal / removal
- **Variable Speed Regulator** facilitates “controlled” Drilling & Fastening in different materials
- **Lock-On Switch** for continuous working
- **Industrial Level machine construct** with soft-grip
- **Branded chuck** gives longer chuck working life
- **All branded bearing construction** – low noise, low vibration



Most suited for:

- ✓ Drilling holes (with suitable High-Speed-Steel Drill bits) in sheet metal, MS plates, angles, squares & tubes
- ✓ Drilling holes (with suitable Wood-Drill Bits) in ply-wood, wood-panels, particle boards
- ✓ Fastening / un-fastening Screws in Metal, Wood, Plastic materials.



Machine # 10

Packing: 10 Pcs./Carton

SPECIFICATIONS:

Max Drill Dia : Steel-10mm,
Wood-18mm

Rated Input Power: 450W

Rated Voltage: 220 ~ 240V

Rated Frequency: 50 Hz

No-Load-Speed: 0-3200 rpm

DOUBLE INSULATION

ALSO INCLUDE:

Chuck Key - 1 Pc.

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST


ELECTRIC DRILL
(Metal Gear Box)
10MM / 600W
F EDM 10 - 60



Double Insulation



- ▶ **Best-In-Class Powerful 600W – Double Insulation Motor**
- ▶ **Metal Gear-Box** allows heavy-duty drilling for long periods
- ▶ **Reverse / Forward Rotation** allows easy drill withdrawal / removal
- ▶ **Variable Speed Regulator** facilitates "controlled" Drilling & Fastening in different materials
- ▶ **Lock-On Switch** for continuous working
- ▶ **Industrial Level machine construct**
- ▶ **Branded chuck** gives longer chuck working life
- ▶ **All branded bearing construction – low noise, low vibration**



Most suited for:

- ✓ Drilling holes (with suitable High-Speed-Steel Drill bits) in sheet metal, MS plates, angles, squares & tubes
- ✓ Drilling holes (with suitable Wood-Drill Bits) in ply-wood, wood-panels, particle boards
- ✓ Fastening / un-fastening Screws in Metal, Wood, Plastic materials.

FORTé CARE
Use genuine Forté spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch



Machine # 11

Packing: 6 Pcs./Carton

SPECIFICATIONS:

Drill Capacity: 10mm-Steel, 19mm-Wood
 Rated Input Power: 600W
 Rated Voltage: 220 ~ 240V
 Rated Frequency: 50 Hz
 No-Load-Speed: 0-2800 rpm
DOUBLE INSULATION

ALSO INCLUDE:

- Side Handle
- Chuck Key

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



FORTé®

MY TOOLS – MY TRUST

ELECTRIC DRILL HIGH-TORQUE (Metal Gear Box) 16MM / 1050W F EDM 16-105 HT



Double Insulation



- ▶ **Most-Powerful-In-Class 1050W – Double Insulation Motor**
- ▶ **Metal Gear-Box** allows heavy-duty drilling for long periods
- ▶ **Unique gear-transmission system** to achieve high torque
- ▶ **Reverse / Forward Rotation** allows easy drill withdrawal
- ▶ **Variable Speed Regulator** facilitates “controlled” Drilling
- ▶ **Lock-On Switch** for continuous working
- ▶ **Industrial Level machine construct**
- ▶ **Branded chuck** gives longer chuck working life
- ▶ **All branded bearing construction – low noise, low vibration**



Most suited for:

- ✓ **Metal Working & Fabrication:** Industrial level Drilling-Holes (with suitable High-Speed-Steel Drill bits) in MS & Carbon steel grade plates, Angles, Squares & Tubes
- ✓ **Automotive:** Making precision holes in Forged, Machined components and parts
- ✓ **Heavy-Duty Drilling:** Making holes (with suitable cobalt-grade drill bits) in Die Casting, Stainless-steel & similar hard materials



Machine # 74

Packing: 4 Pcs./Carton

FREE!

ONE PAIR OF CARBON BRUSH

SPECIFICATIONS :

| | |
|---------------------|--------------------------------|
| Drill Diameter | : 0.8-16mm |
| Max. Drill Diameter | : Steel : 16mm, Wood : 36mm |
| Rated Input Power | : 1050w |
| Rated Voltage | : 220~240V |
| Rated Frequency | : 50 Hz |
| No-Load Speed | : 0-550rpm |

Double Insulation

Also Include :
Chuck Key - 1 pc.

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

IMPACT DRILL

13MM / 550W

F ID 13-55



Double Insulation



- ▶ **Powerful 550W** – Double Insulation Motor – Safe Tool for working in high moisture environment
- ▶ **Reverse / Forward Rotation** allows easy drill withdrawal / removal
- ▶ **Variable Speed Regulator** facilitates “controlled” Drilling & Fastening in different materials
- ▶ **Lock-On Switch** for continuous working
- ▶ **Compact & Ultra-Light-weight** machine construct
- ▶ **Branded chuck** gives longer chuck working life
- ▶ **All branded bearing** construction – low noise, low vibration



Most suited for:

- ✓ Drilling holes (with MASONRY / CARBIDE TIP Drill Bits) in Brick-wall, AAC Blocks, Stones, etc.
- ✓ Drilling holes (with suitable HSS Drill bits) in sheet metal, MS plates, angles, squares & tubes
- ✓ Drilling holes (with suitable Wood-Drill Bits) in ply-wood, wood-panels, particle boards
- ✓ Fastening / un-fastening Screws in Metal, Wood, Plastic materials.



Machine # 12

Packing: 6 Pcs./Carton

SPECIFICATION

Max Drill Dia : Steel-13 mm
Concrete-13 mm
Wood-25 mm
Drill Diameter : 1.5 - 13 mm
Rated Input Power : 550 W
Rated Voltage : 220-240 V
Rated Frequency : 50 Hz
No-load-Speed : 0-2800 rpm

DOUBLE INSULATION

ALSO INCLUDE :
Chuch key - 1 Pc
Side handle - 1 Pc
Depth gauge - 1 Pc

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

IMPACT DRILL

“ PRO ”

13MM / 710W

F ID 13-71 PRO



Double Insulation



- ▶ **Best-In-Class 710W** – Double Insulation Motor – **Safe Tool** for working in high moisture environment
- ▶ **Reverse / Forward Rotation** allows easy drill withdrawal / removal
- ▶ **Variable Speed Regulator** facilitates “controlled” Drilling & Fastening in different materials
- ▶ **Lock-On Switch** for continuous working
- ▶ **Robust machine** construct for powerful performance and long tool life
- ▶ **Branded chuck** gives longer chuck working life
- ▶ **All branded bearing** construction – low noise, low vibration



Most suited for:

- ✓ Drilling holes (with CARBIDE TIP Drill Bits) in Brick-wall, AAC Blocks, Stones, etc.
- ✓ Drilling holes (with suitable HSS Drill bits) in sheet metal, MS plates, angles, squares & tubes
- ✓ Drilling holes (with suitable Wood-Drill Bits) in ply-wood, wood-panels, particle boards
- ✓ Fastening / un-fastening Screws in Metal, Wood, Plastic materials.



Machine #13

Packing: 6Pcs./Carton

SPECIFICATION

CHUCK DIAMETER : 1.5-13mm
RATED INPUT POWER : 710w
RATED VOLTAGE : 220v
RATED FREQUENCY : 50Hz
NOLOAD SPEED : 0-3000rpm

ALSO INCLUDES DOUBLE INSULATION

Side Handle
Chuck Key
Depth Guage

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

New

IMPACT DRILL (METAL GEAR BOX)

13MM / 800W
F IDM 13-MG



Double Insulation



- ▶ Powerful 800W Double Insulation motor
- ▶ Light-weight machine construction
- ▶ Best-in-class low-weight-to-power ratio – Meaning “High-power & Light-weight”
- ▶ Forward / Reverse rotation function for easy drill bit withdrawal / removal
- ▶ Variable Speed Regulator helps fastening / un-screwing applications
- ▶ Robust Metal Gear-box for tough drilling work
- ▶ Branded Chuck & Bearings for Long Tool Life
- ▶ Low-noise & low-vibration for workman comfort



Most suited for:

- ✓ Drilling holes in Masonry & Brick wall
- ✓ Drilling in Wood / Ply-wood / Plastic materials
- ✓ Drilling holes in Metal sheets, Tubes, Angles
- ✓ Fastening / Un-fastening Self-tapping Screws



Single Pc Packing

Machine #102

Packing: 5 Pcs./Carton

SPECIFICATIONS:

Chuck Size: 1.5-13mm
Max. Drilling Dia: Concrete-13mm
Steel-10mm
Wood-40mm

Rated Input Power: 800W
Rated Voltage: 220~240V
Rated Frequency: 50 Hz
No-Load-Speed: 0 - 2800 rpm
Impact Rate: 44,800 bpm

DOUBLE INSULATION

ALSO INCLUDE:

Side Handle - 1 Pc.
Chuck Key - 1 Pc.

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

IMPACT DRILL (Metal Gear-Box) 13MM / 850W F IDM 13-85



Double Insulation



- ▶ Best-In-Class 850W – Double Insulation Motor
- ▶ Metal Gear-Box allows heavy-duty drilling for long periods
- ▶ Reverse / Forward Rotation allows easy drill withdrawal / removal
- ▶ Variable Speed Regulator facilitates “controlled” Drilling & Fastening in different materials
- ▶ Lock-On Switch for continuous working
- ▶ Robust machine construct for powerful performance and long tool life
- ▶ Branded chuck gives longer chuck life
- ▶ All branded bearing construction – low noise, low vibration



Most suited for:

- ✓ Drilling holes (with CARBIDE TIP Drill Bits) in Brick-wall, AAC Blocks, Stones, etc.
- ✓ Drilling holes (with suitable HSS Drill bits) in sheet metal, MS plates, angles, squares & tubes
- ✓ Drilling holes (with suitable Wood-Drill Bits) in ply-wood, wood-panels, particle boards
- ✓ Fastening / un-fastening Screws in Metal, Wood, Plastic materials.



Machine # 59

Packing: 5 Pcs./Carton

FREE!

ONE PAIR OF CARBON BRUSH

SPECIFICATIONS :

Max. Drill Diameter : 13mm-Steel,
: 13mm-Concrete
: 40mm-Wood
Rated Input Power : 850w
Rated Voltage : 220~240V
Rated Frequency : 50 Hz
No-Load Speed : 0-280rpm
Double Insulation

Also Include :

Chuck Key - 1 pc.

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in

[Back to Index](#)




MY TOOLS – MY TRUST

SCREWDRIVER DRILL

10MM / 300W

F SD 10-30 RE



Double Insulation



- ▶ **Powerful 300w** – Double Insulation Motor
- ▶ **23 Torque Settings** – Varied Torque delivery for different torque requirements
- ▶ **10mm Keyless Chuck** – Easy to operate
- ▶ **Forward / Reverse Rotation** – Easy Screw Fastening & un-fastening
- ▶ **Variable Speed** facilitates “controlled” Fastening / Drilling in different materials
- ▶ **Lock-On Switch** for continuous working
- ▶ **Compact, Light-weight** yet Robust tool construction
- ▶ **Soft-grip handle** reduces operator fatigue



Most suited for:

- ✓ **Screwdriver Bit** – Driving Screws : Flat & Philip Head
- ✓ **Torx-Head Screwdriver Bit** – Driving Torx-head Screws – Max T40 size
- ✓ **Nut Driver Bit** – Driving nuts - Max M6 size
- ✓ **Drill Bit** – Drilling holes – Max 10mm Drill Dia



Machine # 8

Packing: 10 Pcs./Carton

SPECIFICATIONS:

Max. Drill Dia. : 10mm
 Rated Input Power: 300W
 Rated Voltage: 220 ~ 240V
 Rated Frequency: 50 Hz
 No-Load-Speed: 0-750 RPM
 Torque Setting: 23+1
 Max. Torque: 20Nm
DOUBLE INSULATION

Includes:

1 Pc. Screwdriver Bit

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

IMPACT DRIVER
6MM / 230W
F TD 6023 RE



Double Insulation



- ▶ Powerful 230w – Double Insulation Motor
- ▶ 100N.m Torque Power – Tool delivers Power - Minimum efforts by workman
- ▶ M4-M8 Machine Screw Capacity
- ▶ Forward / Reverse Rotation – Easy Screw Fastening & un-fastening
- ▶ High Impact Rate – Tool delivers quick torque pulses, meaning higher productivity
- ▶ Unique Design Gears ensure long machine & parts life
- ▶ Compact, Light-weight yet Robust tool construction
- ▶ Soft-grip handle reduces Workman fatigue



Most suited for:

- ✓ Tightening / removing Self-tapping Screws on a variety of materials
- ✓ Tightening / removing Standard Machine Screws on a variety of materials and surfaces
- ✓ Loosening stubborn screws on parts & components
- ✓ Drilling holes (with suitable drill bits) in a variety of materials such as wood, sheet metal, aluminium, plastic, etc.

FORTé
CARE

Use genuine Forté spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch



Machine # 62

Packing: 10 Pcs./Carton

SPECIFICATIONS:
 Driving Shank (Hex): 6.35mm (1/4")
 Rated Input Power: 230W
 Rated Voltage: 220 ~ 240V
 Rated Frequency: 50 Hz
 Impact Per Minute: 0-3200 IPM
 No-Load-Speed: 0-3600 RPM
 Max. Torque: 100N.m
 Capacity:
 Machine Screw: M4-M8
 Standard Bolt: M5-M14
 High Tensile Bolt: M5-M10
DOUBLE INSULATION
ALSO INCLUDE:
 1 Pc. Screwdriver Bit

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)




MY TOOLS – MY TRUST

New

**ELECTRIC IMPACT WRENCH
(HIGH TORQUE)
12.7mm (1/2")/450w
F EIW 20-450 HT**



- ▶ Powerful 450w – Double Insulation Motor – Safe Tool for the **workman**
- ▶ 380 Nm torque power (rotational force) delivery by tool with minimum exertion by the **workman**
- ▶ Big Gears and Counter Gears ensure long machine & parts life
- ▶ High Impact Rate – Wrench delivers quick torque pulses, meaning higher **workman** productivity
- ▶ Robust Gear-box construction for handling challenging work conditions
- ▶ Soft-grip handle reduces **Workman** fatigue



- Most suited for:**
- ✓ Removing and tightening lug nuts on wheels during tire changes
 - ✓ Loosening stubborn fasteners on parts & components
 - ✓ Assembling and disassembling construction scaffolding
 - ✓ Installing decking and other structural components
 - ✓ Applications in Assembly lines where high torque is required
 - ✓ Tightening large bolts on machinery
 - ✓ Machine maintenance and repair

FORTé CARE
Use genuine Forte spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch



Machine # 109
Packing: 5 Pcs./Carton

SPECIFICATIONS:

| | |
|-------------------------|---------------|
| Square Drive : | 12.7x12.7mm |
| Rated Input Power: | 450w |
| Rated Voltage: | 220 ~ 240V |
| Rated Frequency: | 50 Hz |
| No-Load-Speed: | 1700-1900 RPM |
| Rated Impact Frequency: | 2400 IPM |
| Max. Torque: | 380 N.m |

Max. Capacity (Bolt Size):

| | |
|--------------------|---------|
| Standard Bolt: | M12-M20 |
| High Tensile Bolt: | M12-M18 |

DOUBLE INSULATION

ALSO INCLUDE:
Socket : 1 Pc.

Forte India Enterprises Pvt. Ltd.
Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

CUTTER

110MM / 1230W
F CM 4



Double Insulation



- ▶ **Powerful 1230W** – Double Insulation Motor – **Safe Tool** for working in water-soaked environment
- ▶ Excellent to cut all types of granite / marble sheets, Ply-wood, wood-panels, etc.
- ▶ **Splash-control** housing & base-plate design
- ▶ **Heavy base-plate** for easy forward movement and stable cutting
- ▶ All **branded bearing** construction – low noise, low vibration



HIGH Wear-resistant
HIGH Heat-resistant
Armature winding cord
(Black)



Most suited for:

- ✓ Cutting marble, granite, stone sheets and blocks
- ✓ Cutting ply-wood and wood panels
- ✓ Cutting Brick, Masonry walls
- ✓ Making grooves in all the above materials and surface types

FORTé
CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch



Machine # 15

Packing: 4 Pcs./Carton

SPECIFICATION

DISC DIAMETER :110 MM
 RATED INPUT POWER :1230 W
 RATED VOLTAGE :220 V
 RATED FREQUENCY :50 HZ
 NO LOAD SPEED :13,000 RPM

DOUBLE INSULATION
 ALSO INCLUDES
 WHEEL SPANNER & KEY

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

New


CUTTER
“SA”
110-125MM / 1400W
F CM 5 - SA



Double Insulation



- ▶ **Most-Powerful-In-Class**
1400W – Double Insulation Motor – Safe Tool for working in water-soaked environment
- ▶ Popular “Round Body” with dust protection net
- ▶ Base-Plate opens in front – no dust-throw on worker!!!
- ▶ Fix Base Plate for perfect 90 degree cutting
- ▶ Cutting Blade & Base-plate edge alignment !!!
Improves cutting edge visibility
- ▶ Unique base-plate design
stable forward movement and cutting



- Most suited for:**
- ✓ Cutting marble, granite, stone sheets and blocks
 - ✓ Cutting ply-wood and wood panels
 - ✓ Cutting Brick, Masonry walls
 - ✓ Making grooves in all the above materials and surface types

FORTé CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch



Machine # 119

Packing: 4 Pcs./Carton

SPECIFICATIONS:
 Disc Diameter : 110-125MM
 Rated Input Power : 1400 W
 Rated Voltage : 220 ~ 240V
 Rated Frequency : 50 Hz
 No-Load-Speed : 13000 rpm

DOUBLE INSULATION ALSO INCLUDE:
 - Wheel Spanner & Key
 - Water Supply attachment (Tap & Tube)

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

**CUTTER
(FIX BASE)
125MM / 1300W
F CM 5-130 FB**



Double Insulation



- ▶ **Powerful 1300W** – Double Insulation Motor – **Safe Tool** for working in water-soaked environment
- ▶ **38mm (approx. 1.5") Cutting Depth** – Sufficient to cut all types of granite / marble sheets, Ply-wood, wood panels, Tiles, etc.
- ▶ **Fix Base Plate** for 90 degree cutting
- ▶ **Splash-control housing & base-plate design**
- ▶ **Heavy base-plate** for easy forward movement and stable cutting
- ▶ **All branded bearing construction** – low noise, low vibration



Most suited for:

- ✓ Cutting marble, granite, stone sheets and blocks
- ✓ Cutting ply-wood and wood panels
- ✓ Cutting Brick, Masonry walls
- ✓ Making grooves in all the above materials and surface types



Machine # 41

Packing: 4 Pcs./Carton

SPECIFICATIONS:

DISC DIAMETER : 125MM
RATED INPUT POWER : 1300W
RATED VOLTAGE : 220~240V
RATED FREQUENCY : 50HZ
NO LOAD SPEED : 13,000RPM

ALSO INCLUDE:

WHEEL SPANNER & WATER SUPPLIER

FREE!

ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

CUTTER

125MM / 1300W

F CM 5-130



Double Insulation



- ▶ **Powerful 1300W** – Double Insulation Motor – **Safe Tool** for working in water-soaked environment
- ▶ **38mm (approx. 1.5") Cutting Depth** – Sufficient to cut all types of granite / marble sheets, Ply-wood, wood panels, Tiles, etc.
- ▶ **45 Degree Bevel Base Plate** for angular cutting
- ▶ **Splash-control housing & base-plate design**
- ▶ **Heavy base-plate** for easy forward movement and stable cutting
- ▶ **All branded bearing construction** – low noise, low vibration



Most suited for:

- ✓ Cutting marble, granite, stone sheets and blocks
- ✓ Cutting ply-wood and wood panels
- ✓ Cutting Brick, Masonry walls
- ✓ Making grooves in all the above materials and surface types



Machine # 16

Packing: 4 Pcs./Carton

SPECIFICATION

DISC DIAMETER : 125 MM
RATED INPUT POWER : 1300 W
RATED VOLTAGE : 220 V
RATED FREQUENCY : 50 HZ
NO LOAD SPEED : 13,000 RPM
ALSO INCLUDES 
WHEELS SPANNER & WATER SUPPLIER

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

New

**CUTTER
(FIX BASE)
125MM / 1600W
F CM 5-1600 FB**



- **Most-Powerful-In-Class 1600W** – Double Insulation Motor – Safe Tool for working in water-soaked environment
- **38mm (approx. 1.5") Cutting Depth** – Sufficient to cut all types of granite / marble sheets, Ply-wood, wood panels, Tiles, etc.
- **Fix Base Plate** for 90 degree cutting
- **Splash-control housing & base-plate design**
- **Heavy base-plate** for easy forward movement and stable cutting
- **All branded bearing construction** – low noise, low vibration



Most suited for:

- ✓ Cutting marble, granite, stone sheets and blocks
- ✓ Cutting ply-wood and wood panels
- ✓ Cutting Brick, Masonry walls
- ✓ Making grooves in all the above materials and surface types

FORTé CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch



Machine # 104

Packing: 4 Pcs./Carton

SPECIFICATION

DISC DIAMETER : 125 MM
 RATED INPUT POWER : 1600 W
 RATED VOLTAGE : 220 V
 RATED FREQUENCY : 50 HZ
 NO LOAD SPEED : 13,000 RPM
DOUBLE INSULATION
ALSO INCLUDES
 WHEEL SPANNER & KEY

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

CUTTER

125MM / 1600W

F CM 5-1600



Double Insulation



- **Most-Powerful-In-Class 1600W** – Double Insulation Motor – **Safe Tool** for working in water-soaked environment
- **38mm (approx. 1.5") Cutting Depth** – Sufficient to cut all types of granite / marble sheets, Ply-wood, wood panels, Tiles, etc.
- **45 Degree Bevel Base Plate** for angular cutting
- **Splash-control housing & base-plate design**
- **Heavy base-plate** for easy forward movement and stable cutting
- **All branded bearing construction** – low noise, low vibration



Most suited for:

- ✓ Cutting marble, granite, stone sheets and blocks
- ✓ Cutting ply-wood and wood panels
- ✓ Cutting Brick, Masonry walls
- ✓ Making grooves in all the above materials and surface types



Machine # 17

Packing: 4 Pcs./Carton

SPECIFICATIONS:

Disc Diameter : 125 MM
Rated Input Power: 1600 W
Rated Voltage: 220 ~ 240V
Rated Frequency: 50 Hz
No-Load-Speed: 13000 rpm

DOUBLE INSULATION
ALSO INCLUDE:

Wheel Spanner & Key

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

New

160mm (6") CUTTER
160MM / 2000W
F CM 6-200



- ▶ **Powerful 2000W** – Double Insulation Motor – Safe Tool for the workman
- ▶ **50mm (approx. 2") Cutting Depth** – Sufficient to cut all types of granite / marble sheets, Ply-wood, wood panels, Tiles, etc.
- ▶ **Special design 20mm/22.23mm Flange** allows fitting 4", 5" and 6" dia cutting blades
- ▶ **Heavy base-plate** for easy forward movement and stable cutting
- ▶ Each machine is supplied with **water-spray system**
- ▶ **Dust collection chute** – for attaching vacuum for dust-free cutting



- Most suited for:**
- ✓ Cutting thick marble, granite, stone sheets and blocks
 - ✓ Cutting high thickness ply-wood and wood panels
 - ✓ Cutting Brick, Masonry walls
 - ✓ Create Control joints in concrete, asphalt surface
 - ✓ Making deep grooves in all the above materials and surface types

FORTÉ CARE
Use genuine Forte spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch

Single Pc Packing
Machine #115
Packing: . 4Pcs./Carton

SPECIFICATIONS:
 Disc Dia: 125 - 160mm
 Disc Bore Dia. : 20mm / 22.23mm
 Max Cutting Depth: 50mm
 Rated Input Power: 2000W
 Rated Voltage: 220 ~ 240V
 Rated Frequency: 50 Hz
 No-Load-Speed: 9500rpm

DOUBLE INSULATION

ALSO INCLUDES:
- Set of wrenches

Forte India Enterprises Pvt. Ltd.
 Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
 Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

**CUTTER
(HEAVY-DUTY)
180MM / 1750W
F CM 7-175**



Double Insulation



- **Most-Powerful-In-Class 1750W** – Double Insulation Motor – **Safe Tool** for working in water-soaked environment
- **63mm (approx. 2.5") Cutting Depth** – Sufficient to cut all types of granite / marble sheets, Ply-wood, wood panels, Tiles, etc.
- **Fix Base Plate** for 90 degree cutting
- **Splash-control** housing & base-plate design
- **Heavy base-plate** for easy forward movement and stable cutting
- **All branded bearing** construction – low noise, low vibration



Most suited for:

- ✓ Cutting marble, granite, stone sheets and blocks
- ✓ Cutting ply-wood and wood panels
- ✓ Cutting Brick, Masonry walls
- ✓ Making grooves in all the above materials and surface types

FORTé CARE
Use genuine Forté spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch



Machine # 89

Packing: 2 Pcs./Carton

SPECIFICATIONS:

Max. Disc Dia: 180mm
Spindle: M14
Rated Input Power: 1750W
Rated Voltage: 220-240V
Rated Frequency: 50Hz
No-Load-Speed: 5,000rpm

DOUBLE INSULATION

Also includes:

-Set of wrench

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




FORTé®

MY TOOLS – MY TRUST

New

BANDSAW - PORTABLE (VARIABLE SPEED)

127MM / 1100W
F BS 127-1100 VS



Double Insulation



- **Cutting Capacity** 127mm Square & Round Bars, Angles, Tubes, Sections, Cable, etc.
- **Variable Speed** allows adjustable cutting speed to accommodate different material and blade types
- **45 Degree body tilting** for bevel cutting
- **Cold-Cutting** facilitates minimum sparking with no burnishing marks
- **LED Light** for work piece illumination
- Versatile '**Hand-held**' and '**Stand-mounted**' options
- **Precision Cutting** with minimal material loss
- **Safety Features** like blade guards, blade lock, machine lock



Most suited for:

- ✓ Steel bars, angles, rods cutting at construction sites
- ✓ Clean, burr-free, cold-cutting of power cable, tele-com wire during underground cable work
- ✓ Stainless steel, nonferrous tube, sections cutting in fabrication work
- ✓ Wood Cabinet and furniture making



Machine #117

Packing: 1 Pcs./Carton

SPECIFICATIONS:

Cutting Capacity: : Square-127x127mm
: Round-127mm(5")

Rated Input Power : 1100W

Rated Voltage : 220~240V

Rated Frequency : 50 Hz

No-Load-Speed : 0.7-2.4 m/s

DOUBLE INSULATION

ALSO INCLUDE:

- Bi-Metal BandsawBlade-2Pcs
- Allen Key
- Machine supply with stand

Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

CIRCULAR SAW

180MM / 1400W

F CRS 7-140



Double Insulation



- ▶ **Most-Powerful-In-Class 1400W** – Double Insulation Motor – **Safe Tool** for working in high moisture environment
- ▶ **63mm (approx. 2.5") Cutting Depth** – Sufficient to cut all types of Ply-wood sheets, wood panels, etc.
- ▶ **45 Degree Bevel Base Plate** – allows angular cutting
- ▶ **Robust housing body & gear-box construct**
- ▶ **Heavy base-plate** for easy forward movement and stable cutting
- ▶ **All branded bearing construction** – low noise, low vibration



Most suited for:

- ✓ Cutting ply-wood and particle-wood boards
- ✓ Cutting wood panels
- ✓ Making grooves in all the above materials and surface types

FORTé CARE
Use genuine Forté spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch



Machine # 18

Packing: 4 Pcs./Carton

SPECIFICATION

DISC DIAMETER : 185MM
 RATED INPUT POWER : 1400W
 RATED VOLTAGE : 220V
 RATED FREQUENCY : 50Hz
 NO LOAD SPEED : 5,500RPM

鸚鵡牌鋸機

ALSO INCLUDES

WHEEL SPANNER & KEY
AUXILIARY HANDLE

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

CIRCULAR SAW

235MM / 2200W

F CRS 9-220



Double Insulation



➤ **Most-Powerful-In-Class 2200W** – Double Insulation Motor – Safe Tool for working in high moisture environment

➤ **90mm (approx. 3.5") Cutting Depth** – Sufficient to cut all types of Ply-wood sheets, wood blocks & panels, even AAC concrete blocks.

➤ **45 Degree Bevel Base Plate** – allows angular cutting

➤ **Lock-On Switch** for uninterrupted cutting

➤ **Robust housing body & gear-box and Heavy base-plate** for stable cutting

➤ **All branded bearing construction** – low noise, low vibration



Most suited for:

- ✓ Cutting ply-wood and particle-wood boards
- ✓ Cutting wood panels
- ✓ Making grooves in all the above materials and surface types
- ✓ Cutting / slicing AAC Blocks - With suitable block cutting blades

FORTé CARE
Use genuine Forte spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch



Machine # 92

Packing: 2 Pcs./Carton

SPECIFICATIONS:

Max.Disc Diameter : 235MM

Max.Cutting Capacity:

@ 90 Degree: 80mm

@ 45 Degree: 65mm

RATED INPUT POWER : 2200 W

RATED VOLTAGE : 220 ~ 240V

RATED FREQUENCY : 50 Hz

NO-LOAD SPEED : 4300 RPM

Double Insulation

ALSO INCLUDE:

Wheel Spanner & Key

Auxillary Handle

FREE!

ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

New

CUT-OFF SAW
“NEW”
355MM / 2200W
F CS 14 - NEW



- 2200W DOUBLE-INSULATION Motor
- HIGH-TORQUE machine for powerful cutting performance
- Lock-On Switch for uninterrupted cutting
- 45 Degree ADJUSTABLE Cutting Angle
- WHEEL-GUARD for added safety to workman
- All branded bearings construction – Low noise, Low vibration, Long Tool-Life



- Most suited for:**
- ✓ Cutting steel / metal bars & Rods
 - ✓ Cutting steel / metal angles & squares
 - ✓ Cutting steel / metal tubes
 - ✓ Cutting wires and wire bundles

FORTé CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch



Machine # 124

SPECIFICATIONS:

DISC DIAMETER : 355MM
 RATED INPUT POWER : 2200W
 RATED VOLTAGE : 220~240V
 RATED FREQUENCY : 50Hz
 NO-LOAD SPEED : 3900 RPM

DOUBLE INSULATION

ALSO INCLUDE:
 1PC. -SPANNER
 1PC. -355MM CUTTING WHEEL

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

CUT-OFF SAW

“PRO”

355MM / 2300W

F CS 355-PRO



Double Insulation



- ▶ Powerful, 2300W Double Insulation Motor – Safe Tool for workman
- ▶ Safety-guard for workman protection
- ▶ Lock-On Switch for uninterrupted cutting
- ▶ 45 Degree Angular Cutting
- ▶ Robust housing body & gear-box and Heavy base-plate for stable cutting
- ▶ All branded bearing construction – low noise, low vibration



Most suited for:

- ✓ Cutting steel / metal bars & Rods
- ✓ Cutting steel / metal angles & squares
- ✓ Cutting steel / metal tubes
- ✓ Cutting wires and wire bundles



Machine # 20

SPECIFICATIONS

Disc Diameter : 355mm
Rated Input Power : 2300W
Rated Voltage : 220V
Rated Frequency : 50Hz
No Load Speed : 4300rpm
Double Insulation

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

CUT-OFF SAW

PRO-D

355MM / 2300W

F CS 355-PRO



Double Insulation



- ▶ **Powerful, 2300W Double Insulation Motor** – Safe Tool for workman
- ▶ **Safety-guard** for workman protection
- ▶ **'D-Shape' handle** facilitates effortless machine operation
- ▶ **Lock-On Switch** for uninterrupted cutting
- ▶ **45 Degree Angular Cutting**
- ▶ **Robust housing body & gear-box and Heavy base-plate** for stable cutting
- ▶ **All branded bearing construction** – low noise, low vibration



Most suited for:

- ✓ Cutting steel / metal bars & Rods
- ✓ Cutting steel / metal angles & squares
- ✓ Cutting steel / metal tubes
- ✓ Cutting wires and wire bundles



Machine # 60

SPECIFICATIONS:

| | |
|-------------------|-----------|
| Disc Diameter | : 355mm |
| Rater Input Power | : 2300W |
| Rated Voltage | : 220V |
| Rated Frequency | : 50 Hz |
| No-Load-Speed | : 4000rpm |

Double Insulation

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

**CUT-OFF SAW
PLUS
(Without Soft-Start)
355MM / 2450W
F CS 14 – PLUS WS**



- ▶ Most-Powerful-In-Class 2450W Motor
- ▶ Safety-guard for workman protection
- ▶ Lock-On Switch for uninterrupted cutting
- ▶ 45 Degree Angular Cutting
- ▶ Robust housing body & gear -box and Heavy base-plate for stable cutting
- ▶ All branded bearing construction – low noise, low vibration



Most suited for:

- ✓ Cutting steel / metal bars & Rods
- ✓ Cutting steel / metal angles & squares
- ✓ Cutting steel / metal tubes
- ✓ Cutting wires and wire bundles

FORTé
CARE

Use genuine Forté spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch



Machine # 70

SPECIFICATIONS

Disc Diameter : 355mm
Rated Input Power : 2300W
Rated Voltage : 220V-240V
Rated Frequency : 50Hz
No Load Speed : 4300rpm
Double Insulation

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

CUT-OFF SAW PLUS (Soft-Start) 355MM / 2450W F CS 14 - PLUS



- ▶ Most-Powerful-In-Class 2450W Motor
- ▶ 'Soft-Start' circuit for load protection of armature
- ▶ Safety-guard for workman protection
- ▶ Lock-On Switch for uninterrupted cutting
- ▶ 45 Degree Angular Cutting
- ▶ Robust housing body & gear-box and Heavy base-plate for stable cutting
- ▶ All branded bearing construction – low noise, low vibration



Most suited for:

- ✓ Cutting steel / metal bars & Rods
- ✓ Cutting steel / metal angles & squares
- ✓ Cutting steel / metal tubes
- ✓ Cutting wires and wire bundles



Machine # 57

SPECIFICATION

| | |
|-------------------|-----------|
| DISC DIAMETER | : 355MM |
| RATED INPUT POWER | : 2450W |
| RATED VOLTAGE | : 220V |
| RATED FREQUENCY | : 50HZ |
| NOLOAD SPEED | : 4000RPM |

ALSO INCLUDES

- 1 Pair Carbon Brush;
- 1 pc spanner;

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST


MITER SAW

255MM / 1800W

F MS 255-1800



- Powerful 1800W Double Insulation Motor
- 45° Left and 45° Right Mitre Angle Cutting
- 45° Bevel Angle Cutting
- 'D' Shape handle for controlled yet effortless cutting
- Switch on handle facilitates easy-access for Single-action cutting
- All branded bearing construction – low noise, low vibration
- Metal Dust evacuation chute and collection bag
- One pc. 255mm*100 Teeth Aluminium Cutting Blade FREE with machine



Most suited for:

- ✓ Precision Cutting of Aluminum Sections & Channels
- ✓ Easy and Fast cutting of Aluminum Bars & Rods
- ✓ Controlled cutting of Aluminum/metal tubes
- ✓ Precision Wood sections cutting

FORTé
CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch



Machine # 21

SPECIFICATIONS

Disc Diameter :255mm
 Rated Input Power :1800w
 Miter Angle :45° L, 45° R
 Bevel Angle :45° L
 Rated Voltage :220V
 Rated Frequency □:50Hz
 No Load Speed :5300rpm
 Double Insulation

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

MITER SAW

305MM / 2200W

F MS 305-220



Double Insulation



- ▶ Powerful 2200W Double Insulation Motor
- ▶ 45° Left and 45° Right Mitre Angle Cutting
- ▶ 45° Bevel Angle Cutting
- ▶ 'D' Shape handle for controlled yet effortless cutting
- ▶ Switch on handle facilitates easy-access for Single-action cutting
- ▶ All branded bearing construction – low noise, low vibration
- ▶ Metal Dust evacuation chute and collection bag
- ▶ One pc. 305mm*120 Teeth Aluminium Cutting Blade FREE with machine



Most suited for:

- ✓ Precision Cutting of Aluminum Sections & Channels
- ✓ Easy and Fast cutting of Aluminum Bars & Rods
- ✓ Controlled cutting of Aluminum / metal tube
- ✓ Precision Wood sections cutting



Machine # 22

SPECIFICATIONS

Disc Diameter :305mm
Rated Input Power :2200w
Miter Angle :45° L, 45° R
Bevel Angle :45° L
Rated Voltage :220V
Rated Frequency :50Hz
No Load Speed :4100rpm
Double Insulation

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

ROTARY HAMMER (VARIABLE SPEED)

2-20MM / 500W

F RH 2-20 VS



Double Insulation



- ▶ Powerful 500w – Double Insulation Motor
- ▶ 2-Functions : Rotary Drilling & Hammer Drilling
- ▶ SDS-Plus Tool holder
- ▶ Variable Speed facilitates “controlled” Drilling in different materials
- ▶ Lock-On Switch for continuous working
- ▶ 360° Rotating Side Handle enables easy machine holding while drilling from different angles
- ▶ Robust Tools Design – Machine can handle rigorous working conditions
- ▶ Ergonomic handle reduces operator fatigue
- ▶ Branded Bearings for low noise & low vibration



Most suited for:

- ✓ Drilling Holes, with suitable SDS-Plus Hammer Drill Bit, in Concrete Wall, Slabs & Beams, Masonry & Brick-wall
- ✓ Drilling Holes, with suitable SDS-Plus shank Diamond Core Bits, in Concrete & Brick Wall
- ✓ Making holes, with suitable hammer drill / diamond core bit in Granite, Marble, Tiles, all types of Stones slabs and blocks, etc.



Machine # 23

Packing: 4 Pcs./Carton

SPECIFICATION

DRILLING CAPACITY:

| | |
|----------------------|-----------|
| CONCRETE: | 20MM |
| WOOD: | 30MM |
| STEEL: | 13MM |
| SHANK: | SDS PLUS |
| RATED INPUT POWER: | 500W |
| RATED INPUT VOLTAGE: | 220-240V |
| RATED FREQUENCY: | 50 Hz |
| NO LOAD SPEED | 0-1000RPM |
| IMPACT RATE | 0-3900BPM |

FREE! 3 Pcs. SDS PLUS HAMMER DRILL BITS
(1 Pc. Each 5mm, 6mm, 10mm)

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

ROTARY HAMMER (REVERSE/FORWARD)

2-20MM / 500W

F RH 2-20 RE



Double Insulation



- Powerful 500w – Double Insulation Motor
- 2-Functions : Rotary Drilling & Hammer Drilling
- SDS-Plus Tool holder
- Reverse / Forward function facilitates easy drill withdrawal / removal
- Variable Speed facilitates "controlled" Drilling in different materials
- Lock-On Switch for continuous working
- 360° Rotating Side Handle enables easy machine holding while drilling from different angles
- Robust Tools Design – Machine can handle rigorous working conditions
- Ergonomic handle reduces operator fatigue
- Branded Bearings for low noise & low vibration



Most suited for:

- ✓ Drilling Holes, with suitable SDS-Plus Hammer Drill Bit, in Concrete Wall, Slabs & Beams, Masonry & Brick-wall
- ✓ Drilling Holes, with suitable SDS-Plus shank Diamond Core Bits, in Concrete & Brick Wall
- ✓ Making holes, with suitable hammer drill / diamond core bit in Granite, Marble, Tiles, all types of Stones slabs and blocks, etc.



Machine # 42

Packing: 4 Pcs./Carton

SPECIFICATION

| | |
|-------------------|-------------|
| INPUT POWER | : 500W |
| IMPACT ENERGY | : 1.5J |
| NO LOAD SPEED | : 0-1000RPM |
| IMPACT RATE | : 0-3900BPM |
| DRILLING CAPACITY | |
| CONCRETE | 20MM |
| WOOD | 30MM |
| STEEL | 13MM |

FREE!

ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

ROTARY HAMMER

“ NEW ”

2-26MM / 800W

F RH 2-26 NEW



Double Insulation



- Powerful 800w – Double Insulation Motor
- **3-Functions** : Rotary Drilling, Hammer Drilling & Chipping
- SDS-Plus Tool holder
- **Chipping** Function for light masonry breaking work
- **Proven Tools Design** – Standard machine construct - Easy repairs at all service stations
- **Reverse / Forward** function facilitates easy drill withdrawal / removal
- **Variable Speed** facilitates “controlled” Drilling in different materials
- **Lock-On Switch** for continuous working
- **360° Rotating Side Handle** enables easy machine holding while drilling from different angles
- **Ergonomic handle** reduces operator fatigue
- **Branded Bearings** for low noise & low vibration



Most suited for:

- ✓ Chipping with suitable SDS-Plus shank Chisels, cement plaster on brick-wall, breaking joints in brick-wall & similar light-masonry breaking work
- ✓ Drilling Holes, with suitable SDS-Plus Hammer Drill Bit, in Concrete Wall, Slabs & Beams, Masonry & Brick-wall
- ✓ Drilling Holes, with suitable SDS-Plus shank Diamond Core Bits, in Concrete & Brick Wall

FORTé CARE

Use genuine Forté spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch



Machine # 80

Packing: 4 Pcs./Carton

SPECIFICATIONS :

Max Drill Diameter : 26mm SDS Plus
(Optimum Drilling Range 6-18mm)

- Concrete : 26mm
- Steel : 13mm
- Wood : 30mm

Rated Input Power : 800W
Rated Voltage : 220–240V
Rated Frequency : 50 Hz
No-load Speed : 0-1100rpm
Impact Frequency : 0-4900bpm
Impact Energy : 3 J

Double Insulation

Accessories :

- Hammer Drill bit (SDS-Plus) - 6, 8, 10 mm -1 pc each
- Steel chisel (SDS-Plus) - 1 pc pointed & 1 pc flat

FREE!

ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

ROTARY HAMMER (REVERSE / FORWARD)

2-26MM / 800W

F RH 2-26 RE



Double Insulation



- ▶ Powerful 800w – Double Insulation Motor
- ▶ 3-Functions : Rotary Drilling, Hammer Drilling & Chipping
- ▶ SDS-Plus Tool holder
- ▶ Chipping Function for light masonry breaking work
- ▶ Reverse / Forward function facilitates easy drill withdrawal / removal
- ▶ Variable Speed facilitates "controlled" Drilling in different materials
- ▶ Lock-On Switch for continuous working
- ▶ 360° Rotating Side Handle enables easy machine holding while drilling from different angles
- ▶ Robust Tools Design – Machine can handle rigorous working conditions
- ▶ Ergonomic handle reduces operator fatigue
- ▶ Branded Bearings for low noise & low vibration



Most suited for:

- ✓ Chipping with suitable SDS-Plus shank Chisels, cement plaster on brick-wall, breaking joints in brick-wall & similar light-masonry breaking work
- ✓ Drilling Holes, with suitable SDS-Plus Hammer Drill Bit, in Concrete Wall, Slabs & Beams, Masonry & Brick-wall
- ✓ Drilling Holes, with suitable SDS-Plus shank Diamond Core Bits, in Concrete & Brick Wall



Machine # 24

Packing: 4 Pcs./Carton

SPECIFICATIONS

RATED INPUT POWER : 800W
RATED VOLTAGE : 220V-240V
RATED FREQUENCY : 50 Hz
NO LOAD SPEED : 0-1100 rpm
IMPACT RATE : 0-4600 bpm
IMPACT ENERGY : 3.2 J
"DOUBLE INSULATION"
DRILLING CAPACITY
CONCRETE : 26MM
WOOD : 30MM
STEEL : 13MM

ACCESSORIES

SDS SHANK DRILL: 3 PCS. (8MM, 10MM & 12MM)
STEEL CHISELS: 1 PC. (FLAT TIP)

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

**ROTARY HAMMER
(Metal Gear-Box)
2-26MM / 800W
F RH 2-26 MG**



Double Insulation



- Powerful 800w – Double Insulation Motor
- Metal Gear-Box – Robust tool construct delivers powerful drilling performance and tool life
- 3-Functions : Rotary Drilling, Hammer Drilling & Chipping
- SDS-Plus Tool holder
- Chipping Function for light masonry breaking work
- Reverse / Forward function facilitates easy drill withdrawal / removal
- Variable Speed facilitates “controlled” Drilling in different materials
- Lock-On Switch for continuous working
- 360° Rotating Side Handle enables easy machine holding while drilling from different angles
- Ergonomic handle reduces operator fatigue
- Branded Bearings for low noise & low vibration



Most suited for:

- ✓ Chipping with suitable SDS-Plus shank Chisels, cement plaster on brick-wall, breaking joints in brick-wall & similar light-masonry breaking work
- ✓ Drilling Holes, with suitable SDS-Plus Hammer Drill Bit, in Concrete Wall, Slabs & Beams, Masonry & Brick-wall
- ✓ Drilling Holes, with suitable SDS-Plus shank Diamond Core Bits, in Concrete & Brick Wall

FORTé CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch



Machine # 63

Packing: 4 Pcs./Carton

SPECIFICATIONS:

| | |
|---------------------|--------------|
| Max. Drill Diameter | : SDS Plus |
| - Concrete | : 26mm |
| - Steel | : 13mm |
| - Wood | : 30mm |
| Rated Input Power | : 800W |
| Rated Voltage | : 220 ~ 240V |
| Rated Frequency | : 50 Hz |
| No-Load Speed | : 0-1100 rpm |
| Impact Frequency | : 0-4900 bpm |
| Impact Energy | : 3 J |

Double Insulation
ALSO INCLUDE:
 - Hammer Drill bit (SDS-Plus): 6, 8, 10 mm - 1 pc each
 - Steel Chisel (SDS-Plus):
 1 Pc. Pointed & 1 Pc Flat Chisel

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

COMBINATION HAMMER

(SDS-PLUS)

3-26MM / 1010W

F CH 3-26 SDS+



Double Insulation



➤ Powerful 1010w – Double Insulation Motor

➤ 2-Functions : Hammer Drilling & Chipping / breaking

➤ 3 Kg Class breaking hammer

➤ SDS-Plus Tool holder

➤ Chipping / Breaking Function for medium masonry breaking work

➤ 360° Rotating Side Handle enables easy machine holding while drilling from different angles

➤ Robust Tools Design – Machine can handle rigorous working conditions

➤ Easy-access Switch built inside handle enable single handle working

➤ Ergonomic handle reduces operator fatigue

➤ Branded Bearings for low noise & low vibration



Most suited for:

- ✓ Drilling Holes, with suitable SDS-Plus Hammer Drill Bit, in Concrete Wall, Slabs & Beams, Masonry & Brick-wall
- ✓ Drilling Holes, with suitable SDS-Plus shank Diamond Core Bits, in Concrete & Brick Wall
- ✓ Making holes, with suitable hammer drill / diamond core bit in Granite, Marble, Tiles, all types of Stones slabs and blocks, etc.



Machine # 25

Packing: 3Pcs./Carton

SPECIFICATIONS:

Maximum Drill Diameter : 26mm
Rated Input Power : 1010W
Rated Voltage : 220V
Rated Frequency : 50Hz
No Load Speed : 880r/min
Impact Frequency : 4400 bpm
Impact Energy : 5 Joules

ALSO INCLUDES:

-Side Handle
-SDS Chisel : 2 Pcs
(Flat tip & Point tip)
-SDS Drill Bits: 3 Pcs
(8mm,10mm & 12mm)

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

**ROTARY HAMMER
(SDS-MAX)
VARIABLE SPEED
7-40MM / 1300W
F RH 7-40 VS**



Double Insulation



- 40mm Rotary Hammer Drill
- 7 Kg Class Breaking Hammer
- SDS-MAX Tool holder
- Most-Powerful-In-Class 1300w – Double Insulation Motor
- Variable Speed facilitates “controlled” Drilling / breaking
- Active-Vibration-Reduction system minimizes workman fatigue
- LED Indicators for tool-plug-in and carbon brush life
- 360° Rotating Side Handle enables easy machine holding while drilling
- Easy-access Switch built inside handle enable single handle working
- Ergonomic handle reduces operator fatigue
- Branded Bearings for low noise & low vibration



Most suited for:

- ✓ Drilling Holes, with suitable SDS-MAX Hammer Drill Bit, in Concrete Wall, Slabs & Beams, Masonry & Brick-wall
- ✓ Drilling Holes, with suitable SDS-Plus MAX Diamond Core Bits, in Concrete & Brick Wall
- ✓ Chipping / breaking with suitable SDS-MAX shank Chisels, cement plaster on brick-wall, breaking joints in brick-wall & similar medium-masonry breaking work

FORTé CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch



Machine # 52

Packing: 2 Pcs./Carton

SPECIFICATIONS:

| | |
|-------------------------------|--|
| Drill Diameter | 40mm SDS-MAX |
| Rated Input Power | 1300w |
| Impact Energy | 13 Joules |
| No-Load-Speed | 180-390 rpm |
| Impact Rate | 1300-2900 bpm |
| Rated Voltage | 230V |
| Rated Frequency | 50 Hz |
| Tool Holder | SDS MAX |
| Drilling Range: | |
| - Concrete / Hammer Drill Bit | 12 - 40 mm (recommended drill dia) 18-32mm |
| - Concrete core cutters | 90mm Max. |
| Double Insulation | |

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

DEMOLITION HAMMER

5 KG / 1300W / 25 J

F DH 5-13



- ▶ 5 Kg Class Breaker
- ▶ 21 Joules Impact Energy
- ▶ 17mm HEX Tool Holder
- ▶ 1300w Double Insulation Motor
- ▶ Anti-Vibration handle - Minimizes workman fatigue
- ▶ All-Allen-Screws tool construction – Most-Robust-Tool-In-Class
- ▶ 360° Rotating Soft-Grip Side Handle enables easy machine holding while drilling
- ▶ Easy-access Switch built inside handle enable single handle working
- ▶ Out-side Carbon-Brush window for easy access
- ▶ Branded Bearings for low noise & low vibration



Most suited for:

- ✓ Chipping / Chiselling Concrete, Masonry, Mortar and Debris
- ✓ Scrapping / Removing Cement plaster, adhesive, paint coating from wall
- ✓ Demolition & Breaking bricks block, stone structure, floor, walls & foundries
- ✓ Breaking & Removing asphalt & pavement bricks



Machine # 26

Packing: 2 Pcs./Carton

SPECIFICATIONS :

Tool Holder : 17mm Hex
 Rated Input Power : 1300w
 Impact Energy : 21 Joules
 Impact Rate : 3600 bpm
 Rated Voltage : 220~240V
 Rated Frequency : 50 Hz

Double Insulation

Also Includes:

- Auxillary handle
- 1Pc. Chisel-Pointed
- 1Pc. Chisel-Flat
- 1 Pc. Chisel-Spade
- 1Pc Spanner

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

DEMOLITION HAMMER SDS-MAX 7 KG / 1400W / 24 J F DH 7-14 MAX



Double Insulation



- 7 Kg Class Breaker
- 24 Joules Impact Energy
- SDS-MAX Tool Holder
- 1400w Double Insulation Motor
- Anti-Vibration handle - Minimizes workman fatigue
- All-Allen-Screws tool construction – Most-Robust-Tool-In-Class
- 360° Rotating Soft-Grip Side Handle enables easy machine holding while drilling
- Easy-access Switch built inside handle enable single handle working
- Out-side Carbon-Brush window for easy access
- Branded Bearings for low noise & low vibration



Most suited for:

- ✓ Chipping / Chiselling, with SDS-Max chisel, Concrete, Masonry, Mortar and Debris
- ✓ Scrapping / Removing Cement plaster, adhesive, paint coating from wall using SDS-Max Chisel
- ✓ Demolition & Breaking, with SDS-Max Chisel bricks block, stone structure, floor, walls & foundries
- ✓ Breaking & Removing asphalt & pavement bricks using SDS-Max Chisel



Machine # 56

Packing: 2 Pcs./Carton

SPECIFICATIONS:

| | |
|-------------------|-----------|
| Tool Holder | SDS MAX |
| Rated Input Power | 1400w |
| Impact Energy | 24 Joules |
| Impact Rate | 3000 bpm |
| Rated Voltage | 230V |
| Rated Frequency | 50 Hz |

Also Include:

- Auxillary handle
- 2 Pcs. SDS-Max chisels (1Pc. Flat & 1Pc Pointed)

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

New

DEMOLITION HAMMER II-E 11 KG / 1500 W / 25 J FDH II-E



- ▶ Powerful 1500W – Double Insulation Motor – Long Life Motor
- ▶ Time-tested machine construction with high quality parts for reliable performance
- ▶ 12-Positions Chisel Holder – Easy to manoeuvre tools for effective breaking
- ▶ Variable-Speed Governor for controlled chiselling / breaking performance
- ▶ Each machine is supplied with two (2) SDS-Max Chisels – Ready-to-use Tool
- ▶ Strong, Plastic carry-case – easy portability of machine and accessories



- Most suited for:**
- ✓ Breaking up large & thick concrete structures, such as foundations, slabs, columns, beams, etc.
 - ✓ Demolition of concrete structures, masonry & brick walls, Chiseling on concrete and masonry & brick walls
 - ✓ Cutting, de-burring, cleaning, hole-making, edge cutting and demolition of masonry, brick & light concrete structures
 - ✓ Breaking large stone into small, manageable pieces

FORTé CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch



Plastic Carry-Case

Machine #112

Packing: . SinglePc./Carton

SPECIFICATIONS:
 Tool Holder : SDS MAX
 Rated Input Power : 1500W
 Impact Energy : 6-25J
 Impact Rate : 900-1300 bpm
 Chisel Positions : 12 positions
 Concrete Removal Capacity : 490kg/h
 Rated Voltage : 220 ~ 240V
 Rated Frequency : 50 Hz
DOUBLE INSULATION
 Also Include:
 - Spanner : 1 Pc.
 - Oil Box : 1 Pc.
 - Flat Chisel : 1 Pc.
 - Pointed Chisel : 1 Pc.

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

DEMOLITION HAMMER

SDS-MAX

11 KG / 1800W / 25 J

F DH 11-18



Double Insulation



- ▶ 11 Kg Class Breaker
- ▶ 25 Joules Impact Energy
- ▶ SDS-MAX Tool Holder
- ▶ 1800w-Most-Powerful-in-class Double Insulation Motor
- ▶ Variable-Speed governor for controlled hammering / breaking
- ▶ Current-Control circuit ensures constant uniform power supply during over load conditions
- ▶ 360° Rotating Soft-Grip Side Handle enables easy machine holding while drilling
- ▶ Out-side Carbon-Brush window for easy access
- ▶ Branded Bearings for low noise & low vibration
- ▶ 2 pcs. Chisels with machine
- ▶ Plastic Carry Case



Most suited for:

- ✓ Demolition & Breaking, with SDS- Max Chisels, Concrete Wall, Floor, Slabs, Beams & Foundation
- ✓ Breaking & Removing asphalt & pavement bricks
- ✓ Demolition & Breaking bricks block, stone structure, floor, walls & foundries
- ✓ Chipping / Chiselling Concrete, Masonry, Mortar and Debris.



Machine # 27

SPECIFICATIONS :

TOOL HOLDER : SDS MAX
RATED INPUT POWER : 1800W
IMPACT ENERGY : 25 JOULES
IMPACT RATE : 1000-1900bpm
RATED VOLTAGE : 230V
RATED FREQUENCY : 50 HZ
ACCESSORIES : CHISELS 2 NOS.

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

New

DEMOLITION HAMMER
“ PRO ”
15 KG / 1600W / 45 J
F DH 15-16 PRO



- 15 Kg Weight
- 45 Joules Impact Energy
- “LIGHT-WEIGHT” & “HIGH-IMPACT-ENERGY” Breaker !!!!
- 30mm HEX Tool Holder
- 1600w – Powerful Motor
- 2 pcs. SELF-SHARPENING CHISELS with each machine
- Trolley Carry Case



Attachment Chisel:
Pointed ,Flat Chisel

Most suited for:

- ✓ Demolition & Breaking, with 30mm Hex Chisels, Concrete Wall, Floor, Slabs, Beams & Foundation
- ✓ Breaking & Removing asphalt & pavement bricks
- ✓ Demolition & Breaking bricks block, stone structure, floor, walls & foundries
- ✓ Chipping / Chiselling Concrete, Masonry, Mortar and Debris.

FORTé
CARE
Use genuine Forte spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch



Machine # 125

SPECIFICATIONS:

| | |
|-------------------|-------------|
| Tool Holder | : 30mm Hex |
| Rated Input Power | : 1600W |
| Impact Energy | : 45 Joules |
| Impact Rate | : 2000 bpm |
| Rated Voltage | : 220-240V |
| Rated Frequency | : 50 Hz |

Also Include:

- Auxillary handle
- 1 box Grease
- 1 Pc. Wrench
- 1 Pc. Self-sharpening Chisel – Pointed
- 1 Pc. Self-sharpening Chisel – Flat

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

DEMOLITION HAMMER

“ NG ”

16 KG / 1700W / 48 J
F DH 16-17 NG



- ▶ 16 Kg Class Breaker
- ▶ 48 Joules Impact Energy
- ▶ 30mm HEX Tool Holder
- ▶ 1700w – Powerful Double Insulation Motor
- ▶ **Robust Striking System** comprising of Cylinder, Piston & Valve
- ▶ **All Metal Housing** Frame & Handle for extra strength
- ▶ **360° Rotating Soft-Grip Side Handle** enables easy machine holding while drilling
- ▶ **Out-side Carbon-Brush window** for easy access
- ▶ **Branded Bearings** for low noise & low vibration
- ▶ 1 pc. Chisel with each machine
- ▶ **Trolley Carry Case**



Most suited for:

- ✓ Demolition & Breaking, with 30mm Hex Chisels, Concrete Wall, Floor, Slabs, Beams & Foundation
- ✓ Breaking & Removing asphalt & pavement bricks
- ✓ Demolition & Breaking bricks block, stone structure, floor, walls & foundries
- ✓ Chipping / Chiselling Concrete, Masonry, Mortar and Debris.



Machine # 73

SPECIFICATIONS:

Tool Holder : 30mm Hex
Rated Input Power : 1700w
Impact Energy : 48 Joules
Impact Rate : 1400 bpm
Rated Voltage : 230V
Rated Frequency : 50 Hz

Also Include:

- Auxillary handle
- 1 box Grease
- 1 Pc. Wrench
- 1 Pc. Chisel - Pointed

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

DEMOLITION HAMMER

16 KG / 1700W / 48 J

F DH 16-17



- ▶ 16 Kg Class Breaker
- ▶ 48 Joules Impact Energy
- ▶ 30mm HEX Tool Holder
- ▶ 1700w – Powerful Motor
- ▶ **Robust Striking System** comprising of Cylinder, Piston & Valve
- ▶ **All Metal Housing** Frame & Handle for extra strength
- ▶ **360° Rotating Soft-Grip Side Handle** enables easy machine holding while drilling
- ▶ **Out-side Carbon-Brush window** for easy access
- ▶ **Branded Bearings** for low noise & low vibration
- ▶ **2 pcs. Chisel** with each machine
- ▶ **Trolley Carry Case**



Most suited for:

- ✓ Demolition & Breaking, with 30mm Hex Chisels, Concrete Wall, Floor, Slabs, Beams & Foundation
- ✓ Breaking & Removing asphalt & pavement bricks
- ✓ Demolition & Breaking bricks block, stone structure, floor, walls & foundries
- ✓ Chipping / Chiselling Concrete, Masonry, Mortar and Debris.



Machine # 28

SPECIFICATION

| | |
|-------------------|---------------|
| TOOL HOLDER | : 30 HEX |
| RATED INPUT POWER | : 1700 W |
| IMPACT ENERGY | : 48 JOULES |
| RATED VOLTAGE | : 220 VOLTS |
| RATED FREQUENCY | : 50 Hz |
| IMPACT RATING | : 1400 / MIN. |

ALSO INCLUDES:

- 1) SIDE HANDLE
- 2) CHISELS - 2 PCS
- POINTED CHISEL : 1 PC
- FLAT CHISEL : 1 PC
- 3) WRENCH : 1 PC

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

DIAMOND CORE DRILL

(HAND-HELD)

90-135MM / 2000W

F DCD 90R - 2000



Double Insulation



- **Most-Powerful-In-Class 2000W** – Double Insulation Motor – Safe for working in water soaked conditions
- **Sturdy Tool Construct** provides high-torque and feed speed for fast drilling
- **Variable Speed Regulator** - Controlled drilling speed
- **Lock-On Switch** - For continuous working
- **Universal 1.1/4"-7 UNC Spindle** - Can handle heavy-duty drilling
- **Safety-clutch System** – Protects against mechanical overload
- **Overload-protection circuit** - Protects motor
- **Water Cooling & Lubrication system**
- **Soft Shoulder Pad** - For comfortable machine push
- **All branded bearing construction** – low noise, low vibration
- **DRILL STAND ALSO AVAILABLE**



Most suited for:

- ✓ Construction and Building- Drilling holes in concrete for pipes, conduits, and anchors in foundations, walls, and floors.
- ✓ Brick and block drilling for plumbing, electrical installations
- ✓ HVAC, pipes & vent installation for air conditioning units
- ✓ Electrical and Telecommunications conduit, Fiber optic installation
- ✓ Machine installation: Drilling holes for machine anchors, pipes, and conduits in industrial settings
- ✓ Glass and Ceramic drilling
- ✓ Material sampling: Drilling holes in various materials for sampling and testing purposes.

FORTé
CARE

Use genuine Forte spares for performance and life of tool



Armature



Field Coil



Carbon Brush



Gear Assembly



Switch



Machine # 82

Packing: 2 Pcs./Carton

SPECIFICATIONS:

- Max Drilling Dia:
- Reinforced Concrete: 90mm
 - Concrete: 135mm
 - Bricks Wall: 135mm
- Spindle: 1 1/4"-7UNC
- Rated Input Power: 2000w
- Rated Voltage: 220~240V
- Rated Frequency: 50 Hz
- No-Load-Speed: 0-1950rpm

DOUBLE INSULATION

Also includes:

- Inner Hexagon Spanner-1 Pc.

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

DIAMOND CORE DRILL

(WITH STAND)

160-230MM / 3200W

F DCD 230-320



Double Insulation



- **Most-Powerful-In-Class 3200w** – Double Insulation Motor – Safe for working in water soaked conditions
- **Sturdy Tool Construct** provides high torque & feed speed for fast drilling
- **Drilling capacity**
 - 160mm dia max in RCC
 - 230mm dia max in Brickwall
- **Large-base, strong-built Drill Stand** supports stable & low-vibration heavy-duty drilling
- **Universal 1.1/4"-7 UNC Spindle** - Can handle heavy-duty drilling
- **Safety-clutch System** – Protects against mechanical overload
- **MCB Switch with Overload-protection circuit**-Protects motor
- **Water Cooling & Lubrication system**
- **All branded bearing construction** – low noise, low vibration



Most suited for:

- ✓ Construction and Building- Drilling holes in concrete for pipes, conduits, and anchors in foundations, walls, and floors.
- ✓ Brick and block drilling for plumbing, electrical installations
- ✓ HVAC, pipes & vent installation for air conditioning units
- ✓ Electrical and Telecommunications conduit, Fiber optic installation
- ✓ Machine installation: Drilling holes for machine anchors, pipes, and conduits in industrial settings
- ✓ Glass and Ceramic drilling
- ✓ Material sampling: Drilling holes in various materials for sampling and testing purposes.



Machine # 78

SPECIFICATIONS:

| | |
|--------------------|----------|
| Max. Drill Dia: | 230mm |
| Rated Input Power: | 3200w |
| Rated Voltage: | 220~240V |
| Rated Frequency : | 50Hz |
| No-Load-Speed : | 900rpm |

DOUBLE INSULATION

Also includes:

Handle, Lifting Unit Handle, Operating Handle, Cap Screw, Inner Hexagon Spanner

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

DIAMOND CORE DRILL

(WITH STAND)

200-230MM / 3500W

F DCD 200R-3500



Double Insulation



- **Most-Powerful-In-Class 3500w** – Double Insulation Motor – Safe for working in water soaked conditions
- **Sturdy Tool Construct** provides high torque & feed speed for fast drilling
- **Drilling capacity**
 - 200mm dia max in RCC
 - 250mm dia max in Brickwall
- **Large-base, strong-built Drill Stand** supports stable & low-vibration heavy-duty drilling
- **Universal 1.1/4"-7 UNC Spindle** - Can handle heavy-duty drilling
- **Safety-clutch System** – Protects against mechanical overload
- **MCB Switch with Overload-protection circuit**-Protects motor
- **Water Cooling & Lubrication system**
- **All branded bearing construction** – low noise, low vibration



Most suited for:

- ✓ Construction and Building- Drilling holes in concrete for pipes, conduits, and anchors in foundations, walls, and floors.
- ✓ Brick and block drilling for plumbing, electrical installations.
- ✓ HVAC, pipes & vent installation for air conditioning units
- ✓ Electrical and Telecommunications conduit, Fiber optic installation
- ✓ Machine installation: Drilling holes for machine anchors, pipes, and conduits in industrial settings
- ✓ Glass and Ceramic drilling
- ✓ Material sampling: Drilling holes in various materials for sampling and testing purposes.



Machine # 83

SPECIFICATIONS:

Max. Drilling Dia:
 Reinforced Concrete : 200mm
 Concrete : 230mm
 Bricks Wall : 230mm
 Spindle : 1 1/4" - 7UNC
 Rated Input Power : 3500w
 Rated Voltage : 220 ~240V
 Rated Frequency : 50 Hz
 No-Load-Speed : 750rpm

DOUBLE INSULATION

Also Includes:
 - Inner Hexagon Spanner -1 Pc.

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

DIAMOND CORE DRILL

(WITH STAND)

250-300MM / 4200W

F DCD 250R-4200



Double Insulation



- **Most-Powerful-In-Class 4200w** – Double Insulation Motor – Safe for working in water soaked conditions
- **Sturdy Tool Construct** provides high torque & feed speed for fast drilling
- **Drilling capacity**
 - 200mm dia max in RCC
 - 300mm dia max in Brickwall
- **Large-base, strong-built Drill Stand** supports stable & low-vibration heavy-duty drilling
- **Universal 1.1/4"-7 UNC Spindle** - Can handle heavy-duty drilling
- **Safety-clutch System** – Protects against mechanical overload
- **MCB Switch with Overload-protection circuit**-Protects motor
- **Water Cooling & Lubrication system**
- **All branded bearing construction** – low noise, low vibration



Most suited for:

- ✓ Construction and Building- Drilling holes in concrete for pipes, conduits, and anchors in foundations, walls, and floors.
- ✓ Brick and block drilling for plumbing, electrical installations
- ✓ HVAC, pipes & vent installation for air conditioning units
- ✓ Electrical and Telecommunications conduit, Fiber optic installation
- ✓ Machine installation: Drilling holes for machine anchors, pipes, and conduits in industrial settings
- ✓ Glass and Ceramic drilling
- ✓ Material sampling: Drilling holes in various materials for sampling and testing purposes.

FORTé CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch



Machine # 86

SPECIFICATIONS:

Max. Drilling Dia:
 -Reinforced Concrete: 250mm
 -Concrete : 300mm
 -Bricks Wall : 300mm
 Spindle : 1/4" - 7UNC
 Rated Input Power : 4200w
 Rated Voltage : 220 ~240V
 Rated Frequency : 50 Hz
 No-Load-Speed : 550rpm

DOUBLE INSULATION

Also Includes:
 - Spanner 17-19 - 1 Pc.
 - Spanner 32-36 - 1 Pc.
 - Stud - 1 pc.

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
 Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

WALL CHASER

(with 6 blades)

150MM / 2400W

F WCM 150-240



Double Insulation



- ▶ Powerful Motors: 2400W, Double Insulation – Safe for wet cutting
- ▶ Double Roller : Easy to slide / glide machine with minimum efforts
- ▶ Groove Cutting Dimensions: 28mm Cutting width and 8-43mm Cutting Depth
- ▶ Diamond blades : 6 Pcs. Special design rim Diamond Blade with machine for efficient wall cutting
- ▶ Dust Extraction System: Built-in dust extraction system for vacuum attachment
- ▶ Water-sprinkle-system : Set of attachment for wet-cutting



5 Pcs - 150mm
Diamond Blades
supplied with machine.



Use genuine Forté spares for performance and life of tool

Armature

Field Coil

Carbon Brush

Gear Assembly

Switch



Machine #50

SPECIFICATIONS:

Blade Diameter : 150mm

Cutting Depth : 8-43mm

Max Cutting Width : 28mm

Rated Input Power : 2400W

Rated Voltage : 220 ~ 240V

Rated Frequency : 50 Hz

No Load Speed : 8000rpm

Double Insulation

Also Include:

Set of Spanners

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

AAC BLOCK CUTTER

14 Inch / 1200W

F ABC 14-120



Double Insulation



- Anti self-locking switch for safety operation
- Suitable for cutting light brick, aerated brick & foam brick
- 1200w High performance Double Insulation motor



- Symmetrical weight balance of machine & blade
- Downwards guide-bar : Cut downwards using the weight of the machine
- Quick replace blade function
- Hand guard & Low kickback - Total safety
- High quality carbide tips, precision brazing to steel chain links for long cutting life

Applications:

- ✓ AAC (autoclaved aerated concrete) block cutting
- ✓ AAC block wall cutting
- ✓ Brick-wall cutting
- ✓ Cutting window in AAC block wall & Brick-wall



Single Pc Packing

Machine # 103

Packing: 2 Pcs./Caton

SPECIFICATIONS:

Guide-bar Length: 350mm (14 Inch)
Rated Input Power: 1200W
Rated Voltage: 220 ~ 240V
Rated Frequency: 50 Hz
No-Load-Speed: 720 mt./min.
DOUBLE INSULATION

Includes:

- 14inch Carbide Tip Chain - 1 pc.
- 14inch Guide-bar - 1 pc.

FREE! ONE PAIR OF CARBON BRUSH (Original Machine Quality)

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




FORTé®

MY TOOLS – MY TRUST

New

RING-SAW (BRUSHLESS) 410MM / 4000W F RS-BL 16-400



Double Insulation



- ▶ **Brushless Motor** - Minimum maintenance
- ▶ **4000W** - Powerful motor
- ▶ **Constant Speed** - Uniform cutting speed under load conditions
- ▶ **Long, D-Shape Handle** - Easy machine holding - away from body
- ▶ **Light-Weight** - Less tiresome for long working hours
- ▶ **Secure Grip:** Toothed inner circumference firmly holds the blade, preventing slippage
- ▶ **Smooth Control:** Reduces breakage.
- ▶ **Safe Use:** Minimizes kick-back.
- ▶ **Load-Indicator** - Green, Yellow & RED light to display load conditions



Applications:

- ✓ Cutting Brick, Masonry walls
- ✓ Cutting AAC Blocks Wall
- ✓ Create Control joints in concrete, asphalt surface
- ✓ Making deep grooves in all the above materials and surface types



Machine #130

Packing: 1 Pcs./Carbon

SPECIFICATIONS:

| | |
|-------------------|-------------------|
| Disc Diameter | : 410mm (16 Inch) |
| Max Cutting Depth | : 310 mm |
| Rated Input Power | : 4000W |
| Rated Voltage | : 220~240V |
| Rated Frequency | : 50 Hz |
| No-Load-Speed | : 2000 rpm |

Double Insulation

- 410mm Diamond Ring-Saw Blade- 1 Pc.
- Spanners - 1 Set
- Water Pump & Water-supply System - 1 Set

Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in

[Back to Index](#)



MY TOOLS – MY TRUST

New

16" CONCRETE CUTTER

420MM / 3200W
F CC 16-320



Double Insulation



- ▶ Powerful 3200W – Double Insulation Motor – Safe Tool for the workman
- ▶ 170mm (approx. 7") Cutting Depth – Sufficient to cut concrete slabs & walls at all types of construction sites
- ▶ Four (4) Wheels Machine Base – Just place the machine on surface & hold and Push forward for effortless cutting with minimum workman fatigue
- ▶ Long Handle allows precision cutting depth
- ▶ Each machine is pre-fitted with 1 Pc. 16" Concrete Cutting Blade – Ready-to-use Tool
- ▶ Each machine is supplied with water-spray system, including a small electric water pump



- Most suited for:**
- ✓ Cutting Concrete / Reinforced-Concrete slabs, columns, beams
 - ✓ Cutting Brick, Masonry walls
 - ✓ Create Control joints in concrete, asphalt surface
 - ✓ Cutting large marble, granite, stone blocks & columns
 - ✓ Making deep grooves in all the above materials and surface types

FORTé CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch



Machine #116

Packing: Single Pc./Carton

SPECIFICATIONS:

Disc Diameter: 230mm (9 Inch) upto 420mm (16 Inch)

Disc Bore Dia.: 25.4mm

Max Cutting Depth: 170mm

Rated Input Power: 3200W

Rated Voltage: 220 ~ 240V

Rated Frequency: 50 Hz

No-Load-Speed: 3500 rpm

DOUBLE INSULATION

Supply with machine:

- 1 Pc. 400mm Diamond Blade
- Water-supply system
- Set of Spanners

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)

TRACK WALL-CUTTER (BRUSHLESS) 710MM / 4200W F TWC-BL 28-420



- **Highest Safety - No machine throwback** – Completely safe for operators!
- **Easy to operate** - Machine & Blade mounted on tracks, fixed to the wall
- **Brushless Motor** -Durability and Low Maintenance
- **High Cutting Depth** – 305mm (12inch)
- **Levers for cutting depth** adjustment and for machine's forward movement
- **Precision Cutting** – Thanks to wall-mounted track for machine movement – no-manual handling of machine
- **Soft-Start** – Ensures controlled initial cutting
- **Diamond Blade** – Each machine supplied with high-performance 710mm Diamond Blade

Applications:

- ✓ Cutting Brick, Masonry walls
- ✓ Cutting Concrete / Reinforced-Concrete slabs, columns, beams
- ✓ Create Control joints in concrete, asphalt surface
- ✓ Making deep grooves in all the above materials and surface types



Machine #126

Packing:

- 1 Full Set of machine comprises of :
- 1 Pc. Cutter machine
 - 1 Pair of Track with 1 pc.
 - Control unit and brackets
 - 1 Pc. 710mm Diamond Blade
- Full Set packed in 3 Carbons

SPECIFICATIONS:

| | |
|-------------------|-----------|
| DISC DIAMETER | :710 MM |
| DISC BORE DIA : | :50MM |
| MAX CUTTING DEPTH | :305 MM |
| RATED INPUT POWER | 4200W |
| RATED VOLTAGE | :220~240V |
| RATED FREQUENCY | :50 Hz |
| NO-LOAD SPEED | :1700 RPM |

Double Insulation

ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in





MY TOOLS – MY TRUST

PLANER
(Metal Gear-Box)
 82MM / 680W
 F PL 82 - HS



- ▶ Powerful **680W** Motor
Strong **Metal Gear-Box** can withstand long, continuous working hours
- ▶ **Vertical-Depth-adjust** regulator for precision planning depth
- ▶ Special Design **Rotary Drums** ensure fast stock removal with smooth surface finish
- ▶ **Trigger Switch** - Dust-Proof and High-Endurance for long-life
- ▶ **Lock-On** feature for continuous tool running
- ▶ **Branded Bearings** for low noise & low vibration
- ▶ **Soft-Grip** handle for comfortable tool holding
- ▶ **High-Speed-Steel (HSS) Blade** – Low wear-out and long blade life



Most suited for:

- ✓ **Smoothering** wood surface to achieve a smooth & even surface
- ✓ **Stock-Removal** – Reducing thickness of wood board / panel
- ✓ **Planing-Off** old paint, varnish, chemicals from wood surface
- ✓ **Wood Edge Deburring** / Profile Planing
- ✓ **Rabbeting** wood surface, corners to create wood-joints

FORTé
CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil
 Carbon Brush Gear Assembly Switch



Machine # 29

Packing: 4 Pcs./Carton

| SPECIFICATION | |
|-------------------|--------------|
| PLANING WIDTH | : 82MM |
| PLANING DEPTH | : 1MM |
| REBATING DEPTH | : 7MM |
| RATED INPUT POWER | : 680W |
| RATED VOLTAGE | : 220~240V |
| RATED FREQUENCY | : 50HZ |
| NO-LOAD SPEED | : 16,700 RPM |

- ALSO INCLUDES:**
- 1 PC RULE
 - 1 PC SHARPEING HOLDER
 - 1 PC BLADE GAUGE
 - 1 PC WRENCH

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
 Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

PLANER (Heavy-Duty) 82MM / 710W F PL 82-71 HD



- ▶ **Most-Powerful-In-Class 710W** Motor for 90mm width wood planing upto 2mm depth
- ▶ Robust tool construct for long, continuous working hours
- ▶ **Vertical-Depth-adjust** regulator for precision planing depth
- ▶ Special Design **Rotary Drums** ensure fast stock removal with smooth surface finish
- ▶ **Trigger Switch** - Dust-Proof and High-Endurance for long-life
- ▶ **Lock-On** feature for continuous tool running
- ▶ **Branded Bearings** for low noise & low vibration
- ▶ **Soft-Grip** handle for comfortable tool holding
- ▶ **High-Speed-Steel (HSS) Blade** – Low wear-out and long blade life



Most suited for:

- ✓ **Smoothering** wood surface to achieve a smooth & even surface
- ✓ **Stock-Removal** – Reducing thickness of wood board / panel
- ✓ **Planing-Off** old paint, varnish, chemicals from wood surface
- ✓ **Wood Edge Deburring / Profile Planing**
- ✓ **Rabbeting** wood surface, corners to create wood-joints



Machine # 30

Packing: 4 Pcs./Carton

SPECIFICATIONS

| | |
|-------------------|--------------|
| PLANING WIDTH | : 82MM |
| PLANING DEPTH | : 2MM |
| REBATING DEPTH | : 9MM |
| RATED INPUT POWER | : 710W |
| RATED VOLTAGE | : 220V |
| RATED FREQUENCY | : 50HZ |
| NO-LOAD SPEED | : 16,500 RPM |

ALSO INCLUDES:

- 1 PC RULE
- 1 PC SHARPENING HOLDER
- 1 PC BLADE GUAGE
- 1 PC WRENCH

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



FORTÉ®

MY TOOLS – MY TRUST

New

PLANER (HEAVY-DUTY) 90MM / 1250W F PL 90 HD



Double Insulation



- ▶ **Most-Powerful-In-Class 1250W Motor** for 90mm width wood planing upto 2mm depth
- ▶ Strong **Metal Gear-Box** can withstand long, continuous working hours
- ▶ **Three (3) V-Shape grooves** for edge chamfering
- ▶ Special Design **Rotary Drums** ensure fast stock removal with smooth surface finish
- ▶ **Trigger Switch** - Dust-Proof and High-Endurance for long-life
- ▶ **Lock-On** feature for continuous tool running
- ▶ **Branded Bearings** for low noise & low vibration
- ▶ **Soft-Grip** handle for comfortable tool holding
- ▶ **High-Speed-Steel (HSS) Blade** – Low wear-out and long blade life



Professional Tool Box

Applications:

- ✓ Smoothing wood surface to achieve a smooth & even surface
- ✓ Stock-Removal - Reducing thickness of wood board / panel
- ✓ Planing-Off old paint, varnish, chemicals from wood surface
- ✓ Wood Edge Deburring / Profile Planing
- ✓ Rabbeting wood surface, corners to create wood-joints



Machine #128

Packing: 3 Pcs./Carbon

SPECIFICATIONS:

| | |
|-------------------|------------|
| Planing Width | : 90mm |
| Planing Depth | : 0-2mm |
| Rabbeting Depth | : 0-7.5mm |
| Rated Input Power | : 1250W |
| Rated Voltage | : 220~240V |
| Rated Frequency | : 50 Hz |
| No-Load-Speed | : 16000rpm |

DOUBLE INSULATION

ALSO INCLUDE:

- 1 Pc. Rule
- 1 Pc. Sharpening Holder
- 1 Pc. Blade Guage
- 1 Pc. Wrench

Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in

[Back to Index](#)




MY TOOLS – MY TRUST

JIG SAW

“ LITE ”

65MM / 450W

F JS-L 65-45



Double Insulation



- Powerful 450w, Double Insulation motor
- 'Pendulum / Orbital' action sawing
- 3-Levels Orbital-Action control lever - To adjust sawing aggression
- Variable-Speed Trigger-Switch – To adjust sawing speed
- 45° Bevel Adjust Base Plate for angular sawing
- Lock-On-Switch feature for continuous tool running
- Branded Bearings for low noise & low vibration
- Soft-Grip handle for comfortable tool holding



Most suited for:

- ✓ Wood-Working:
 - ✓ Curved Cuts
 - ✓ Irregular Shapes
- ✓ Metal-Working:
 - ✓ Metal Cutting
 - ✓ Curved Metal Cuts
- ✓ Drywall & Plaster
 - ✓ Straight cut
 - ✓ Curved Cut
- ✓ Pipe & Conduit cutting
- ✓ Fiberglass & composite cutting
- ✓ Automotive Body-shop

Use genuine Forte spares for performance and life of tool

Armature

Field Coil

Carbon Brush

Gear Assembly

Switch

Machine # 31

Packing: 5 Pcs./Carton

SPECIFICATIONS:

| | |
|---------------------|-----------|
| No-Load Stroke Rate | :3100s/m |
| Stroke Length | :18mm |
| Rated Input Power | :450W |
| Rated Voltage | :220~240V |
| Rated Frequency | :50Hz |

Double Insulation

| | |
|------------------|-------|
| Cutting Capacity | |
| - Wood | :65mm |
| - Aluminum | :10mm |
| - Steel | :6mm |

ALSO IN CLUDE:

- 2 Pcs.Blade
- 1 Pc.Allen key

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

JIG SAW (Metal Gear-Box) 85MM / 650W F JSM 85-65



Double Insulation



- **Best-In-Class 650w**, Double Insulation motor
- **Metal-Gear-Box** for heavy-duty working for long hours
- **'Pendulum / Orbital'** action sawing
- **3-Levels Orbital-Action** control lever - To adjust sawing aggression
- **Variable-Speed-Dial Trigger** -Switch – To adjust sawing speed
- **45° Bevel Adjust** Base Plate for angular sawing
- **Dust-Blower** – To keep workplace dust-free and improve visibility
- **Lock-On-Switch** feature for continuous tool running
- **Branded Bearings** for low noise & low vibration
- **Soft-Grip** handle for comfortable tool holding



Most suited for:

- ✓ Wood-Working:
 - ✓ Curved Cuts
 - ✓ Irregular Shapes
- ✓ Metal-Working:
 - ✓ Metal Cutting
 - ✓ Curved Metal Cuts
- ✓ Drywall & Plaster
 - ✓ Straight cut
 - ✓ Curved Cut
- ✓ Pipe & Conduit cutting
- ✓ Fiberglass & composite cutting
- ✓ Automotive Body-shop



Machine # 32

Packing: 6 Pcs./Carton

SPECIFICATIONS:

| | |
|---------------------|-----------------|
| No-Load Stroke Rate | : 0 – 2,600 spm |
| Stroke Length | : 26 mm |
| Rated Input Power | : 650 W |
| Rated Voltage | : 220 V |
| Rated Frequency | : 50 Hz |
| Cutting Depth: | |
| Wood | : 85 mm |
| Aluminum | : 20 mm |
| Steel | : 10 mm |
| Also Includes: | |
| Blade | : 2 pcs. |
| Allen Key | : 2 nos. |

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

TRIMMER
(Mini-Router)
6MM / 520W
F TR 6-52



Double Insulation



- Best-In-Class 520w, Double Insulation motor
- Slim-body for Firm machine grip
- Compact, Light-weight yet powerful machine
- Toggle-Switch for continuous tool running
- Slide & Lock Base for easy depth adjust
- Transparent Base for clear visibility of trimming edge
- Out-Side Carbon Brush Window for quick change
- Branded Bearings for low noise & low vibration



Most suited for:

- ✓ Wood-Working:
 - ✓ Edge trimming
 - ✓ Profile cutting
- ✓ Construction & renovation:
 - ✓ Door & Window trimming
 - ✓ Base-board and moulding trimming
- ✓ Signage making and Display
 - ✓ Acrylic & Plastic Trimming
 - ✓ Display & exhibition material trimming
- ✓ Metalworking & Fabrication
- ✓ Pipe & Conduit cutting



Machine # 33

Packing: 5 Pcs./Carton

SPECIFICATION

CHUCK DIAMETER : 6MM
RATED INPUT POWER : 520W
RATED VOLTAGE : 220V
RATED FREQUENCY : 50Hz
NO LOAD SPEED : 28,000RPM
DOUBLE INSULATION

ALSO INCLUDES:

-WRENCH

FREE!

ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

New

TRIMMER
“PRO”
6MM/6.35MM/8MM - 550W
F TR 6-PRO



- ▶ Heay-Duty 550w, Double Insulation motor
- ▶ Slim-body for Firm machine grip
- ▶ Compact, Light-weight yet powerful machine
- ▶ Toggle-Switch for continuous tool running
- ▶ Gear-wheel assisted base sliding system
- ▶ Transparent Base for clear visibility of trimming edge
- ▶ Out-Side Carbon Brush Window for quick change
- ▶ Branded Bearings for low noise & low vibration
- ▶ Each machine supply with 6mm, 6.35mm (1/4”), 8mm Collet



- Most suited for:**
- ✓ Wood-Working:
 - ✓ Edge trimming
 - ✓ Profile cutting
 - ✓ Construction & renovation:
 - ✓ Door & Window trimming
 - ✓ Base-board and moulding trimming
 - ✓ Signage making and Display
 - ✓ Acrylic & Plastic Trimming
 - ✓ Display & exhibition material trimming
 - ✓ Metalworking & Fabrication
 - ✓ Pipe & Conduit cutting

FORTé CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch

SPECIFICATIONS

| | |
|-----------------------|----------------------------|
| COLLET CHUCK CAPACITY | 6MM 6.35MM(1/4”), 8MM |
| RATED INPUT POWER | 550W |
| RATED VOLTAGE | 220 ~ 240V |
| RATED FREQUENCY | 50HZ |
| NO-LOAD-SPEED | 30,000 RPM |
| DOUBLE INSULATION | |
| ALSO INCLUDE: | |
| | - SET OF SPANNERS |
| | - 1PC - 6MM COLLET |
| | - 1PC - 6.35 (1/4”) COLLET |
| | - 1PC - 8MM COLLET |

Machine # 99
Packing: 6 Pcs./Carton **FREE!** ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

WOOD ROUTER

8 MM / 1200W

F WR 8 – 120 VS



Double Insulation



- ▶ **Powerful 1200w**, Double Insulation motor
- ▶ **Metal-Gear-Box** for heavy-duty working for long hours
- ▶ **Plunge-Router** – Featuring 'spring-loaded' base allowing router-bit to plunge into work piece
- ▶ **Depth-stop** feature for precision engraving / milling
- ▶ **Variable-Speed-Dial** – Allows to fix speed to adjust cutting speed
- ▶ **Toggle-Switch** for continuous tool running
- ▶ **Soft-grip Ergonomic handle** for comfortable working
- ▶ **Out-Side Carbon Brush Window** for quick change
- ▶ **Branded Bearings** for low noise & low vibration



Most suited for:

- ✓ **Furniture making & Wood Carving** : Furniture decoration & inlay carving
- ✓ **Door & Window manufacturing** – Frames & Panel raising
- ✓ **Edge Profiling** : Edge shaping & Edge trimming
- ✓ **Moulding & Trim Work** : Moulding creation & Trim-work
- ✓ **Cabinetmaking & Joinery** : Dado joint, Dovetail joint, etc.
- ✓ **Engraving & Sign making** : Wood-engraving, Wood sign-making



Machine # 65

Packing: 2 Pcs./Carton

SPECIFICATIONS:

Collet Dia : 8mm
Max. Plunge Depth : 0-57mm
Rated Input Power : 1200W
Rated Voltage : 220 ~ 240V
Rated Frequency : 50 Hz
No-Load Speed : 11500-32000rpm

Double Insulation

ALSO INCLUDE:

- Set of Spanners
- 8mm Router Bit -1 Pc.
- 6mm Collect -1 Pc.

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

WOOD ROUTER

12 MM / 2100W
F WR 12 – 210 VS



Double Insulation



- ▶ **Most-Powerful-In-Class 2100w,** Double Insulation motor
- ▶ **Metal-Gear-Box** for heavy-duty working for long hours
- ▶ **Plunge-Router** – Featuring 'spring-loaded' base allowing router-bit to plunge into work piece
- ▶ **Depth-stop** feature for precision engraving / milling
- ▶ **Variable-Speed-Dial** – Allows to fix speed to adjust cutting speed
- ▶ **Toggle-Switch** for continuous tool running
- ▶ **Soft-grip Ergonomic handle** for comfortable working
- ▶ **Out-Side Carbon Brush Window** for quick change
- ▶ **Branded Bearings** for low noise & low vibration



Most suited for:

- ✓ Furniture making & Wood Carving : Furniture decoration & inlay carving
- ✓ Door & Window manufacturing – Frames & Panel raising
- ✓ Edge Profiling : Edge shaping & Edge trimming
- ✓ Moulding & Trim Work : Moulding creation & Trim-work
- ✓ Cabinetmaking & Joinery : Dado joint, Dovetail joint, etc.
- ✓ Engraving & Sign making : Wood-engraving, Wood sign-making



Use genuine Forte spares for performance and life of tool

Armature

Field Coil

Carbon Brush

Gear Assembly

Switch



Machine # 34

Packing: 2 Pcs./Carton

FREE!

ONE PAIR OF CARBON BRUSH

SPECIFICATIONS :

Collet Dia : 8mm, 12mm
Plunge Depth : 55mm
Rated Input Power : 2100w
Rated Voltage : 220~240 V
Rated Frequency : 50 Hz
No-Load Speed : 8000-23500rpm
Double Insuation
Also Includes :
- Set of Spanners
- 12 mm Router Bit

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

ORBITAL SANDER

110MM / 230W

F OS 110-23



Double Insulation



- ▶ Powerful 230w, Double Insulation motor
- ▶ Light-weight yet strong PA6 housing body
- ▶ Robust Orbit Sander Clamping design & parts
- ▶ Long-life sanding pad
- ▶ Dust-Proof-Switch for continuous tool running
- ▶ Soft-grip Ergonomic handle for comfortable working
- ▶ Branded Bearings for low noise & low vibration



Most suited for:

- ✓ Smoothing and levelling surfaces
- ✓ Removing paint from wood
- ✓ Preparing surfaces for filling operations
- ✓ Filler sanding
- ✓ Sanding primer and large surfaces



Machine # 35

Packing: 6 Pcs./Carton

SPECIFICATIONS :

Cushion size : 100x110mm

Rated Input Power : 230w

Rated Voltage : 220V

Rated Frequency : 50 Hz

No-Load Speed : 15,000rpm

Double Insulation

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

ORBITAL SANDER

185MM / 320W

F OS 185-32



Double Insulation



- ▶ Powerful 230w, Double Insulation motor
- ▶ Light-weight yet strong PA6 housing body
- ▶ Robust Orbit Sander Clamping design & parts
- ▶ Long-life sanding pad
- ▶ Dust-Proof Trigger-Switch for long switch life
- ▶ Lock-On feature for continuous tool running
- ▶ Innovative palm-rest handle for controlled two-hand working
- ▶ Soft-grip Ergonomic handle for comfortable sanding operations
- ▶ Branded Bearings for low noise & low vibration



Most suited for:

- ✓ Smoothing and levelling surfaces
- ✓ Removing paint from wood
- ✓ Sanding wood-joints
- ✓ Preparing surfaces for filling operations
- ✓ Filler sanding
- ✓ Sanding primer and large surfaces



Machine # 36

Packing: 6 Pcs./Carton

SPECIFICATIONS :

| | |
|-------------------|-------------|
| Cushion size | : 93x185mm |
| Rated Input Power | : 320w |
| Rated Voltage | : 220V |
| Rated Frequency | : 50 Hz |
| No-Load Speed | : 14,000rpm |
| Double Insulation | |

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

RANDOM ORBITAL SANDER

(Variable Speed)

125MM / 350W

F ROS 125-35 VS



Double Insulation



- Powerful 350w, Double Insulation motor
- Strong Eccentric Rotary motion for fast material removal
- Variable-Speed-Dial – To adjust speed
- Light-weight yet strong PA6 housing body
- Dust-Proof-Rocker-Switch – Long life
- Lock-On feature - Continuous tool running
- Palm-Fit, Soft-grip Ergonomic handle for comfortable working
- Long-life sanding pad
- Dust-extraction system with built-in dust collection box
- Branded Bearings for low noise & low vibration



Most suited for:

- ✓ Smoothing and levelling surfaces
- ✓ Removing paint from wood
- ✓ Preparing surfaces for filling operations
- ✓ Filler sanding
- ✓ Sanding primer and large surfaces



Machine # 49

Packing: 6 Pcs./Carton

SPECIFICATIONS:

| | |
|-------------------|---------------|
| Pad Dia | : 125mm |
| Rater Input Power | : 350W |
| Rated Voltage | : 220V |
| Rated Frequency | : 50 Hz |
| No-Load-Speed | : 0-12000 rpm |
| Double Insulation | |

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

RANDOM ORBITAL SANDER

(Variable Speed)

150MM / 450W

F ROS 150-45 VS



Double Insulation



- ▶ **Powerful 450w**, Double Insulation motor
- ▶ **Metal-Gear-Box** – Can withstand long sanding cycles
- ▶ **Strong Eccentric Rotary** motion for fast material removal
- ▶ **Dust-Proof-Trigger-Switch** – with press-control variable-speed function
- ▶ **Lock-On** feature - Continuous tool running
- ▶ **Long, Soft-grip Ergonomic handle** for comfortable two hands working
- ▶ **Long-life sanding pad**
- ▶ **Dust-extraction** system with built-in dust collection box
- ▶ **Branded Bearings** for low noise & low vibration



Most suited for:

- ✓ Smoothing and levelling surfaces
- ✓ Removing paint from wood
- ✓ Preparing surfaces for filling operations
- ✓ Filler sanding
- ✓ Sanding primer and large surfaces



Machine # 67

Packing: 6 Pcs./Carton

SPECIFICATIONS:

Disc diameter : ϕ 150mm
Rated Input Power : 450W
Rated Voltage : 220~240V
Rated Frequency : 50 Hz
No-Load Speed : 4000-13000/min
No-Load Oscillation : 8000-26000/min
Eccentricity : 2mm

Double Insulation

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

STONE POLISHER (VERTICAL POLISHER)

150MM / 710W

F VP 150-71



Double Insulation



- **Powerful 710w**, Double Insulation motor – Safe tool for workman operating in water-soaked working conditions
- **High-Speed** – 4500rpm – for super-fast polishing
- **Robust construct** machine with M16 spindle for powerful polishing performance and tool life
- **Rubber Back-pad** – Specially designed to assist comfortable shoulder-press
- **Dust-Proof-Trigger-Switch** – Easy to operate & Long life
- **Lock-On** feature - Continuous tool running
- **2-Positions** side-handle
- **Out-Side Carbon Brush Window** for quick change
- **Branded Bearings** for low noise & low vibration



Most suited for:

- ✓ Granite Monument polishing
- ✓ Granite / Marble Headstone polishing
- ✓ Granite / Marble Floor & Wall polishing
- ✓ Granite / Marble Vanity top polishing
- ✓ Polishing Quartz / Granite countertops
- ✓ Polishing limestone surfaces, such as columns, pillars, arches, etc.



Machine # 44

Packing: 5 Pcs./Carton

SPECIFICATION

Disc Diameter : 150mm
Rated Input Power : 710W
Rated Voltage : 220-240V
Rated Frequency : 50 Hz
No Load Speed : 4500rpm

Double Insulation

ALSO INCLUDE :

- Set of Spanners

FREE! ONE PAIR OF CARBON BRUSH

Forté India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

CAR POLISHER
(Variable Speed)
180MM / 1200W
F PS 180-120 VS



Double Insulation



- **Most-Powerful-In-Class 1200w**, Double Insulation motor – Safe tool for operating in high moisture environment
- **Robust-Metal-Gear-Box** for heavy-duty polishing for long hours
- Variable-Speed dial**– Control speed as work demands
- **Constant-Speed- Control** – Delivers consistent rotary speed under load-conditions
- **Over-load protection Circuit** – Ensures power-off at excessive overload conditions
- **Dust-Proof-Trigger-Switch** – Easy to operate & Long life
- **Lock-On** feature - Continuous tool running
- **'D-handle'** – Easy to manoeuvre
- **Out-Side Carbon Brush Window** for quick change
- **Branded Bearings** for low noise & low vibration



Most suited for:

- ✓ **Paint Correction** - Removing scratches, Eliminating swirl marks
- ✓ **Paint Restoration** - Restoring oxidized paint, Remove old wax and sealants, Preparing the surface for new protective coatings
- ✓ **Restoring hazy headlights** and Removing oxidation & scratches from headlight lenses
- ✓ **Wheel and Trim Restoration**
- ✓ **Detailing and Maintenance**

FORTÉ CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch



Machine # 88

Packing: 5 Pcs./Carton

SPECIFICATIONS:

Disc Dia : 180mm
 Spindle : M14
 Rated Input Power : 1200W
 Rated Voltage : 220~240V
 Rated Frequency : 50Hz
 No-Load-Speed : 600-3300rpm

DOUBLE INSULATION

ALSO INCLUDE:

- Sanding Pad - 1 Pc.
- Wool (real wool) Bonnet - 1 Pc.
- G shape Auxillary Handle - 1 Pc.
- Wrench - 1 Pc.
- Side Handle - 1 Pc.

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

CONCRETE VIBRATOR (PORTABLE)

1200W

F CV 1200



Double Insulation



- ▶ Most-Powerful-In-Class, 1200W – Double Insulation Motor – **Safe Tool** for working in water-soaked environment

- ▶ **Pistol-handle** enables firm yet comfortable grip

- ▶ Robust **Metal Gear-Box** can withstand high-torque and high-frequency vibration

- ▶ Powerful **Gear-Transmission** generates high-torque translating into high-frequency vibration

- ▶ **Switch-built-in-handle** facilitates easy access while holding the tool

- ▶ **Lock-On Switch** for continuous working

- ▶ **Branded Bearings** for low noise & low vibration



Most suited for:
Portable-Vibrator-Shaft
35mm/50mm dia Needle

1.5M, 2M, 3M and 4M Shaft Length

- ✓ **Consolidation** of concrete by removing air-pockets by displacing air trapped inside
- ✓ **Compaction** of concrete by settling concrete evenly
- ✓ **Surface Finishing** by levelling and smoothing concrete mix



Machine # 48

Packing: 5 Pcs./Carton

SPECIFICATIONS:

Head Diameter : 35mm

Rated Input Power : 1200W

Rated Voltage : 220V

Rated Frequency : 50 Hz

No-Load-Speed : 4500 rpm

Double Insulation

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

CONCRETE VIBRATOR (STAND-TYPE)

2300W
F CV 2300



- ▶ **Most-Powerful-In-Class, 2300W Motor** – Designed for heavy-duty running for long periods
- ▶ **Robust-Design-Stand** fitted to the machine gives stability while its running
- ▶ **Strong Metal Gear-Box** can withstand high-torque and high-frequency vibration
- ▶ **Powerful Gear-Transmission** generates high-torque translating into high-frequency vibration
- ▶ **Rocker Switch** – Dust-Proof & Water-Proof and High-Endurance for long-life
- ▶ **Branded Bearings** for low noise & low vibration



Most suited for:

- Vibrator-Shaft
- 35mm / 50mm dia Needle
- 4M & 6M Shaft Length
- ✓ **Consolidation** of concrete by removing air-pockets by displacing air trapped inside
- ✓ **Compaction** of concrete by settling concrete evenly
- ✓ **Surface Finishing** by levelling and smoothening concrete mix



Machine # 40

Packing: 2 Pcs./Carton

SPECIFICATIONS:

| | |
|-----------------------|---------------|
| Vibration Hose Dia.: | 25/30/35/42mm |
| Rated Input Power: | 2300W |
| Rated Voltage: | 220 ~ 240V |
| Rated Frequency: | 50 Hz |
| No-Load-Speed: | 4000 rpm |
| Vibration frequency: | 13,200 vpm |
| Horizontal Amplitude: | 0.8mm |
| Vertical Amplitude: | 1.64mm |

DOUBLE INSULATION

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

BLOWER (Variable Speed) 2.8CMM / 600W F BL VS



Double Insulation



- ▶ **Powerful 600w**, Double Insulation, Copper winding motor
- ▶ **Light-weight** yet powerful tool construct
- ▶ **Variable-Speed dial** – Control speed as work demands
- ▶ **Easy-access switch** – built in the handle for single hand working
- ▶ **Dust-Proof-Trigger-Switch** – Easy to operate & Long life
- ▶ **Lock-On** feature - Continuous tool running
- ▶ **Versatile Two-tools-in-one:** Quickly converts to a vacuum
- ▶ **Branded Bearings** for low noise & low vibration



Most suited for:

- ✓ **Dusting and cleaning** : Ceilings, fans, AC vents, machines, equipment, etc.
- ✓ **Blowing air** after concrete cutting, stone carvings, etc.
- ✓ **Drying and Evaporation** : Floors, walls, cement joints, drying paint, ink, or adhesives
- ✓ **Inflation and Sealing**
- ✓ **Industrial and Commercial** building & offices maintenance
- ✓ **Agricultural** - Drying crops, grains, fruits, and vegetables
- ✓ **Horticultural** - Removing dry leaves and twigs, from greenhouses and gardens.



SPECIFICATIONS :

INPUT POWER : 600 W
WIND VOLUME : 2.8 CUBIC METER / MINUTE
RATED VOLTAGE : 220 V
NO LOAD SPEED : 0-13,000 rpm

Machine # 37

Packing: 6 Pcs./Carton

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

HEAT GUN (With 5 Attachments)

600°C / 1800W

F HG 600- 18

- ▶ **1800w** – Durable and powerful heat gun with variable temperature control
- ▶ **2-speed** blower settings for ease-of-operation
- ▶ **Rotary air-flow nozzle** distributes hot air evenly and efficiently
- ▶ **Special ceramic wall** around heating element prevents heat loss
- ▶ Delivers upto **600°C** Temperature at **500L/min**
- ▶ Easy-to-operate **slide-switch**
- ▶ **Extra-support rear stand** supports gun in up position for operator convenience
- ▶ **Ergonomic soft-grip handle** for operators' comfort
- ▶ **Special nozzle set** with each machine



Most suited for:

- ✓ **Painting and Decorating**- Paint stripping
Drying paint
- ✓ **Automotive Repair**- Removing old adhesives, emblems, trim, and decals.
- ✓ **Shrink wrapping & tubing**
- ✓ **Plumbing and HVAC** - Removing old caulk and sealants from surfaces
- ✓ **Roofing and Construction**- Removing old roofing, shingles and tar, old vinyl flooring, etc.



Machine # 38

Packing: 6 Pcs./Carton

SPECIFICATIONS:

Working Temperature:

Stage I : 400 °C

Stage II : 600 °C

Air Volume:

Stage I : 300L/Min

Stage II : 500L/Min

Rated Input Power : 1800 W

Rated Voltage : 220V

Rated Frequency : 50 Hz

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

New

HEAT GUN
(Variable Speed)
600°C / 2000W
F HG 2000

- ▶ Special design nozzle for circular air-flow
- ▶ Ceramic heating element for long life
- ▶ Variable Temperature Control regulator
- ▶ 3-Stages Temperature & Air-flow Control Switch



Variable Temperature Control Regulator

Solution for most of hot-air applications:

- ✓ Temperature control allows heat-shrinking of a variety of materials & thickness
- ✓ High temperature helps Paint/Adhesive stripping with ease
- ✓ Variable air-flow improves workmen productivity in removing vinyl flooring, furniture repairing, etc.

FORTé CARE
Use genuine Forté spares for performance and life of tool



Machine # 97
Packing: 6 Pcs./Carton

SPECIFICATIONS:

Working Temperature:

| | |
|-----------|-------------|
| Stage I | : 50 °C |
| Stage II | : 50-600 °C |
| Stage III | : 50-600 °C |

Air Volume:

| | |
|----------|------------|
| Stage I | : 350L/Min |
| Stage II | : 350L/Min |
| Stage II | : 500L/Min |

Rated Input Power : 2000 W
 Rated Voltage : 220~240V
 Rated Frequency : 50 Hz

Forte India Enterprises Pvt. Ltd.
Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

PAINT MIXER (Variable Speed)

1200W

F PM 1200 VS



Double Insulation



- **Most-Power-In-Class 1200w**, Double Insulation motor – Safe tool for workman operating in water-soaked working conditions
- **High-Torque** – most suitable mixing / blending paint, putty, resins, chemicals, etc.
- Comfortable ergonomic **twin-handle** ensures weight balance and from grip while mixing
- **Infinite variable-speed** for mixing without splashing
- **Dust-Proof-Trigger-Switch** – Easy to operate & Long life
- **Lock-On** feature - Continuous tool running
- **Robust construct** machine with strong M14 spindle mixing paddle
- **Branded Bearings** for low noise & low vibration



Most suited for:

- ✓ Mixing paints, stains, and varnishes
- ✓ Mixing epoxies, polyurethanes, and acrylics
- ✓ Mixing / Blending Automotive paint, coatings, and other materials
- ✓ Mixing primers, topcoats, and sealants
- ✓ Blending adhesives, composites, for various industrial applications
- ✓ Mixing antifouling coatings to prevent marine growth and corrosion.



Machine # 47

Packing: 4 Pcs./Carton

SPECIFICATIONS:

| | |
|-------------------|-------------|
| Spindle Size | :M14 |
| Rated Input Power | :1200W |
| Rated Voltage | :220 ~ 240V |
| Rated Frequency | :50Hz |
| No-Load-Speed | :0 - 680rpm |

DOUBLE INSULATION

ALSO INCLUDE:

- One (1) Pc. Mixing Blade
- Set of Spanners

FREE! ONE PAIR OF CARBON BRUSH

Forté India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

New

DRYWALL SANDER

(Variable Speed)

180MM / 750W

F DS 180-7 VS



- **Powerful 750w, Double Insulation motor** – Safe tool for operating in high moisture environment
- **Light-weight yet powerful tool construct**
- **Variable-Speed dial** – Control speed as work demands
- **Dust-Proof-Trigger-Switch** – Easy to operate & Long life
- **Lock-On feature** - Continuous tool running
- **10W LED light** surrounding pad – helps see cupped / raised spots on the wall
- **Out-Side Carbon Brush Window** for quick change
- **Separate Air Vents** – for motor cooling and for dust-extraction
- **Dust-extraction chute** - for attaching vacuum
- **Branded Bearings** for low noise & low vibration



Most suited for:

- ✓ **Drywall Finishing** : Smoothing joints, Removing imperfections
- ✓ **Texture removal** : Removing pop-corn ceilings, removing textured finishes
- ✓ **Renovation & Restoration** : Restoring drywall, preparing surfaces for painting
- ✓ **New Construction**: Finishing new drywall, Sanding drywall seams for seamless finish
- ✓ **Repairing drywall damages**

FORTé CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch



Machine # 100
Packing: 2 Pcs./Carton

SPECIFICATIONS:

Disc Dia : 180mm
 Rated Input Power : 750W
 Rated Voltage : 220-240V
 Rated Frequency : 50Hz
 No-Load-Speed : 1500-2700rpm

DOUBLE INSULATION

ALSO INCLUDE:

- 1 Pc of 2 Mtr. flexible pipe for dust extraction
- 1 Pc Hexagonal Spanner
- 1 Pc Dust Bag
- 1 Pc Side Handle
- 1 Pc Dust Mask
- 9 Pcs.Sanding Paper,180mm,8holes:
3 Pcs each of #80,#150,#240

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

HIGH-PRESSURE WASHER

(Copper-wire Induction Motor)

1650W / 140Ba

F PWI 165-140B



Double Insulation



- Powerful, 1650w, Copper-wire, Induction Motor
- Self-priming motor
- Auto-Cut-Off motor system
- Branded Bearings



Brass-nozzle
Foaming System

Most Suitable for:

- ✓ Professional washing of Earth moving/hydraulic equipment, Commercial and private vehicles
- ✓ Cleaning of industrial shop-floor, walls & ceiling
- ✓ Outdoor cleaning of High-rise building, residential complex, pavements, etc.

FORTé
CARE

Use genuine Forte spares for performance and life of tool

| | | |
|--|---|--|
|  Induction Motor |  Pump body & Pump Block |  Hose |
|  thrust bearing |  Gun |  Safety valve assembly |



Single Pc Packing

Machine # 98

Packing: 2 Pcs./Carton

SPECIFICATIONS

| | |
|-------------------|------------|
| Rated Input Power | : 1650W |
| Rated Voltage | : 220~240V |
| Rated Frequency | : 50 Hz |
| Rated Pressure | : 90 Bar |
| Max. Pressure | : 140 Bar |
| Max Flow | : 7L/Min |

Accessories supply with machine

- Water nipple connector
- Plastic quick connector
- Water Inlet pipe - 2M
- Water Filter
- Transparent Water Inlet filter
- Steel sheath Hose pipe - 8M
- Water gun + nozzle
- Barrel (extension rod)
- Through needle
- Foam pot with nozzle
- Foam pot Copper quick connect

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

HIGH-PRESSURE WASHER (Copper-wire Induction Motor)

I 90 B / 2500W

F PW-I 2500-190B



Double Insulation



- ▶ **Most-Powerful-In-Class 2500w** – Copper-winding Induction motor – Safe for working in water soaked conditions
- ▶ **Auto-Cut-Off System** – Simultaneous stopping of motor and water spray
- ▶ **Water-Pressure-Regulator** – To control spray pressure
- ▶ **Strong-built Machine-trolley** with large wheel – Easy portability
- ▶ **Steel-armoured Hose pipe** – Long life
- ▶ **All-Brass-Gun** – Long working life
- ▶ **Built-In soap tank**
- ▶ **All branded bearing construction** – low noise, low vibration



Most Suitable for:

- ✓ Professional washing of Earth moving/hydraulic equipment, Commercial and private vehicles
- ✓ Cleaning of industrial shop-floor, walls & ceiling
- ✓ Outdoor cleaning of High-rise building, residential complex, pavements, etc.

FORTé
CARE

Use genuine Forte spares for performance and life of tool

| | | |
|--|---|--|
|  Induction Motor |  Pump body & Pump Block |  Hose |
|  thrust bearing |  Gun |  Safety valve assembly |



Machine # 43

SPECIFICATIONS

| | |
|---------------------------|--------------|
| Rated Input Power | : 2500W |
| Rated Voltage | : 220 ~ 240V |
| Rated Frequency | : 50Hz |
| Rated Pressure | : 130 Bar |
| Max. Pressure | : 190 Bar |
| Rated Flow | : 7L/Min. |
| Max. Flow | : 7.8L/Min |
| Max. Intel Water Pressure | : 1.2Mpa |

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)




MY TOOLS – MY TRUST

ELECTRIC CHAINSAW

405MM (16") / 1800W

F ECS 16-18



Double Insulation



- **1800w**, – Most-Powerful-In-Class Double Insulation Motor – Safe to work in high moisture working conditions
- **Automatic Oil Pumping** on chain - Constant lubrication facilitating fast cutting and longer chain life
- **Emergency break system** for safe working
- **Trigger-Switch** built-in handle for easy access
- **Lock-On** switch feature for continuous cutting
- **Anti-Slip, Soft-Grip** handle
- **High-Quality** and Long-life saw chain & guide-bar
- **Easy-access Carbon-Brush** for fast replacement
- **Branded Bearings** for low noise & low vibration



Most suited for:

- ✓ **Carpentry & Woodworking** : Cutting lumber (wood logs), Ply-wood for furniture making, decking, and fencing.
- ✓ **Forestry** : Harvesting small trees, pruning big trees & hedges
- ✓ **Landscaping and Gardening** : Cutting firewood, tree felling
- ✓ **Agricultural and Farming** : Pruning orchards, vineyards. Cutting bushes and small trees



Machine # 69

Packing: 2 Pcs./Carton

SPECIFICATIONS:

Max Guide Bar Length: 405mm (16 Inch)

Rated Input Power: 1800W

Rated Voltage: 220 ~ 240V

Rated Frequency: 50 Hz

No-Load-Speed: 600 m/min

DOUBLE INSULATION

Includes:

- 16inch Chain - 1 pc.
- 16inch Guide-bar - 1 pc.
- Set of Spanners

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

MOTOR CHAINSAW (METAL) 18 Inch / 58cc / 2.4 Kw F MCS 18-58c - METAL

- ▶ Engine Power: 58cc / Engine – Delivers 2.4Kw power !!!
- ▶ Starter Assembly : METAL starter assembly for long life
- ▶ Chain & Guide-bar : Professional Quality & long-cutting-life
- ▶ Sprocket : Spur-sprocket – Tested for long-life
- ▶ Safety : Chain brake
- ▶ Ergonomic : Ergonomic handle with anti-slip grip



FORTé
CARE

Use genuine Forte spares for performance and life of tool

| | | |
|---------------|------------|-----------|
| | | |
| Cylinder body | Carburetor | Piston |
| | | |
| Spark-plug | Chain | Guide bar |

Machine #75
Packing: 2 Pcs./Carton

| | |
|--------------------|---------------------|
| Engine type | 1-Cylinder,2-Stroke |
| Displacement | 58CC |
| Power | 2.2KW |
| Bar length | 46cm(18inch) |
| Idle speed | 3000rpm |
| Max.speed | 8000rpm |
| Oil tank capacity | 0.28L |
| Fuel tank capacity | 0.60L |

Forte India Enterprises Pvt. Ltd.
 Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
 Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

MOTOR CHAINSAW (METAL)

22 Inch / 58cc / 2.4 Kw
F MCS 22-58c - METAL

- ▶ Engine Power: 58cc / 2-Stroke Engine – Delivers 2.4Kw power !!!
- ▶ Starter Assembly : METAL starter assembly for long life
- ▶ Chain & Guide-bar : Professional Quality & long-cutting-life
- ▶ Sprocket : Spur-sprocket – Tested for long-life
- ▶ Safety : Chain brake
- ▶ Ergonomic : Ergonomic handle with anti-slip grip



| | | | | |
|--|---|---|--------------|---------------------|
|  Use genuine Forté spares for performance and life of tool | |  Machine #76 Packing: 2 Pcs./Carton | Engine type | 1-Cylinder,2-Stroke |
|  Cylinder body |  Carburetor | | Displacement | 58CC |
|  Piston |  Spark-plug | Power | 2.2KW | |
|  Chain |  Guide bar | Bar length | 56cm(22inch) | |
| | | Idle speed | 3000rpm | |
| | | Max.speed | 8000rpm | |
| | | Oil tank capacity | 0.28L | |
| | | Fuel tank capacity | 0.60L | |

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in




[Back to Index](#)



MY TOOLS – MY TRUST

MOTOR BRUSH-CUTTER SIDE-WAYS 52cc / 1.75 Kw F MBC 52-175 SW

- ▶ Engine Power: A powerful engine 52cc / 2-Stroke engine delivers 1.75Kw power
- ▶ Large Cutting Head : Large Cutting Head facilitates metal blades, nylon blades, and saw blades
- ▶ Versatile Sideways Shaft: Long, robust shaft allows for comfortable working positions and better control
- ▶ Ergonomics and Handling: Well-designed handle and ergonomic grip reduce fatigue and improve control
- ▶ Safety Features: Protective guards, Shoulder strap for safety handling
- ▶ Large Fuel-Tank : 1.2L fuel-tank for long working hours for outdoor assignments



FORTé
CARE

Use genuine Forte spares for performance and life of tool

| | | | |
|-----------|------------|------------|----------------|
| | | | |
| 40T Blade | Carburetor | Cylinder | Piston set |
| | | | |
| Guard | Bump head | Spark plug | Double harness |

Machine #96

Packing: 2 Pcs./Carton

| | |
|--------------------|----------------------|
| Engine type | 2-Stroke, Air-cooled |
| Displacement | 52 cc |
| Rated power output | 1.55 KW / 2.1 HP |
| Idling speed | 3000 ± 200 rpm |
| Fuel tank capacity | 1250 ml |

Standard fittings with machine:

- Bump head-1 Pc.
- 3-teeth blade- 1 Pc.
- Strap / harness- 1 Pc.
- Tool Kit - 1 Set.
- plastic container- 1pc.

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

MOTOR BRUSH-CUTTER

BACK-PACK

52cc / 1.75 Kw









F MBC 52-175 BP


- ▶ Engine Power: A powerful engine 52cc / 2-Stroke engine delivers 1.75Kw power
- ▶ Large Cutting Head : Large Cutting Head facilitates metal blades, nylon blades, and saw blades
- ▶ Versatile flexible Shaft: Long, robust FLEXIBLE shaft allows for comfortable working positions and better control
- ▶ Ergonomics and Handling: Well-designed handle and ergonomic grip reduce fatigue and improve control
- ▶ Safety Features: Protective guards, Cushioned strap back-pack for less fatigue and safety handling
- ▶ Large Fuel-Tank : 1.2L fuel-tank for long working hours for outdoor



FORTé
CARE

Use genuine Forté spares for performance and life of tool

| | | | |
|---|---|---|---|
|  |  |  |  |
| 40T Blade | Carburetor | Cylinder | Piston set |
|  |  |  |  |
| Guard | Bump head | Spark plug | Double harness |



Machine #87

Packing: 2 Pcs./Carton

| | |
|--------------------|----------------------|
| Engine type | 2-Stroke, Air-cooled |
| Displacement | 52 cc |
| Rated power output | 1.55 KW / 2.1 HP |
| Idling speed | 3000 ± 200 rpm |
| Fuel tank capacity | 1250 ml |

Standard fittings with machine:

- Bump head-1 Pc.
- 40-teeth blade- 1 Pc.
- Strap / harness- 1 Pc.
- Glasses- 1 Pair.
- Tool Kit - 1 Set.
- plastic container- 1pc.

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

New

ELECTRIC REBAR CUTTING
25MM / 1600W
F ERC 25-160



- ▶ **Hand-held** Re-bar Cutting machine – Super Handy, Portable (easy to carry to locations) & Light-weight
- ▶ **Most-Powerful-In-Class** 1600W Motor for 25mm Dia Re-bar Cutting
- ▶ **Strong Metal Gear-Box** can withstand long, continuous working hours
- ▶ **Ideal for on-site bar-cutting** – Easy to manoeuvre in tight spaces
- ▶ **High-Torque motor** for powerful performance
- ▶ **Ergonomic handle design** with east switch access



- Most suited for:**
- ✓ Construction (Re-bar, wires, etc)
 - ✓ Fabrication (Metal parts)
 - ✓ Housing (Gates, Channels, etc.)
 - ✓ Agriculture (Fencing, Equipment frames, etc.)

FORTé CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil
Carbon Brush Gear Assembly Switch



SPECIFICATIONS

| | |
|-------------------|------------|
| CUTTING RANGE | : 4-25mm |
| RATED INPUT POWER | : 1600W |
| RATED VOLTAGE | : 220~240v |
| RATED FREQUENCY | : 50Hz |

Plastic Carry Case
Machine # 137
Packing: 1 Pc./Carton

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.
Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)



MY TOOLS – MY TRUST

New

ELECTRIC REBAR BENDING MACHINE

25MM / 1200W

F ERBM 25-120



- ▶ **Hand-held** Re-bar Bending machine – Super Handy, Portable (easy to carry to locations) & Light-weight
- ▶ **Most-Powerful-In-Class** 1200W Motor for 25mm Dia Re-bar Bending
- ▶ **Strong Metal Gear-Box** can withstand long, continuous working hours
- ▶ Ideal for on-site bar-bending – Easy to manoeuvre in tight spaces
- ▶ **High-Torque motor** for powerful performance
- ▶ **Ergonomic handle** design with east switch access



Most suited for:

- ✓ Construction (Re-bar, wires, etc)
- ✓ Fabrication (Metal parts)
- ✓ Housing (Gates, Channels, etc.)
- ✓ Agriculture (Fencing, Equipment frames, etc.)

FORTé
CARE

Use genuine Forte spares for performance and life of tool

Armature Field Coil

Carbon Brush Gear Assembly Switch



Plastic Carry Case

Machine # 138

Packing: 1 Pc./Carton

SPECIFICATIONS

RE-BAR BENDING RANGE : 16-25mm
 RATED INPUT POWER : 1200W
 RATED VOLTAGE : 220~240v
 RATED FREQUENCY : 50Hz

FREE! ONE PAIR OF CARBON BRUSH

Forte India Enterprises Pvt. Ltd.

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in

Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in



[Back to Index](#)

Range of Spare Part Products



Range of Accessories Products



Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : customercare@forteindia.co.in
Toll Free : 1800-212-4282 • Visit : www.forteindia.co.in

