



## POWER PRODUCTS MAY 2026



# Index Page

## Category

## Pages

---

Cordless Tools	4 – 7
Angle Grinder	8 – 26
Brushless Angle Grinder	27 – 30
Die Grinder	31 – 34
Straight Grinder	35
Cutter	36 – 43
Cut-Off Saw	44 – 48
Mitersaw	49 – 50
Bandsaw	51
Circular Saw	52 – 54
Electric Drill	55 – 59
Impact Drill	60 – 63
Impact Driver	64
Drill Driver	65
Impact Wrench	66
Diamond Core Drill	67 – 70
Rotary Hammer	71 – 77
Demolition Hammer	78 – 84
Wall Chaser	85
Planer	86 – 88
Jigsaw	89 – 90
Trimmer	91 – 92
Router	93 – 94



<b>Category</b>	<b>Index Page</b>	<b>Pages</b>
Sander	.....	95 – 98
Car Polisher	.....	99
Stone Polisher	.....	100
Paint Mixer	.....	101
Dry-Wall Sander	.....	102
Blower	.....	103
Heat Gun	.....	104 – 105
Electric Chainsaw	.....	106
Motor Brush Cutter	.....	107 – 108
Motor Chainsaw	.....	109 – 110
Pressure Washer	.....	111 – 112
Concrete Vibrator	.....	113 – 114
Construction Special	.....	115 – 120





# FORTé®

MY TOOLS MY TRUST

## 12V CORDLESS DRIVER DRILL

10mm / 22N.m / 2-Speed

2.0 Ah

F CDD 10-12V



- **12V DC Motor** delivers powerful **Drilling, Driving & Fastening** performance
- **Work-Output in single re-charge:**
  - 220 nos. 6\*50mm self-tapping screw fastening in pine wood
  - 30 holes in 40mm Pine wood block using 20mm Flat Wood Drill Bit
  - 32 holes in 5mm thickness MS sheet using 6mm dia HSS Drill bit
- **2.0Ah Li-Ion Battery-pack** ensures approx. 40 minutes normal working in a single re-charge
- **2 nos. Battery-pack** with each machine One battery-pack is running and 2nd battery-pack is re-charging
- **22N.m Torque**, Thanks to robust gear-box and large-gears-set tool construction
- **2-Speed function** for varied rotation speed, impact frequency and torque – suitable for a variety of fastening and drilling jobs.



### Most suited for:

- ✓ Woodworking and Carpentry – Drilling pilot holes and Driving Wood-Screws
- ✓ Metalworking and Fabrication – Drilling in metal, Driving metal screws
- ✓ Furniture Assembly and Installation – Driving furniture screws for assembling and installing furniture, Tightening furniture bolts
- ✓ Automotive Maintenance – Loosening bolts and nuts for maintenance and repairs, Tightening fasteners



Machine #90

Packing: 6 Pcs./Carton

### SPECIFICATIONS:

Battery	: Li-Ion
Capacity	: 12V / 2.0Ah x 2nos
Chuck Capacity	: 1.5 – 10mm
Max. Screw Dia	: 7mm
Max. Drilling Dia	: Steel: 10mm, Wood: 20mm
No-Load-Speed	Low: 0–400rpm High: 0–1300rpm
Torque Setting	: 15+1
Max. Torque	: 22Nm
Net Weight	: 1.2 kgs.

### DOUBLE INSULATION

#### INCLUDES:

1 Pc. Screwdriver Bit

**FREE!** ONE PAIR OF CARBON BRUSH

## Forté India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## 18V CORDLESS BLOWER

(Variable Speed)

2.0 Ah

F CBL-VS 18V



- **18V DC Motor** delivers powerful performance
- **2.0Ah Li-Ion Battery-pack** ensures approx. 20 minutes air-blowing in a single re-charge
- **2 nos. Battery-pack** with each machine – One battery-pack is running and 2nd battery-pack is re-charging
- **Light-weight** yet powerful tool construct
- **Variable-Speed** – Press-Control Variable speed trigger switch
- **Easy-access switch** – built in the handle for single hand working
- **Lock-On** feature – Allows continuous air-blowing
- **Versatile Two-tools-in-one:** Quickly converts to a vacuum



### Most suited for:

- ✓ **Dusting and cleaning:** Ceilings, fans, AC vents, machines, equipment, etc.
- ✓ **Blowing air** after concrete cutting, stone carvings, etc.
- ✓ **Drying and Evaporation:** Floors, walls, cement joints, drying paint, ink, or adhesives
- ✓ **Inflation and Sealing**
- ✓ **Industrial and Commercial** building & offices maintenance
- ✓ **Agricultural:** Drying crops, grains, fruits, and vegetables
- ✓ **Horticultural:** Removing dry leaves and twigs from greenhouses and gardens



Machine #91

Packing: 4 Pcs./Carton

### SPECIFICATIONS:

Battery	: Li-Ion
Capacity	: 18V / 2.0Ah
Wind Volume	: 1.6 – 3 CMM
No-Load-Speed	: 0 – 13000 rpm
Net Weight	: 1.31 kgs. (with Battery)

### DOUBLE INSULATION

### INCLUDES:

1 Pc. Dust Collection Bag

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## 18V CORDLESS TILE VIBRATOR

(Variable Speed)

2.0 Ah

F TV I 30-VS



- ▶ **18V DC Motor** delivers powerful performance
- ▶ **2.0Ah Li-Ion Battery-pack** ensures long-periods of vibration function for continuous work for hours
- ▶ **2 nos. Battery-pack with each machine** – One battery-pack is running and 2nd battery-pack is re-charging
- ▶ **Single-Lever** for tile lifting & resting function – Easy to operate
- ▶ **Large 130mm Dia Section Base** – Suitable for all sizes Tiles
- ▶ **Variable-Speed Regulator** – Controlled vibration delivery
- ▶ **Aux. Hand-Rest Handle** facilitates balance pressure apply on tile during installation
- ▶ **Lock-On feature** – Allows continued vibration delivery



### Most suited for:

- ✓ **Tile Installation** – Removing air pockets, consolidating tile adhesive to prevent uneven settling
- ✓ **Flooring and Paving** – Compacting flooring materials, settling paving materials
- ✓ **Ceramic and Porcelain Production** – Vibrating ceramic or porcelain materials to remove air pockets, improving material uniformity



Machine #66

Packing: 4 Pcs./Carton

### SPECIFICATIONS:

Suction Cup Dia	: 130mm
Battery	: Li-Ion
Capacity	: 18V, 2.0Ah x 2pcs
Vibration Frequency	: 0 – 7500/min
Net Weight	: 1.8 kgs. (with Battery)

### DOUBLE INSULATION

Also include:  
1 Pc. Charger  
1 Pc. Auxiliary Battery

**FREE!** ONE PAIR OF CARBON BRUSH

## Forté India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

New

## 20V CORDLESS IMPACT WRENCH

(Brushless)

12.7mm / 600N.m / 3-Speed

4.0 Ah

F CBIW 12-600



- **20V BRUSHLESS Motor** delivers powerful performance and long-life
- **4.0Ah Li-Ion Battery-pack** ensures approx. 80 minutes normal working in a single re-charge
- **3A "Fast Charger"** needs less than 80 minutes for full charging
- **2 nos. Battery-pack** with each machine and Fast-charger means "No Waiting" for battery re-charging – One battery-pack is running and 2nd battery-pack is re-charging
- **600N.m Torque**, Thanks to robust gear-box and large-gears-set tool construction
- **3-Speed function** for varied rotation speed, impact frequency and torque – suitable for a variety of job requirements

### Most suited for:

- ✓ Standard Bolt: M10 – M24
- ✓ High-Tensile Bolt: Mr10 – M16
- ✓ Removing and tightening lug nuts on automotive wheels during tire changes
- ✓ Loosening stubborn fasteners on parts & components
- ✓ Assembling and disassembling construction scaffolding
- ✓ Installing decking and other structural components
- ✓ Applications in Assembly lines where high torque is required



Single PC Packing

Machine #111

Packing: 4 Pcs./Carton

### SPECIFICATIONS:

Square Drive	: 12.7mm (1/2")
Rated Voltage	: 20V
Battery Capacity	: 4.0Ah x 2 Battery Packs
No-Load-Speed	: Low: 1800 rpm Middle: 2000 rpm High: 2200 rpm
Impact Frequency	: Low: 3000 ipm Middle: 3300 ipm High: 3600 ipm
Max. Torque	: Low: 500N.m Middle: 540N.m High: 600N.m
Capacity	: Standard Bolt: m8 - m24 High Tensile Bolt: m8 - m16
Net Weight	: 2.4 kgs

Also Include  
3A Charger - 1 PC, Belt - 1 PC, Belt - 1 PC,  
22MM x 60MM Length Socket - 1 PC, 20V 4.0Ah Battery - 2 PCS.

### Forté India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)

Also Include:



Back to Index




# FORTé®

MY TOOLS MY TRUST

## ANGLE GRINDER

100MM / 750W

F AG 100-7



Double Insulation



- **Best-in-Class 750w**, Double Insulation motor
- **Toggle Switch (Back-switch)** for easy tool handling
- **Slim-body** for comfortable yet firm hand-grip
- **Spindle-lock** for easy disc change
- Two-position side handle
- **Top-class Bearings**
- **Unique inner flange** profile for firm wheel/blade grip
- **Low-noise, Low-vibration**



NEW

High wear-resistant, high heat-resistant Armature winding cord (Black)



### Most suited for:

- ✓ Light Engineering steel & other metal grinding & cutting application
- ✓ Burrs removal & edge shaping
- ✓ Polishing & finishing applications
- ✓ Stone cutting, grinding & edge profiling
- ✓ Tile cutting, grinding & edge profiling
- ✓ Similar light-duty applications



Machine #1

Packing: 8 Pcs. / Carton

### SPECIFICATIONS:

DISC DIAMETER	:100 MM
RATED INPUT POWER	:750 W
RATED VOLTAGE	:220 V
RATED FREQUENCY	:50 Hz
NO-LOAD SPEED	:10,500 RPM
NET WEIGHT	:1.7 kgs.

### Double Insulation

#### ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## ANGLE GRINDER

### Heavy-Duty

100mm / 950W

F AG 100-950



Double Insulation



- Slim-body for easy hand-grip
- Powerful, 950w Double insulation motor
- Big-size bearing for stable performance & long-life
- Spindle-lock for easy disc change
- Two position side handle
- Best-in-class branded Bearings
- Unique inner-flange profile for firm wheel/blade grip



### Most suited for:

- ✓ Granite cutting and shaping
- ✓ Wall cutting/chasing
- ✓ Concrete cutting & grinding
- ✓ Casting material grinding, profiling
- ✓ High Carbon steel cutting & grinding
- ✓ Similar heavy-duty & demanding applications



High wear-resistant,  
high heat-resistant  
Armature winding cord  
(Black)



Single PC Packing

Machine #105

Packing: 8 Pcs. / Carton

### SPECIFICATIONS:

DISC DIAMETER	:100 MM
RATED INPUT POWER	:950 W
RATED VOLTAGE	: 220-240 V
RATED FREQUENCY	:50 Hz
NO-LOAD SPEED	:11,000 RPM
NET WEIGHT	:1.8 kgs.

### Double Insulation

#### ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®


MY TOOLS MY TRUST

## ANGLE GRINDER

### No. 411

100MM / 1100W

FAG 4-1100



Double Insulation



- Most-Powerful-in-Class 1100w, Double Insulation motor
- Toggle Switch (Back-switch) for easy tool handling
- Slim-body for comfortable yet firm hand-grip
- Spindle-lock for easy disc change
- Two-position side handle
- All Japanese Bearings
- Unique inner-flange profile for firm wheel/blade grip
- Low-noise, Low-vibration



### Most suited for:

- ✓ Stone cutting, grinding & edge profiling
- ✓ Concrete cutting, grinding & edge profiling
- ✓ Heavy-duty Engineering applications in steel & other metal grinding & cutting application
- ✓ Polishing & finishing applications
- ✓ Similar heavy-duty applications



High wear-resistant, high heat-resistant Armature winding cord (Black)



Machine #3

Packing: 6 Pcs. / Carton

### SPECIFICATIONS:

DISC DIAMETER	:100 MM
RATED INPUT POWER	:1100 W
RATED VOLTAGE	: 220-240 V
RATED FREQUENCY	:50 Hz
NO-LOAD SPEED	:11,000 RPM
NET WEIGHT	:2.05 kgs.

### Double Insulation

- ALSO INCLUDE:
- 1) WHEEL GUARD
  - 2) SIDE HANDLE
  - 3) WHEEL KEY

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®


MY TOOLS MY TRUST

## ANGLE GRINDER

### Side Switch

### 100MM / 750W

### F AG 100-SS



Double Insulation



- **Best-in-Class 750w**, Double Insulation motor
- **Side Switch (Front-switch)** facilitates single hand tool handling
- **Slim-body** for comfortable yet firm hand-grip
- **Spindle-lock** for easy disc change
- Two-position side handle
- **Top-class Bearings**
- **Unique inner flange** profile for firm wheel/blade grip
- **Low-noise, Low-vibration**



#### Most suited for:

- ✓ Light Engineering steel & other metal grinding & cutting application
- ✓ Burrs removal & edge shaping
- ✓ Polishing & finishing applications
- ✓ Stone cutting, grinding & edge profiling
- ✓ Tile cutting, grinding & edge profiling
- ✓ Similar light-duty applications



High wear-resistant, high heat-resistant Armature winding cord (Black)



**FORTÉ®**  
**CARE**

Use genuine Forté spares for performance and life of tool



Armature



Field Coil



Carbon Brush



Gear Assembly



Switch



Machine #2

Packing: 8 Pcs. / Carton

#### SPECIFICATIONS:

DISC DIAMETER	:100 MM
RATED INPUT POWER	:750 W
RATED VOLTAGE	:220 V
RATED FREQUENCY	:50 Hz
NO-LOAD SPEED	:11,000 RPM
NET WEIGHT	:1.7 kgs.

#### Double Insulation

#### ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

New

## ANGLE GRINDER Heavy-Duty Side Switch

100mm / 950W  
F AG 100-950 SS



Double Insulation



- Slim-body for easy hand-grip
- Powerful, 950w Double insulation motor
- **Big-size bearing** for stable performance & long-life
- **Spindle-lock** for easy disc change
- Two position side handle
- **Best-in-class** branded Bearings
- Unique inner-flange profile for firm wheel/blade grip



### Most suited for:

- ✓ Granite cutting and shaping
- ✓ Wall cutting/chasing
- ✓ Concrete cutting & grinding
- ✓ Casting material grinding, profiling
- ✓ High Carbon steel cutting & grinding
- ✓ Similar heavy-duty & demanding applications

NEW

High wear-resistant,  
high heat-resistant  
Armature winding cord  
(Black)



**FORTé® CARE**

Use genuine Forté spares for performance and life of tool

Armature      Field Coil

Carbon Brush      Gear Assembly      Switch



Single PC Packing

Machine #110

Packing: 8 Pcs. / Carton

### SPECIFICATIONS:

DISC DIAMETER	:100 MM
RATED INPUT POWER	:950 W
RATED VOLTAGE	:220-240 V
RATED FREQUENCY	:50 Hz
NO-LOAD SPEED	:11,000 RPM
NET WEIGHT	:1.8 kgs.

### Double Insulation

#### ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## ANGLE GRINDER

### Side Switch

100MM / 1100W

FAG 4-1100 SS



Double Insulation



- Most-Powerful-in-Class 1100w, Double Insulation motor
- Side-Switch (Front-switch) for single hand tool handling
- Slim-body for comfortable yet firm hand-grip
- Spindle-lock for easy disc change
- Two-position side handle
- All Japanese Bearings
- Unique inner-flange profile for firm wheel/blade grip
- Low-noise, Low-vibration



High wear-resistant, high heat-resistant Armature winding cord (Black)



### Most suited for:

- ✓ Stone cutting, grinding & edge profiling
- ✓ Concrete cutting, grinding & edge profiling
- ✓ Heavy-duty Engineering applications in steel & other metal grinding & cutting application
- ✓ Polishing & finishing applications
- ✓ Similar heavy-duty applications



Machine #93

Packing: 6 Pcs. / Carton

### SPECIFICATIONS:

DISC DIAMETER	:100 MM
SPINDLE	:M10
RATED INPUT POWER	:1100 W
RATED VOLTAGE	: 220-240 V
RATED FREQUENCY	:50 Hz
NO-LOAD SPEED	:3900 - 11000 RPM
NET WEIGHT	:2.05 kgs.

### Double Insulation

- ALSO INCLUDE:
- 1) WHEEL GUARD
  - 2) SIDE HANDLE
  - 3) WHEEL KEY

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST


New

## ANGLE GRINDER

### Paddle Switch

### 100MM / 900W

### F AG 100-9 PS



Double Insulation



#### ➤ Paddle-Switch Angle Grinder

- Easy On-Off Control with single-hand working
- Reduced accidental-start-ups – Machine requires deliberate action to start machine
- Comfort-grip for long-time working

#### ➤ Powerful 900w Double Insulation Motor

#### ➤ M-10 Spindle

- Branded bearings for low vibration, noise and for long tool life



PADDLE SWITCH



#### Most suited for:

- ✓ Granite cutting and shaping
- ✓ Wall cutting/chasing
- ✓ Concrete cutting & grinding
- ✓ Casting material grinding, profiling
- ✓ High Carbon steel cutting & grinding
- ✓ Similar heavy-duty & demanding applications



High wear-resistant,  
high heat-resistant  
Armature winding cord  
(Black)



**FORTé®**  
**CARE**

Use genuine Forté spares for performance and life of tool

Armature      Field Coil  
Carbon Brush      Gear Assembly      Switch



Machine #107

Packing: 8 Pcs. / Carton

#### SPECIFICATIONS:

DISC DIAMETER	:100 MM
SPINDLE	:M10
RATED INPUT POWER	:900 W
RATED VOLTAGE	: 220–240 V
RATED FREQUENCY	:50 Hz
NO-LOAD SPEED	:12,000 RPM
NET WEIGHT	:1.7 kgs.

#### Double Insulation

#### ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



Back to Index



# FORTé®

MY TOOLS MY TRUST

## ANGLE GRINDER

Variable Speed

Side Switch

100MM / 1100W

F AG 4-1100 VS



Double Insulation



- ▶ Most-Powerful-in-Class 1100w, Double Insulation motor
- ▶ Variable Speed regulator to control disc / blade speed
- ▶ Side-Switch (Front-switch) for single hand tool handling
- ▶ Slim-body for comfortable yet firm hand-grip
- ▶ Spindle-lock for easy disc change
- ▶ Two-position side handle
- ▶ All Japanese Bearings
- ▶ Unique inner-flange profile for firm wheel/blade grip
- ▶ Low-noise, Low-vibration



### Most suited for:

- ✓ Polishing & finishing applications on various materials
- ✓ Stone cutting, grinding & edge profiling
- ✓ Concrete cutting, grinding & edge profiling
- ✓ Heavy-duty Engineering applications in steel & other metal grinding & cutting application
- ✓ Polishing & finishing applications
- ✓ Similar heavy-duty applications



Machine #79

Packing: 6 Pcs. / Carton

### SPECIFICATIONS:

DISC DIAMETER	:100 MM
SPINDLE	:M10
RATED INPUT POWER	:1100 W
RATED VOLTAGE	: 220-240 V
RATED FREQUENCY	:50 Hz
NO-LOAD SPEED	:3900 - 11000 RPM
NET WEIGHT	:2.05 kgs.

### Double Insulation

#### ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)




# FORTÉ®

MY TOOLS MY TRUST

## ANGLE GRINDER

125MM / 860W

F AG 125-8 WSF



Double Insulation



- Best-in-Class 860w, Double Insulation motor
- Toggle Switch (Back-switch) for easy tool handling
- Slim-body for comfortable yet firm hand-grip
- Extra supply of special M10 flange with each machine
- Spindle-lock for easy disc change
- Two-position side handle
- All Japanese Bearings
- Auto-Stop Carbon Brush for armature safety
- Unique inner-flange profile for firm wheel/blade grip
- Low-noise, Low-vibration



### Most suited for:

- ✓ Light Engineering steel & other metal grinding & cutting application
- ✓ Burrs removal & edge shaping
- ✓ Polishing & finishing applications
- ✓ Stone cutting, grinding & edge profiling
- ✓ Tile cutting, grinding & edge profiling
- ✓ Similar light-duty applications

NEW

High wear-resistant, high heat-resistant Armature winding cord (Black)



Machine #4

Packing: 8 Pcs. / Carton

### SPECIFICATIONS:

DISC DIAMETER :125 MM

RATED INPUT POWER :860 W

RATED VOLTAGE : 220 V

RATED FREQUENCY :50 Hz

NO-LOAD SPEED :11000 RPM

NET WEIGHT :1.8 kgs.

Double Insulation

### ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

**FREE!** ONE PAIR OF CARBON BRUSH

## Forté India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

**New**

## ANGLE GRINDER

### Heavy Duty

125MM / 950W

F AG 125 - 950



Double Insulation



- Slim-body for easy hand-grip
- Powerful, 950w Double insulation motor
- M-14 Spindle
- Big-size bearing for stable performance & long-life
- Spindle-lock for easy disc change
- Two position side handle
- Best-in-class branded Bearings
- Unique inner-flange profile for firm wheel/blade grip



#### Most suited for:

- ✓ Granite cutting and shaping
- ✓ Wall cutting/chasing
- ✓ Concrete cutting & grinding
- ✓ Casting material grinding, profiling
- ✓ High Carbon steel cutting & grinding
- ✓ Similar heavy-duty & demanding applications

**NEW**

High wear-resistant,  
high heat-resistant  
Armature winding cord  
(Black)



Single Pc Packing

Machine #123

Packing: 8 Pcs. / Carton

#### SPECIFICATIONS:

DISC DIAMETER	:125 MM
SPINDLE	: M14
RATED INPUT POWER	:950 W
RATED VOLTAGE	: 220-240 V
RATED FREQUENCY	:50 Hz
NO-LOAD SPEED	:11,000 RPM
NET WEIGHT	:1.7 kgs.

#### Double Insulation

#### ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST


New

## ANGLE GRINDER

### No. 511

125MM / 1100W

FAG 5-1100



Double Insulation



- Most-Powerful-in-Class 1100w, Double Insulation motor
- Toggle Switch (Back-switch) for easy tool handling
- Slim-body for comfortable yet firm hand-grip
- M14 Spindle-lock for easy disc change
- Two-position side handle
- All Japanese Bearings
- Unique inner flange profile for firm wheel/blade grip
- Low-noise, Low-vibration



### Most suited for:

- ✓ Stone cutting, grinding & edge profiling
- ✓ Concrete cutting, grinding & edge profiling
- ✓ Heavy-duty Engineering applications in steel & other metal grinding & cutting application
- ✓ Polishing & Finishing applications
- ✓ Similar heavy-duty applications



High wear-resistant, high heat-resistant Armature winding cord (Black)



**FORTé® CARE**

Use genuine Forté spares for performance and life of tool



Armature



Field Coil



Carbon Brush



Gear Assembly



Switch



Machine #122

Packing: 8 Pcs. / Carton

### SPECIFICATIONS:

DISC DIAMETER	:125 MM
SPINDLE	: M14
RATED INPUT POWER	:1100W
RATED VOLTAGE	: 220-240 V
RATED FREQUENCY	:50 Hz
NO-LOAD SPEED	:11,000 RPM
NET WEIGHT	:1.8 kgs.

### Double Insulation

#### ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

**FREE!** ONE PAIR OF CARBON BRUSH

## Forté India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST


New

## ANGLE GRINDER

Paddle Switch

125MM / 900W

F AG 125-9 PS



Double Insulation



- Paddle-Switch Angle Grinder
- Easy On-Off Control with single-hand working
- Reduced accidental-start-ups – Machine requires deliberate action to start machine
- Comfort-grip for long-time working
- Powerful 900w Double Insulation Motor
- M-14 Spindle
- Branded bearings for low vibration, and for long tool life



PADDLE SWITCH



NEW

High wear-resistant, high heat-resistant Armature winding cord (Black)



### Most suited for:

- ✓ Granite cutting and shaping
- ✓ Wall cutting/chasing
- ✓ Concrete cutting & grinding
- ✓ Casting material grinding, profiling
- ✓ High Carbon steel cutting & grinding
- ✓ Similar heavy-duty & demanding applications



Machine #106

Packing: 8 Pcs. / Carton

### SPECIFICATIONS:

DISC DIAMETER	:125 MM
SPINDLE	: M14
RATED INPUT POWER	:900 W
RATED VOLTAGE	: 220-240 V
RATED FREQUENCY	:50 Hz
NO-LOAD SPEED	:12,000 RPM
NET WEIGHT	:1.8 kgs.

### Double Insulation

#### ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



Back to Index



# FORTÉ®

MY TOOLS MY TRUST

## ANGLE GRINDER

### Long Body

125MM / 1400W

F AG 125-14



Double Insulation



- Best-In-Class 1400W – Double Insulation Motor for powerful performance
- High-precision gear/pinion set ensures machine stability during heavy-duty grinding and cutting work
- Branded bearings ensure low-noise, low-vibration
- Long ergonomic design handle for easy machine holding for long hours
- Two-position Side handle
- Spindle-lock for quick wheel change
- Out-side Carbon Brush window for quick change



### Most suited for:

- ✓ Automotive & Fabrication: Cutting & Grinding steel & metal parts
- ✓ Polishing & Finishing of casting parts & components, Removal of rust & corrosion and polishing metal surfaces, etc.
- ✓ Metalworking: Cutting & deburring metal pipes & tubes, Grinding and smoothening metal surfaces, Sharpening metal tools
- ✓ Masonry & brick wall cutting and wall chasing
- ✓ Welding preparation and weld removal



Use genuine Forté spares for performance and life of tool

Armature

Field Coil

Carbon Brush

Gear Assembly

Switch



Machine #5

Packing: 4 Pcs. / Carton

### SPECIFICATIONS:

DISC DIAMETER	:125 MM
SHAFT DIMENSIONS	: M14
RATED INPUT POWER	:1400W
RATED VOLTAGE	: 220V / 50Hz
RATED FREQUENCY	:220/50 Hz
NO-LOAD SPEED	:9300 rpm
NET WEIGHT	:3.75 kgs.

Double Insulation

### ALSO INCLUDE:

- 1) Side Handle – 1 pc
- 2) Wrench – 1 pc

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## ANGLE GRINDER

Long Body

Variable Speed

125MM / 1400W

F AG 125-14 VS



Double Insulation



- ▶ **Best-In-Class 1400W** – Double Insulation Motor for powerful performance
- ▶ **6-Step Variable speed regulator**-suitable for a variety of applications
- ▶ **High-precision gear/pinion set** ensures machine stability during heavy-duty grinding and cutting work
- ▶ **Branded bearings** ensure low-noise, low-vibration
- ▶ **Two-position Side handle**
- ▶ **Spindle-lock** for quick wheel change
- ▶ **Out-side Carbon Brush window** for quick change

### Most suited for:

- ✓ Variable speed allows Polishing & Finishing of different types of materials - Casting parts & components, Removal of rust & corrosion and Polishing metal surfaces, etc.
- ✓ Automotive & Fabrication: Cutting & Grinding steel & metal parts
- ✓ Metalworking: Cutting & deburring metal pipes & tubes, Grinding and smoothening metal surfaces, Sharpening metal tools.
- ✓ Masonry & brick wall cutting and wall chasing
- ✓ Welding preparation and weld removal



Machine #71

Packing: 4 Pcs. / Carton

### SPECIFICATIONS:

DISC DIAMETER	:125MM
SPINDLE :	:M14
RATED INPUT POWER	:1400 W
RATED VOLTAGE	:220~240V
RATED FREQUENCY	:50 Hz
NO-LOAD SPEED	:3900-10500 RPM
NET WEIGHT	:3.80 kgs.

**DOUBLE INSULATION**

### ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## ANGLE GRINDER

### No. 723

180MM / 2300W

F AG 7-2300



Double Insulation



- **Best-In-Class 2300W** – Double Insulation Motor for powerful performance
- **High-Speed & Light-Weight** machine construction ensures higher productivity
- **Rotating-handle** allows easy grinding / cutting from different angles
- **Two-step, Lock-on Trigger switch** – safe for workers
- **Spindle-lock** for quick wheel change
- **Long, ergonomic design handle**
- **Branded bearings** ensure low-noise, low-vibration
- **Out-side Carbon Brush window** for quick change



### Most suited for:

- ✓ Automotive & Fabrication: Cutting & Grinding steel & metal parts
- ✓ Metalworking: Cutting & deburring metal pipes & tubes, Grinding and smoothing metal surfaces, Sharpening metal tools
- ✓ Polishing & Finishing of casting parts & components, Removal of rust & corrosion and Polishing metal surfaces, etc.



Machine #6

Packing: 2 Pcs. / Carton

### SPECIFICATIONS:

DISC DIAMETER	:180 MM
SPINDLE :	:M14
RATED INPUT POWER	:2300 W
RATED VOLTAGE	:220~240V
RATED FREQUENCY	:50 Hz
NO-LOAD SPEED	:8400 RPM
NET WEIGHT	:4.9 kgs.

**DOUBLE INSULATION**

### ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## ANGLE GRINDER

180MM / 2600W

F AG 180-26



Double Insulation



- **Powerful 2600W – Double Insulation Motor**
- **Two-step, Lock-on Trigger switch – safe for workers**
- **Spindle-lock for quick wheel change**
- **Long, ergonomic design handle allows easy maneuverability of machine with ease**
- **Branded bearings ensure low-noise, low-vibration**
- **Out-side Carbon Brush window for quick change**



### Most suited for:

- ✓ Highly rated angle grinder for Stone / Granite / Marble Block Cutting
- ✓ Automotive & Fabrication: Cutting & Grinding steel & metal parts
- ✓ Metalworking: Cutting & deburring metal pipes & tubes, Grinding and smoothing metal surfaces, Sharpening metal tools
- ✓ Polishing & Finishing of casting parts & components, Removal of rust & corrosion and Polishing metal surfaces, etc.

NEW

High wear-resistant, high heat-resistant Armature winding cord (Black)



Machine #72

Packing: 2 Pcs. / Carton

### SPECIFICATIONS:

DISC DIAMETER	:230 MM
RATED INPUT POWER	:2600 W
RATED VOLTAGE	:220~240V
RATED FREQUENCY	:50 Hz
NO-LOAD SPEED	:6500 RPM
NET WEIGHT	:5.40 kgs.

### DOUBLE INSULATION

### ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## ANGLE GRINDER

230MM / 2600W

F AG 230-26



Double Insulation



- **Powerful 2600W** – Double Insulation Motor
- **Soft-Start** ensures load-protection of machine
- **Two-step, Lock-on Trigger switch** – safe for workers
- **Spindle-lock** for quick wheel change
- **Long, ergonomic design handle** allows easy maneuverability of machine with ease
- **Branded bearings** ensure low-noise, low-vibration
- **Out-side Carbon Brush window** for quick change



### Most suited for:

- ✓ Highly rated angle grinder for Stone / Granite / Marble Block Cutting
- ✓ Automotive & Fabrication: Cutting & Grinding steel & metal parts
- ✓ Metalworking: Cutting & deburring metal pipes & tubes, Grinding and smoothing metal surfaces, Sharpening metal tools
- ✓ Polishing & Finishing of casting parts & components, Removal of rust & corrosion and Polishing metal surfaces, etc.

NEW

High wear-resistant, high heat-resistant Armature winding cord (Black)



Machine #7

Packing: 2 Pcs. / Carton

### SPECIFICATIONS:

Disc Diameter	:230 mm
Rated Input Power	:2600w
Rated Voltage	:220~240V
Rated Frequency	:50 Hz
No-Load Speed	:6500 rpm
Net Weight	:5.720 kgs.

### DOUBLE INSULATION

### ALSO INCLUDE:

- 1) Wheel Guard
- 2) Side Handle
- 3) Wheel Key

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## ANGLE GRINDER

### Without Soft-Start

### 230MM / 2600W

### F AG 230-26 WS



Double Insulation



- ▶ **Powerful 2600W** – Double Insulation Motor
- ▶ **Two-step, Lock-on Trigger switch** – safe for workers
- ▶ **Spindle-lock** for quick wheel change
- ▶ **Long, ergonomic design handle** allows easy maneuverability of machine with ease
- ▶ **Branded bearings** ensure low-noise, low-vibration
- ▶ **Out-side Carbon Brush window** for quick change



#### Most suited for:

- ✓ Highly rated angle grinder for Stone / Granite / Marble Block Cutting
- ✓ Automotive & Fabrication: Cutting & Grinding steel & metal parts
- ✓ Metalworking: Cutting & deburring metal pipes & tubes, Grinding and smoothing metal surfaces, Sharpening metal tools
- ✓ Polishing & Finishing of casting parts & components, Removal of rust & corrosion and Polishing metal surfaces, etc.

NEW

High wear-resistant, high heat-resistant Armature winding cord (Black)



Machine #94

Packing: 2 Pcs. / Carton

#### SPECIFICATIONS:

DISC DIAMETER	:230 MM
RATED INPUT POWER	:2600 W
RATED VOLTAGE	:220~240V
RATED FREQUENCY	:50 Hz
NO-LOAD SPEED	:6500 RPM
NET WEIGHT	:5.72 kgs.

#### DOUBLE INSULATION

#### ALSO INCLUDE:

- 1) WHEEL GUARD
- 2) SIDE HANDLE
- 3) WHEEL KEY

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST


New

## ANGLE GRINDER

### Heavy Duty

230MM / 3000W

F AG 230-300 HD



Double Insulation



- ▶ Best-In-Class '**Heavy-Duty**' 3000w - Double Insulation Motor - Suitable for demanding grinding / cutting applications
- ▶ High-precision power transmission (gear/pinion) system ensures **machine stability during heavy-duty grinding and cutting work**
- ▶ Branded bearings ensure **low-noise, low-vibration** and enhanced comfort to workman
- ▶ Long ergonomic design handle for **easy machine holding** for long hours
- ▶ Two-position Side handle
- ▶ Spindle-lock for quick wheel change
- ▶ Out-side Carbon Brush window for quick change



#### Applications:

- ✓ **Automotive & Fabrication:** Cutting & Grinding metal parts, Heavy-duty Grinding and Polishing of Die-casting parts & components, Removal of rust & corrosion
- ✓ Polishing metal surfaces, etc.
- ✓ **Stone & Construction:** Cutting and grinding Granites, Marble, Sand-stone, Black-stone, etc, Grinding Concrete surfaces, Removing old mortar and grout
- ✓ **Metalworking:** Cutting & deburring metal pipes & tubes, Grinding and smoothening metal surfaces, Sharpening metal tools, Welding preparation and weld removal



Single Pc Packing

Machine #121

Packing: 2 Pcs. / Carton

#### SPECIFICATIONS:

Disc Diameter	:230 MM
Spindle:	:M14
Rated Input Power	:3000 W
Rated Voltage	:220~240V
Rated Frequency	:50 Hz
No-Load Speed	:6500 RPM
Net Weight	:5.720 kgs.

Double Insulation

#### ALSO INCLUDE:

- 1) Wheel Guard
- 2) Side Handle
- 3) Wheel Key

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



Back to Index




# FORTÉ®

MY TOOLS MY TRUST

New

## ANGLE GRINDER BRUSH-LESS

100MM / 1200W  
F AGBL 100-12



Double Insulation



- **NO-CARBON-BRUSH (Brushless) Electric Motor**
- **LOW MAINTENANCE COST** due to minimal motor parts wear-out
- **Powerful 1200w, Double Insulation Brushless motor**
- **Soft-Start** helps reduce starting jerk and improves hand control of machine
- **Auto-Start-Protection** prevents accidental start of machine in case of power outage and re-start
- **Soft-Press Switch** gives long life and ease of operation
- **Light Indicator** glows until 400 hours warranty period
- **All Japanese Bearings** for long tool life and less maintenance
- **Light-weight, Low-noise, Low-vibration** – Less fatigue to operators



Ultra Slim Body

1.45 Kgs Weight

### Most suited for:

- ✓ Stone cutting, grinding & edge profiling
- ✓ Concrete cutting, grinding & edge profiling
- ✓ Heavy-duty Engineering applications in steel & other metal grinding & cutting application
- ✓ Polishing & finishing applications
- ✓ Similar heavy-duty applications

**FORTÉ®**  
CARE

Use genuine Forté spares for performance and life of tool



Armature



Field Coil



PCB Board



Gear Assembly



Machine #113

Packing: 6 Pcs./Carton

### SPECIFICATIONS:

Disc Diameter	: 100MM
Spindle	: M10
Rated Input Power	: 1200W
Rated Voltage	: 220~240V
Rated Frequency	: 50 Hz
No-Load-Speed	: 11,000 RPM
Net Weight	: 1.46 kgs.

**DOUBLE INSULATION**

### ALSO INCLUDE:

- 1) Wheel Guard
- 2) Side Handle

**Forte India Enterprises Pvt. Ltd**

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST


New

## ANGLE GRINDER

### BRUSH-LESS

125MM / 1200W

F AGBL 125-12



Double Insulation



- **NO-CARBON-BRUSH (Brushless) Electric Motor**
- **LOW MAINTENANCE COST** due to minimal motor parts wear-out
- **Powerful 1200w, Double Insulation Brushless motor**
- **Soft-Start** helps reduce starting jerk and improves hand control of machine
- **Auto-Start-Protection** prevents accidental start of machine in case of power outage and re-start
- **Soft-Press Switch** gives long life and ease of operation
- **Light Indicator** glows until 400 hours warranty period
- **All Japanese Bearings** for long tool life and less maintenance
- **Light-weight, Low-noise, Low-vibration** – Less fatigue to operators



1.46 Kgs Weight

Ultra Slim Body

#### Most suited for:

- ✓ Stone cutting, grinding & edge profiling
- ✓ Concrete cutting, grinding & edge profiling
- ✓ Heavy-duty Engineering applications in steel & other metal grinding & cutting application
- ✓ Polishing & finishing applications
- ✓ Similar heavy-duty applications



Use genuine Forté spares for performance and life of tool



Armature



Field Coil



PCB Board



Gear Assembly



Machine #114

Packing: 6 Pcs./Carton

#### SPECIFICATIONS:

Disc Diameter	: 125MM
Spindle	: M14
Rated Input Power	: 1200W
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
No-Load-Speed	: 11,000 RPM
Net Weight	: 1.49 kgs.

#### DOUBLE INSULATION

#### ALSO INCLUDE:

- 1) Wheel Guard
- 2) Side Handle
- 3) Wheel Key

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



Back to Index



# FORTé®

MY TOOLS MY TRUST

New

## ANGLE GRINDER

Side Switch  
BRUSH-LESS

100mm / 1400W  
F AG-BL 100-SS



Double Insulation



Machine# 132

### BENEFITS

-  **1400W Powerful Motor**  
Strong performance for heavy-duty grinding
-  **Brushless Motor**  
Longer life with low maintenance
-  **Double Insulation**  
Safe for tough working conditions
-  **Lightweight & Slim Body**  
Better control and less fatigue
-  **Advanced Protection System**  
Overload, auto-restart & heat protection
-  **Soft Start Function**  
Smooth and controlled operation
-  **Premium Japanese Bearings**  
High durability & long-lasting performance



### SPECIFICATIONS

Disc Diameter:	100MM
Spindle:	M10
Rated Input Power:	1400W
Rated Voltage:	220~240V
Rated Frequency:	50 Hz
No-Load-Speed:	11,000 RPM
Net Weight:	1.39 kgs

#### In the box

- » Wheel Guard
- » Side Handle
- » Wheel Key



### APPLICATIONS

- ✓ Metal cutting, grinding & surface finishing
- ✓ Rust and paint removal
- ✓ Fabrication, workshop & construction work
- ✓ Cutting steel pipes, rods and sheets



Youtube Channel



Our Website



E-Catalogue

### SPARE PARTS AVAILABLE



**Forte India Enterprises Pvt. Ltd**

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)

Back to Index



# FORTé®

MY TOOLS MY TRUST

New

## ANGLE GRINDER

Side Switch  
BRUSH-LESS

125mm / 1400W

F AG-BL 125-SS



Double Insulation



Machine# 133

### BENEFITS

-  **1400W Powerful Motor**  
Strong performance for heavy-duty grinding
-  **Brushless Motor**  
Longer life with low maintenance
-  **Double Insulation**  
Safe for tough working conditions
-  **Lightweight & Slim Body**  
Better control and less fatigue
-  **Advanced Protection System**  
Overload, auto-restart & heat protection
-  **Soft Start Function**  
Smooth and controlled operation
-  **Premium Japanese Bearings**  
High durability & long-lasting performance



### SPECIFICATIONS

Disc Diameter:	125MM
Spindle:	M10
Rated Input Power:	1400W
Rated Voltage:	220~240V
Rated Frequency:	50 Hz
No-Load-Speed:	11,000 RPM
Net Weight:	1.47 kgs

#### In the box

- » Wheel Guard
- » Side Handle
- » Wheel Key



### APPLICATIONS

- ✓ Metal cutting, grinding & surface finishing
- ✓ Rust and paint removal
- ✓ Fabrication, workshop & construction work
- ✓ Cutting steel pipes, rods and sheets



Youtube Channel



Our Website



E-Catalogue

### SPARE PARTS AVAILABLE



**Forte India Enterprises Pvt. Ltd**

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)

Back to Index



# FORTé®

MY TOOLS MY TRUST

## DIE GRINDER

### Bottle Type

6MM / 300W

FDG 6 - 24



- **Best-in-class 300W Motor** – Small yet powerful
- **Button-Press switch** – easy to operate
- **Standard Nut-Type collet** for easy bit assembly & removal
- **Dust-proof tool construct**
- **Four (4) Branded Bearings** construction ensure low-noise, low-vibration



### Most suited for:

- ✓ **Metalworking:** Deburring metal pipes & tubes, grinding and smoothing metal surfaces, edge sharpening of metal tools
- ✓ **Automotive & Steel Fabrication:** Grinding, shaping, finishing steel & metal parts
- ✓ **Polishing & Finishing** of light die casting parts & components, removal of rust & corrosion and polishing metal surfaces, etc.



Machine #84

Packing: 10 Pcs. / Carton

### SPECIFICATIONS:

Max. Collet Size	:6 mm
Max. Disc Dia	:25 mm
Rated Input Power	:300W
Rated Voltage	:220-240V
Rated Frequency	:50 Hz
No-Load Speed	:26000 rpm
Net Weight	:1.2 kgs.

### DOUBLE INSULATION

#### Also Include:

- 1) 3mm Collet – 1 Pc
- 2) 6mm Collet – 1 Pc
- 3) Set of Spanners

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## DIE GRINDER

### Variable Speed

25MM / 400W

FDG 25-40 VS



- **Powerful 400W Motor**
- **Variable Speed** regulator for a variety of materials application
- **A multi-purpose machine** for grinding / finishing / polishing applications
- **Toggle switch** – easy to operate
- **Unique built-in collet** for easy bit assembly & removal
- **Branded bearings** ensure low-noise, low-vibration
- **Out-side Carbon Brush** window for quick change



### Most suited for:

- ✓ **Stone Working:** Carving in Stone / Granite / Marble in temple work
- ✓ **Metalworking:** Deburring metal pipes & tubes, grinding and smoothing metal surfaces, edge sharpening of metal tools
- ✓ **Automotive & Steel Fabrication:** Grinding, shaping, finishing steel & metal parts
- ✓ **Polishing & Finishing** of light die casting parts & components, removal of rust & corrosion and polishing metal surfaces, etc.

**FORTÉ®**  
CARE

Use genuine Forté spares for performance and life of tool

Armature      Field Coil

Carbon Brush      Gear Assembly      Switch



Machine #58  
Packing: 6 Pcs. / Carton

### SPECIFICATIONS:

Max. Wheel Dia	:25 mm
Collet	:6 mm
Rated Input Power	:400W
Rated Voltage	:220-240V
Rated Frequency	:50 Hz
No-Load Speed	:28,500 rpm
Net Weight	:1.6 kgs.

### DOUBLE INSULATION

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## DIE GRINDER PRO-NC

25MM / 550W

FDG 25-PRO NC



Double Insulation



- **Powerful 550W Double Insulation Motor**
- **Rubber sheathing on neck part** – ensures comfortable and non-slip hand grip while operating
- **Toggle switch** – easy to operate
- **Standard nut type Collect** for bit assembly & removal
- **Dust-proof tool construct** Four (4) **Branded Bearings** ensure low-noise, low-vibration
- **Out-side Carbon Brush** window for quick change



### Most suited for:

- ✓ **Stone Working:** Carving in Stone / Granite / Marble in temple work
- ✓ **Metalworking:** Deburring metal pipes & tubes, grinding and smoothing metal surfaces, edge sharpening of metal tools
- ✓ **Automotive & Steel Fabrication:** Grinding, shaping, finishing steel & metal parts
- ✓ **Polishing & Finishing** of light die casting parts & components, removal of rust & corrosion and polishing metal surfaces, etc.



Machine #95

Packing: 8 Pcs. / Carton

### SPECIFICATIONS:

Collet	:6 mm
Rated Input Power	:550W
Rated Voltage	:220-240V
Rated Frequency	:50 Hz
No-Load Speed	:29,000 rpm
Net Weight	:1.95 kgs.

### DOUBLE INSULATION

Also Include:

1) 2 pcs wrench

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## DIE GRINDER PRO

25MM / 550W

FDG 25-PRO



Double Insulation



- **Powerful 550W Double Insulation Motor**
- **Rubber sheathing** on neck part – ensures comfortable and non-slip hand grip while operating
- **Toggle switch** – easy to operate
- **Unique built-in collet** for easy bit assembly & removal
- **Dust-proof tool construct** Four (4) **Branded Bearings** ensure low-noise, low-vibration
- **Branded bearings** ensure low-noise, low-vibration
- **Out-side Carbon Brush** window for quick change



### Most suited for:

- ✓ **Stone Working:** Carving in Stone / Granite / Marble in temple work
- ✓ **Metalworking:** Deburring metal pipes & tubes, grinding and smoothing metal surfaces, edge sharpening of metal tools
- ✓ **Automotive & Steel Fabrication:** Grinding, shaping, finishing steel & metal parts
- ✓ **Polishing & Finishing** of light die casting parts & components, removal of rust & corrosion and polishing metal surfaces, etc.



Machine #61

Packing: 8 Pcs. / Carton

### SPECIFICATIONS:

Collet	:6 mm
Rated Input Power	:550W
Rated Voltage	:220-240V
Rated Frequency	:50 Hz
No-Load Speed	:29,000 rpm
Net Weight	:1.95 kgs.

### DOUBLE INSULATION

Also Include:  
1) 2 pcs wrench

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## STRAIGHT GRINDER

### Variable Speed

125MM / 1050W

F SG 125-VS



Double Insulation



- Most Powerful-in-Class  
1050W Double Insulation Motor
- Variable-speed regulator to control speed based on job requirements
- Rubber sheathing on neck part – ensures comfortable and non-slip hand grip while operating
- Trigger switch – easy to operate
- Dust-proof tool construct Four (4) Branded Bearings ensure low-noise, low-vibration
- Out-side Carbon Brush window for quick change



### Most suited for:

- ✓ **Metalworking:** Easy grinding, stock removal, polishing job in narrow, difficult-to-access areas
- ✓ Fast yet controlled surface **deburring** metal pipes & tubes, **grinding and smoothening** metal surfaces
- ✓ **Automotive & Steel Fabrication:** Grinding, shaping, finishing steel & metal parts
- ✓ **Polishing & Finishing** of light die casting parts & components, removal of rust & corrosion and polishing metal surfaces, etc.



Machine #64

Packing: 4 Pcs. / Carton

### SPECIFICATIONS:

Disc Dia	:125 mm
Spindle	:M14
Rated Input Power	:1050W
Rated Voltage	:220-240V
Rated Frequency	:50 Hz
No-Load Speed	:0-5,000 rpm
Net Weight	:3.75 kgs.

### DOUBLE INSULATION

Also Include:

1) Set of Spanners

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## CUTTER

110MM / 1230W

F CM 4



Double Insulation



- **Powerful 1230W** – Double Insulation Motor – **Safe Tool** for working in water-soaked environment
- Excellent to cut all types of granite / marble sheets, Ply-wood, wood-panels, etc.
- **Splash-control** housing & base-plate design
- **Heavy base-plate** for easy forward movement and stable cutting
- All **branded bearing** construction – low noise, low vibration



High wear-resistant, high heat-resistant Armature winding cord (Black)



### Most suited for:

- ✓ Cutting marble, granite, stone sheets and blocks
- ✓ Cutting ply-wood and wood panels
- ✓ Cutting Brick, Masonry walls
- ✓ Making grooves in all the above materials and surface types

**FORTÉ CARE**  
Use genuine Forté spares for performance and life of tool

Armature      Field Coil  
Carbon Brush      Gear Assembly      Switch



Machine #15

Packing: 4 Pcs. / Carton

### SPECIFICATIONS:

Disc Diameter	:110 MM
Rated Input Power	:1230 W
Rated Voltage	:220 V
Rated Frequency	:50 Hz
No-Load-Speed	:13,000 RPM
Net Weight	:3.1kgs.

### DOUBLE INSULATION

Also Include:

- Wheel Spanner & Key

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## CUTTER

### Fix Base

125MM / 1300W

F CM 5-130 FB



Double Insulation



- **Powerful 1300W** – Double Insulation Motor – **Safe Tool** for working in water-soaked environment
- **38mm (approx. 1.5") Cutting Depth** – Sufficient to cut all types of granite / marble sheets, Ply-wood, wood panels, Tiles, etc.
- **Fix Base Plate** for 90 degree cutting
- **Splash-control** housing & base-plate design
- **Heavy base-plate** for easy forward movement and stable cutting
- **All branded bearing** construction – low noise, low vibration



#### Most suited for:

- ✓ Cutting marble, granite, stone sheets and blocks
- ✓ Cutting ply-wood and wood panels
- ✓ Cutting Brick, Masonry walls
- ✓ Making grooves in all the above materials and surface types



Machine #41

Packing: 4 Pcs. / Carton

#### SPECIFICATIONS:

Disc Diameter	:125MM
Rated Input Power	:1300W
Rated Voltage	:220 V
Rated Frequency	:50 Hz
No-Load-Speed	:13,000 RPM
Net Weight	:3.3 kgs.

#### DOUBLE INSULATION

#### Also Include:

- Wheel Spanner & Water Supply

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## CUTTER

125MM / 1300W

F CM 5-130



Double Insulation



- **Powerful 1300W** – Double Insulation Motor – **Safe Tool** for working in water-soaked environment
- **38mm (approx. 1.5") Cutting Depth** – Sufficient to cut all types of granite / marble sheets, Ply-wood, wood panels, Tiles, etc.
- **45 Degree Bevel Base Plate** for angular cutting
- **Splash-control housing & base-plate design**
- **Heavy base-plate** for easy forward movement and stable cutting
- **All branded bearing construction** – low noise, low vibration



### Most suited for:

- ✓ Cutting marble, granite, stone sheets and blocks
- ✓ Cutting ply-wood and wood panels
- ✓ Cutting Brick, Masonry walls
- ✓ Making grooves in all the above materials and surface types



Machine #16

Packing: 4 Pcs. / Carton

### SPECIFICATIONS:

Disc Diameter	:125 MM
Rated Input Power	:1300 W
Rated Voltage	:220 V
Rated Frequency	:50 Hz
No-Load-Speed	:13,000 RPM
Net Weight	:3.3kgs.

### DOUBLE INSULATION

#### Also Include:

- Wheel spanner & water supplier

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

**New**

## CUTTER

### SA

110-125MM / 1400W

F CM 5 - SA



Double Insulation



- **Most-Powerful-In-Class**  
1400w – Double Insulation Motor – **Safe Tool** for working in water-soaked environment
- Popular "**Round Body**" with dust **protection net**
- **Base-Plate opens in front** – no dust throw on worker!!!
- **Fix Base Plate** for perfect 90 degree cutting
- **Cutting Blade & Base-plate edge alignment !!!** Improves cutting edge visibility
- **Unique base-plate design** stable forward movement and cutting



#### Most suited for:

- ✓ Cutting marble, granite, stone sheets and blocks
- ✓ Cutting ply-wood and wood panels
- ✓ Cutting Brick, Masonry walls
- ✓ Making grooves in all the above materials and surface types



Machine #119

Packing: 4 Pcs. / Carton

#### SPECIFICATIONS:

Disc Diameter	:110-125MM
Rated Input Power	:1400W
Rated Voltage	:220 V
Rated Frequency	:50 Hz
No-Load-Speed	:13,000 RPM
Net Weight	:3.3 kgs.

#### DOUBLE INSULATION

#### Also Include:

- Wheel Spanner & Key
- Water Supply attachment (Tap & Tube)

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## CUTTER

### Fix Base

125MM / 1600W

F CM 5-1600 FB



Double Insulation



- **Most-Powerful-In-Class 1600W** – Double Insulation Motor – Safe Tool for working in water-soaked environment
- **38mm (approx. 1.5") Cutting Depth** – Sufficient to cut all types of granite / marble sheets, Ply-wood, wood panels, Tiles, etc.
- **Fix Base Plate** for 90 degree cutting
- **Splash-control** housing & base-plate design
- **Heavy base-plate** for easy forward movement and stable cutting
- **All branded bearing** construction – low noise, low vibration



#### Most suited for:

- ✓ Cutting marble, granite, stone sheets and blocks
- ✓ Cutting ply-wood and wood panels
- ✓ Cutting Brick, Masonry walls
- ✓ Making grooves in all the above materials and surface types



Machine #104

Packing: 4 Pcs. / Carton

#### SPECIFICATIONS:

Disc Diameter	:125 MM
Rated Input Power	:1600 W
Rated Voltage	:220 V
Rated Frequency	:50 Hz
No-Load-Speed	:13,000 RPM
Net Weight	:3.2kgs.

#### DOUBLE INSULATION

Also Include:

- Wheel Spanner & Key

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## CUTTER

125MM / 1600W

F CM 5-1600



Double Insulation



- **Most-Powerful-In-Class 1600W** – Double Insulation Motor – **Safe Tool** for working in water-soaked environment
- **38mm (approx. 1.5") Cutting Depth** – Sufficient to cut all types of granite / marble sheets, Ply-wood, wood panels, Tiles, etc.
- **45 Degree Bevel Base Plate** for angular cutting
- **Splash-control housing & base-plate design**
- **Heavy base-plate** for easy forward movement and stable cutting
- **All branded bearing construction** – low noise, low vibration



### Most suited for:

- ✓ Cutting marble, granite, stone sheets and blocks
- ✓ Cutting ply-wood and wood panels
- ✓ Cutting Brick, Masonry walls
- ✓ Making grooves in all the above materials and surface types



Machine #17

Packing: 4 Pcs. / Carton

### SPECIFICATIONS:

Disc Diameter	:125 MM
Rated Input Power	:1600 W
Rated Voltage	:220 V
Rated Frequency	:50 Hz
No-Load-Speed	:13,000 RPM
Net Weight	:3.5kgs.

### DOUBLE INSULATION

#### Also Include:

- Wheel Spanner & Key

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

New

## 160mm (6") CUTTER

160MM / 2000W

F CM 6-200



Double Insulation



- ▶ **Powerful 2000W** – Double Insulation Motor – Safe Tool for the workman
- ▶ **50mm (approx. 2") Cutting Depth** – Sufficient to cut all types of granite / marble sheets, Ply-wood, wood panels, Tiles, etc.
- ▶ Special design **20mm/22.23mm Flange** allows fitting 4", 5" and 6" dia cutting blades
- ▶ **Heavy base-plate** for easy forward movement and stable cutting
- ▶ Each machine is supplied with **water-spray system**
- ▶ **Dust collection chute** – for attaching vacuum for dust-free cutting



### Most suited for:

- ✓ Cutting thick marble, granite, stone sheets and blocks
- ✓ Cutting high thickness ply-wood and wood panels
- ✓ Cutting Brick, Masonry walls
- ✓ Create Control joints in concrete, asphalt surface
- ✓ Making deep grooves in all the above materials and surface types



Machine #115

Packing: 4 Pcs. / Carton

### SPECIFICATIONS:

Disc Dia	:125 - 160mm
Disc Bore Dia	:20mm / 22.23mm
Max Cutting Depth	:50mm
Rated Input Power	:2000W
Rated Voltage	:220 V
Rated Frequency	:50 Hz
No-Load-Speed	:9500rpm
Net Weight	:4.1kgs.

### DOUBLE INSULATION

#### Also Include:

- Set of wrenches

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## CUTTER

### Heavy-Duty

180MM / 1750W

F CM 7-175



Double Insulation



- **Most-Powerful-In-Class 1750W** – Double Insulation Motor – **Safe Tool** for working in water-soaked environment
- **63mm (approx. 2.5") Cutting Depth** – Sufficient to cut all types of granite / marble sheets, Ply-wood, wood panels, Tiles, etc.
- **Fix Base Plate** for 90 degree cutting
- **Splash-control** housing & base-plate design
- **Heavy base-plate** for easy forward movement and stable cutting
- **All branded bearing** construction – low noise, low vibration



#### Most suited for:

- ✓ Cutting marble, granite, stone sheets and blocks
- ✓ Cutting ply-wood and wood panels
- ✓ Cutting Brick, Masonry walls
- ✓ Making grooves in all the above materials and surface types



Machine #89

Packing: 2 Pcs. / Carton

#### SPECIFICATIONS:

Max. Disc Dia	:180mm
Spindle	:M14
Rated Input Power	:1750W
Rated Voltage	:220 V
Rated Frequency	:50 Hz
No-Load-Speed	:5,000 RPM
Net Weight	:7.10 kgs.

#### DOUBLE INSULATION

Also Include:

- Set of wrench

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

**New**

## CUT-OFF SAW

### NEW

355MM / 2200W

F CS 14 - NEW



Double Insulation



- **2200W DOUBLE-INSULATION** Motor
- **HIGH-TORQUE** machine for powerful cutting performance
- **Lock-On Switch** for uninterrupted cutting
- **45 Degree ADJUSTABLE** Cutting Angle
- **WHEEL-GUARD** for added safety to workman
- All branded bearings construction – Low noise, Low vibration, Long Tool-Life



#### Most suited for:

- ✓ Cutting steel / metal bars & Rods
- ✓ Cutting steel / metal angles & squares
- ✓ Cutting steel / metal tubes
- ✓ Cutting wires and wire bundles

**FORTÉ®**  
**CARE**

Use genuine Forté spares for performance and life of tool

Arrature      Field Coil

Carbon Brush      Gear Assembly      Switch



Machine #124

Packing: 1 Pcs. / Carton

#### SPECIFICATIONS:

Disc Diameter	:355MM
Rated Input Power	:2200W
Rated Voltage	:220~240V
Rated Frequency	:50 Hz
No-Load-Speed	:3900 RPM
Net Weight	:16.1 kgs.

#### DOUBLE INSULATION

#### ALSO INCLUDE:

- 1PC. - SPANNER
- 1PC. - 355MM CUTTING WHEEL

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## CUT-OFF SAW PRO

355MM / 2300W

F CS 355-PRO



Double Insulation



- **Powerful, 2300W** Double Insulation Motor – Safe Tool for workman
- **Safety-guard** for workman protection
- **Lock-On Switch** for uninterrupted cutting
- **45 Degree Angular Cutting**
- **Robust** housing body & gear-box and **Heavy base-plate** for stable cutting
- **All branded bearing** construction – low noise, low vibration



### Most suited for:

- ✓ Cutting steel / metal bars & Rods
- ✓ Cutting steel / metal angles & squares
- ✓ Cutting steel / metal tubes
- ✓ Cutting wires and wire bundles



Machine #20

Packing: 1 Pcs. / Carton

### SPECIFICATIONS:

Disc Diameter	:355MM
Rated Input Power	: 2300W
Rated Voltage	:220~240V
Rated Frequency	:50 Hz
No-Load-Speed	:4300rpm
Net Weight	:15.5 kgs.

**DOUBLE INSULATION**

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## CUT-OFF SAW

### PRO-D

355MM / 2300W

F CS 355 PRO-D



Double Insulation



- **Powerful, 2300W** Double Insulation Motor – Safe Tool for workman
- **Safety-guard** for workman protection
- **'D-Shape'** handle facilitates effortless machine operation
- **Lock-On Switch** for uninterrupted cutting
- **45 Degree Angular Cutting**
- **Robust** housing body & gear-box and **Heavy base-plate** for stable cutting
- **All branded bearing** construction – low noise, low vibration



#### Most suited for:

- ✓ Cutting steel / metal bars & Rods
- ✓ Cutting steel / metal angles & squares
- ✓ Cutting steel / metal tubes
- ✓ Cutting wires and wire bundles

**FORTÉ**  
CARE

Use genuine Forté spares for performance and life of tool

Armature      Field Coil

Carbon Brush      Gear Assembly      Switch



Machine #60

Packing: 1 Pcs. / Carton

#### SPECIFICATIONS:

Disc Diameter	:355MM
Rated Input Power	:2300W
Rated Voltage	:220~240V
Rated Frequency	:50 Hz
No-Load-Speed	:4000rpm
Net Weight	:15.5 kgs.

#### DOUBLE INSULATION

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## CUT-OFF SAW PLUS Without Soft-Start 355MM / 2450W F CS 14 – PLUS WS



Double Insulation



- **Most-Powerful-In-Class 2450W Motor**
- **Safety-guard** for workman protection
- **Lock-On Switch** for uninterrupted cutting
- **45 Degree Angular Cutting**
- **Robust** housing body & gear-box and **Heavy base-plate** for stable cutting
- **All branded bearing** construction – low noise, low vibration



### Most suited for:

- ✓ Cutting steel / metal bars & Rods
- ✓ Cutting steel / metal angles & squares
- ✓ Cutting steel / metal tubes
- ✓ Cutting wires and wire bundles



Machine #70

Packing: 1 Pcs. / Carton

### SPECIFICATIONS:

Disc Diameter	:355MM
Rated Input Power	:2300W
Rated Voltage	:220~240V
Rated Frequency	:50 Hz
No-Load-Speed	:4300rpm
Net Weight	:17 kgs.

### DOUBLE INSULATION

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## CUT-OFF SAW PLUS

**Soft-Start**  
**355MM / 2450W**  
**F CS 14 - PLUS**



- **Most-Powerful-In-Class**  
**2450W Motor**
- **'Soft-Start' circuit** for load protection of armature
- **Safety-guard** for workman protection
- **Lock-On Switch** for uninterrupted cutting
- **45 Degree Angular Cutting**
- **Robust** housing body & gear-box and **Heavy base-plate** for stable cutting
- **All branded bearing** construction – low noise, low vibration

### Most suited for:

- ✓ Cutting steel / metal bars & Rods
- ✓ Cutting steel / metal angles & squares
- ✓ Cutting steel / metal tubes
- ✓ Cutting wires and wire bundles



Machine #57

Packing: 1 Pcs. / Carton

### SPECIFICATIONS:

Disc Diameter	:355MM
Rated Input Power	:2450W
Rated Voltage	:220~240V
Rated Frequency	:50 Hz
No-Load-Speed	:4000rpm
Net Weight	:17 kgs.

### DOUBLE INSULATION

### Also Included

- 1Pair carbon brush
- 1Pc spanner

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## MITER SAW

255MM / 1800W

F MS 255-1800



Double Insulation



- **Powerful 1800W** Double Insulation Motor
- **45° Left and 45° Right Mitre** Angle Cutting
- **45° Bevel** Angle Cutting
- **'D' Shape handle** for controlled yet effortless cutting
- **Switch on handle** facilitates easy-access for Single-action cutting
- **All branded bearing** construction – low noise, low vibration
- **Metal Dust** evacuation chute and collection bag
- **One pc. 255mm \* 100 Teeth Aluminium Cutting Blade FREE** with machine



### Most suited for:

- ✓ Precision Cutting of Aluminum Sections & Channels
- ✓ Easy and Fast cutting of Aluminum Bars & Rods
- ✓ Controlled cutting of Aluminum/metal tubes
- ✓ Precision Wood sections cutting



Machine #21

Packing: 1 Pcs. / Carton

### SPECIFICATIONS:

Disc Diameter	:255mm
Rated Input Power	:1800W
Miter Angle	:45° L, 45° R
Bevel Angle	:45° L
Rated Voltage	:220V
Rated Frequency	:50 Hz
No-Load-Speed	:5300 rpm
Net Weight	:12.5 kgs.

**DOUBLE INSULATION**

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## MITER SAW

305MM / 2200W

F MS 305-220



Double Insulation



- Powerful 2200W Double Insulation Motor
- 45° Left and 45° Right Mitre Angle Cutting
- 45° Bevel Angle Cutting
- 'D' Shape handle for controlled yet effortless cutting
- Switch on handle facilitates easy-access for Single-action cutting
- All branded bearing construction – low noise, low vibration
- Metal Dust evacuation chute and collection bag
- One pc. 305mm \* 120Teeth Aluminum Cutting Blade FREE with machine



### Most suited for:

- ✓ Precision Cutting of Aluminum Sections & Channels
- ✓ Easy and Fast cutting of Aluminum Bars & Rods
- ✓ Controlled cutting of Aluminum/metal tubes
- ✓ Precision Wood sections cutting

**FORTÉ CARE**

Use genuine Forté spares for performance and life of tool

Armature      Field Coil

Carbon Brush      Gear Assembly      Switch



Machine #22

Packing: 1 Pcs. / Carton

### SPECIFICATIONS:

Disc Diameter	:305mm
Rated Input Power	:2200W
Miter Angle	:45° L, 45° R
Bevel Angle	:45° L
Rated Voltage	:220V
Rated Frequency	:50 Hz
No-Load-Speed	:4100 rpm
Net Weight	:15.5 kgs.

**DOUBLE INSULATION**

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)

**New**

## BANDSAW - PORTABLE

### Variable Speed

127MM / 1100W  
F BS 127-1100 VS



Double Insulation



- **Cutting Capacity** 127mm Square & Round Bars, Angles, Tubes, Sections, Cable, etc.
- **Variable Speed** allows adjustable cutting speed to accommodate different material and blade types
- **45 Degree body tilting** for bevel cutting
- **Cold-Cutting** facilitates minimum sparking with no burnishing marks
- **LED Light** for work piece illumination
- Versatile '**Hand-held**' and '**Stand-mounted**' options
- **Precision Cutting** with minimal material loss
- **Safety Features** like blade guards, blade lock, machine lock



#### Most suited for:

- ✓ Steel bars, angles, rods cutting at construction sites
- ✓ Clean, burr-free, cold-cutting of power cable, tele-com wire during underground cable work
- ✓ Stainless steel, nonferrous tube, sections cutting in fabrication work
- ✓ Wood Cabinet and furniture making



Machine #117

Packing: 1 Pcs./Carton

#### SPECIFICATIONS:

Cutting Capacity:	: Square-127x127mm
	: Round-127mm(5")
Rated Input Power	: 1100W
Rated Voltage	: 220~240V
Rated Frequency	: 50 Hz
No-Load-Speed	: 0.7-2.4 m/s
Net Weight	: 14 kgs.

#### DOUBLE INSULATION

#### ALSO INCLUDE:

- Bi-Metal Bandsaw/blade-2Pcs
- Allen Key
- Machine supply with stand

### Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## CIRCULAR SAW

180MM / 1400W

F CRS 7-140



Double Insulation



- **Most-Powerful-In-Class 1400W**  
– Double Insulation Motor – **Safe Tool** for working in high moisture environment
- **63mm (approx. 2.5") Cutting Depth** – Sufficient to cut all types of Ply-wood sheets, wood panels, etc.
- **45 Degree Bevel Base Plate**  
– allows angular cutting
- **Robust** housing body & gear-box construct
- **Heavy base-plate** for easy forward movement and stable cutting
- **All branded bearing** construction – low noise, low vibration



### Most suited for:

- ✓ Cutting ply-wood and particle-wood boards
- ✓ Cutting wood panels
- ✓ Making grooves in all the above materials and surface types



Machine #18

Packing: 4 Pcs. / Carton

### SPECIFICATIONS:

Disc Diameter	:185MM
Rated Input Power	:1400W
Rated Voltage	:220 V
Rated Frequency	:50 Hz
No-Load-Speed	:5,500RPM
Net Weight	:4.6 kgs.

### DOUBLE INSULATION

#### Also Include:

- Wheel Spanner & Key
- Auxiliary Handle

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

New

## CIRCULAR SAW (HEAVY DUTY)

185MM / 1800W

F CRS 185-HD



Double Insulation



Machine# 135

### BENEFITS

- 1800W Powerful Motor**  
Cuts faster, saves time on the job
- Double Insulation**  
Safe to use in tough, wet site conditions
- 63mm (2.5") Cutting Depth**  
Handles thick wood easily
- 45° Bevel Base**  
Perfect angled cuts from 0° to 45°
- LED Light**  
Clear visibility in low light areas
- Lock-On Switch**  
Less hand fatigue during long use
- Heavy-Duty Aluminum Base**  
Strong & durable body for longer tool life



### SPECIFICATIONS

Disc Diameter:	185 mm
Rated Input Power:	1800 w
Rated Voltage:	220~240V
Rated Frequency:	50 Hz
No-Load Speed:	5,200 rpm
Machine Weight:	4.920 kgs.

#### In the box

- » Wheel Guard
- » Side Handle
- » Wheel Key



### APPLICATIONS

- ✓ Cutting plywood, boards & sheets
- ✓ Carpentry & furniture work
- ✓ Construction site cutting
- ✓ Door & panel cutting



Youtube Channel



Our Website



E-Catalogue

### SPARE PARTS AVAILABLE



Armature



Field Coil



Carbon Brush



Gear Assembly



Switch

**Forte India Enterprises Pvt. Ltd**

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



Back to Index



# FORTÉ®

MY TOOLS MY TRUST

## CIRCULAR SAW

235MM / 2200W

F CRS 9-220



Double Insulation



- **Most-Powerful-In-Class 2200W**  
– Double Insulation Motor – **Safe Tool** for working in high moisture environment
- **90mm (approx. 3.5") Cutting Depth** – Sufficient to cut all types of Ply-wood sheets, wood blocks & panels, even AAC concrete blocks.
- **45 Degree Bevel Base Plate**  
– allows angular cutting
- **Lock-On Switch** for uninterrupted cutting
- **Robust** housing body & gear-box and **Heavy base-plate** for stable cutting
- **All branded bearing** construction – low noise, low vibration



### Most suited for:

- ✓ Cutting ply-wood and particle-wood boards
- ✓ Cutting wood panels
- ✓ Making grooves in all the above materials and surface types
- ✓ Cutting / slicing AAC Blocks - With suitable block cutting blades



Machine #92

Packing: 2 Pcs. / Carton

### SPECIFICATIONS:

Max.Disc Diameter	:235MM
Max.Cutting Capacity	:90 Degree : 80mm
	:45 Degree : 65mm
Rated Input Power	:2200 W
Rated Voltage	:220 ~ 240V
Rated Frequency	:50 Hz
No-Load-Speed	:4300 RPM
Net Weight	:6.2 kgs.

### DOUBLE INSULATION

#### Also Include:

- Wheel Spanner & Key
- Auxiliary Handle

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## ELECTRIC DRILL 6.5MM / 350W F ED 6-35 RE



Double Insulation



- **Best-in-class Powerful 350W** Double Insulation Motor – **Safe tool** for working in high moisture environments
- **Reverse / Forward** Rotation allows easy drill withdrawal / removal
- **Variable Speed** Switch (press control) facilitates **rotary drilling & fastening** in different materials
- **Lock-On** Switch for continuous working
- **Compact & lightweight** machine construction
- **Branded chuck** gives longer chuck working life
- For all **branded bearing** construction – ensures low-noise, low-vibration



### Most suited for:

- ✓ Drilling holes (with suitable High-Speed Steel drill bits) in sheet metal, MS plates, angles, squares & tubes
- ✓ Drilling holes (with suitable wood drill bits) in plywood, wood panels, particle boards
- ✓ Fastening / un-fastening screws in metal, wood, plastic materials



Machine #9

Packing: 10 Pcs. / Carton

### SPECIFICATIONS:

Max. Drilling Dia	:Steel-6.5 mm
	:Wood-9 mm
Drill Diameter	:0.8-6.5 mm
Rated Input Power	:350W
Rated Voltage	:220-240V
Rated Frequency	:50 Hz
No-Load Speed	:0-4500 rpm
Net Weight	:1.1 kgs.

### DOUBLE INSULATION

#### Also Include:

- Chuck Key – 1 pc

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## ELECTRIC DRILL 10MM / 450W F ED 10-45



Double Insulation



- **Best-in-class Powerful 450W** Double Insulation Motor – **Safe tool** for working in high moisture environments
- **Reverse / Forward** Rotation allows easy drill withdrawal / removal
- **Variable Speed** Switch (press control) facilitates **rotary drilling & fastening** in different materials
- **Lock-On** Switch for continuous working
- **Compact & ultra-lightweight** machine construction
- **Branded chuck** gives longer chuck working life
- For all **branded bearing** construction – ensures low-noise, low-vibration



### Most suited for:

- ✓ Drilling holes (with suitable High-Speed Steel drill bits) in sheet metal, MS plates, angles, squares & tubes
- ✓ Drilling holes (with suitable wood drill bits) in plywood, wood panels, particle boards
- ✓ Fastening / un-fastening screws in metal, wood, plastic materials



Machine #81

Packing: 10 Pcs. / Carton

### SPECIFICATIONS:

Max. Drilling Dia	:Steel-10 mm :Wood-18 mm
Rated Input Power	:450W
Rated Voltage	:220-240V
Rated Frequency	:50 Hz
No-Load Speed	:0-3900 rpm
Net Weight	:1.35 kgs.

### DOUBLE INSULATION

#### Also Include:

- Chuck Key – 1 pc

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## ELECTRIC DRILL PRO

10MM / 450W

F ED 10-PRO



Double Insulation



- **Best-in-class Powerful 450W** Double Insulation Motor – **Safe tool** for working in high moisture environments
- **Reverse / Forward** Rotation allows easy drill withdrawal / removal
- **Variable Speed** Switch (press control) facilitates **rotary drilling & fastening** in different materials
- **Lock-On** Switch for continuous working
- **Industrial-level** machine construction with soft grip
- **Branded chuck** gives longer chuck working life
- For all **branded bearing** construction – ensures low-noise, low-vibration



### Most suited for:

- ✓ Drilling holes (with suitable High-Speed Steel drill bits) in sheet metal, MS plates, angles, squares & tubes
- ✓ Drilling holes (with suitable wood drill bits) in plywood, wood panels, particle boards
- ✓ Fastening / un-fastening screws in metal, wood, plastic materials



Machine #10

Packing: 10 Pcs. / Carton

### SPECIFICATIONS:

Max. Drilling Dia	:Steel-10 mm
	:Wood-18 mm
Rated Input Power	:450W
Rated Voltage	:220-240V
Rated Frequency	:50 Hz
No-Load Speed	:0-3200 rpm
Net Weight	:1.5 kgs.

### DOUBLE INSULATION

#### Also Include:

- Chuck Key – 1 pc

**FREE!**

ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## ELECTRIC DRILL

### Metal Gear Box

10MM / 600W

F EDM 10-60



Double Insulation



- **Best-in-class powerful 600W** Double Insulation Motor
- **Metal Gear Box** allows heavy-duty drilling for long periods
- **Reverse / Forward Rotation** allows easy drill withdrawal / removal
- **Variable Speed Regulator** facilitates **controlled drilling & fastening** in different materials
- **Lock-On Switch** for continuous working
- **Industrial-level machine** construction
- **Branded chuck** gives longer chuck working life
- **All branded bearing** construction ensures low-noise, low-vibration



#### Most suited for:

- ✓ Drilling holes (with suitable High-Speed Steel drill bits) in sheet metal, MS plates, angles, squares & tubes
- ✓ Drilling holes (with suitable wood drill bits) in plywood, wood panels, particle boards
- ✓ Fastening / un-fastening screws in metal, wood, plastic materials



Machine #11

Packing: 6 Pcs. / Carton

#### SPECIFICATIONS:

Drill Capacity	:Steel-10 mm
	:Wood-19 mm
Rated Input Power	:600W
Rated Voltage	:220-240V
Rated Frequency	:50 Hz
No-Load Speed	:0-2800 rpm
Net Weight	:1.8 kgs.

#### DOUBLE INSULATION

#### Also Include:

- Side Handle
- Chuck Key

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## ELECTRIC DRILL HIGH-TORQUE Metal Gear Box 16MM / 1050W F EDM 16-105 HT



Double Insulation



- **Most powerful-in-class 1050W** Double Insulation Motor
- **Metal Gear Box** allows heavy-duty drilling for long periods
- **Unique gear transmission system** to achieve high torque
- **Reverse / Forward Rotation** allows easy drill withdrawal / removal
- **Variable Speed Regulator** facilitates **controlled drilling**
- **Lock-On Switch** for continuous working
- **Industrial-level machine construction**
- **Branded chuck** gives longer chuck working life
- **All branded bearing construction** ensures low-noise, low-vibration



### Most suited for:

- ✓ **Metal Working & Fabrication:** Industrial-level drilling holes (with suitable HSS drill bits) in MS & carbon steel plates, angles, squares & tubes
- ✓ **Automotive:** Making precision holes in forged, machined components and parts
- ✓ **Heavy-duty Drilling:** Making holes (with suitable cobalt-grade drill bits) in die casting, stainless steel & similar hard materials



Machine #74

Packing: 4 Pcs. / Carton

### SPECIFICATIONS:

Drill Diameter	:0.8-16 mm
Drill Capacity	:Steel-16 mm :Wood-36 mm
Rated Input Power	:1050W
Rated Voltage	:220-240V
Rated Frequency	:50 Hz
No-Load Speed	:0-550 rpm
Net Weight	:2.8 kgs.

### DOUBLE INSULATION

#### Also Include:

- Chuck Key

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## IMPACT DRILL

### 13MM / 550W

### F ID 13-55



Double Insulation



- **Powerful 550W Double Insulation Motor** – Safe tool for working in high moisture environment
- **Reverse / Forward Rotation** allows easy drill withdrawal / removal
- **Variable Speed Regulator** facilitates **controlled drilling & fastening** in different materials
- **Lock-On Switch** for continuous working
- **Compact & ultra-lightweight** machine construction
- **Branded chuck** gives longer chuck working life
- **All branded bearing** construction ensures low-noise, low-vibration



#### Most suited for:

- ✓ Drilling holes (with masonry / carbide tip drill bits) in brick wall, AAC blocks, stones, etc.
- ✓ Drilling holes (with suitable HSS drill bits) in sheet metal, MS plates, angles, squares & tubes
- ✓ Drilling holes (with suitable wood drill bits) in plywood, wood panels, particle boards
- ✓ Fastening / un-fastening screws in metal, wood, plastic materials



Machine #12

Packing: 6 Pcs. / Carton

#### SPECIFICATIONS:

Max. Drill Dia	:Steel-13 mm :Concrete-13 mm :Wood-25 mm
Drill Diameter	:1.5-13 mm
Rated Input Power	:550W
Rated Voltage	:220-240V
Rated Frequency	:50 Hz
No-Load Speed	:0-2800 rpm
Net Weight	:1.9 kgs.

#### DOUBLE INSULATION

#### Also include:

- Chuck Key – 1 Pc
- Side Handle – 1 Pc
- Depth Gauge – 1 Pc

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## IMPACT DRILL

### PRO

13MM / 710W

F ID 13-71 PRO



Double Insulation



- **Best-in-class 710W**  
Double Insulation Motor –  
**Safe tool** for working in high  
moisture environment
- **Reverse / Forward** Rotation  
allows easy drill withdrawal / removal
- **Variable Speed Regulator**  
facilitates **controlled drilling &**  
**fastening** in different materials
- **Lock-On Switch** for continuous  
working
- **Robust machine** construction  
for powerful performance and  
long tool life
- **Branded chuck** gives longer  
chuck working life
- **All branded bearing** construction  
ensures low-noise, low-vibration



#### Most suited for:

- ✓ Drilling holes (with carbide tip drill bits) in brick walls, AAC blocks, stones, etc.
- ✓ Drilling holes (with suitable HSS drill bits) in sheet metal, MS plates, angles, squares & tubes
- ✓ Drilling holes (with suitable wood drill bits) in plywood, wood panels, particle boards
- ✓ Fastening / un-fastening screws in metal, wood, plastic materials



Machine #13

Packing: 6 Pcs. / Carton

#### SPECIFICATIONS:

Chuck Diameter	:1.5–13 mm
Rated Input Power	:710W
Rated Voltage	:220V
Rated Frequency	:50 Hz
No-Load Speed	:0–3000 rpm
Net Weight	:2.1 kgs.

#### DOUBLE INSULATION

#### Also Include:

- Chuck Key
- Side Handle
- Depth Gauge

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST


New

## IMPACT DRILL

### Metal Gear Box

13MM / 800W

F IDM 13-MG



Double Insulation



- **Powerful 800W** Double Insulation motor
- **Lightweight** machine construction
- Best-in-class **low weight-to-power ratio** (High power with lightweight design)
- **Forward / Reverse** rotation function for easy drill bit withdrawal / removal
- **Variable Speed Regulator** helps fastening / unfastening applications
- **Robust metal gear box** for tough drilling work
- **Branded chuck** gives longer chuck working life
- **Low-noise & low-vibration** for better working comfort



#### Most suited for:

- ✓ Drilling holes in masonry & brick walls
- ✓ Drilling in wood / plywood / plastic materials
- ✓ Drilling holes in metal sheets, tubes, angles
- ✓ Fastening / unfastening self-tapping screws



Machine #102

Packing: 5 Pcs. / Carton

#### SPECIFICATIONS:

Chuck Diameter	:1.5-13 mm
Max. Drilling Dia	:Concrete-13 mm :Steel-10 mm :Wood-40 mm
Rated Input Power	:800W
Rated Voltage	:220-240V
Rated Frequency	:50 Hz
No-Load Speed	:0-2800 rpm
Impact Rate	:44,800 bpm
Net Weight	:2.3 kgs.

#### DOUBLE INSULATION

#### Also Include:

- Chuck Key - 1 Pc
- Side Handle - 1 Pc

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## IMPACT DRILL

### Metal Gear Box

13MM / 850W

F IDM 13-85



Double Insulation



- **Powerful 850W** Double Insulation motor
- **Metal Gear Box** allows heavy-duty drilling for long periods
- **Forward / Reverse** rotation function for easy drill bit withdrawal / removal
- **Variable Speed Regulator** helps fastening / unfastening applications
- **Lock-On Switch** for continuous working
- **Robust metal gear box** for tough drilling work
- **Branded chuck** gives longer chuck working life
- **All branded bearing** construction ensures low-noise, low-vibration



#### Most suited for:

- ✓ Drilling holes (with carbide tip drill bits) in brick walls, AAC blocks, stones, etc.
- ✓ Drilling holes (with suitable HSS drill bits) in sheet metal, MS plates, angles, squares & tubes
- ✓ Drilling holes (with suitable wood drill bits) in plywood, wood panels, particle boards
- ✓ Fastening / un-fastening screws in metal, wood, plastic materials



Machine #59

Packing: 5 Pcs. / Carton

#### SPECIFICATIONS:

Max. Drilling Dia	:Concrete-13 mm
	:Steel-13 mm
	:Wood-40 mm
Rated Input Power	:850W
Rated Voltage	:220-240V
Rated Frequency	:50 Hz
No-Load Speed	:0-2800 rpm
Net Weight	:2.5 kgs.

#### DOUBLE INSULATION

#### Also include:

- Chuck Key - 1 pc

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## IMPACT DRIVER

6MM / 230W

F TD 6023 RE



Double Insulation



- Powerful **230w** – Double Insulation Motor
- **100N.m Torque Power** Tool delivers Power - Minimum efforts by workman
- **M4-M8 Machine Screw Capacity**
- **Forward / Reverse Rotation** – Easy Screw Fastening & un-fastening
- **High Impact Rate** – Tool delivers quick torque pulses, meaning higher productivity
- **Unique Design Gears** ensure long machine & parts life
- **Compact, Light-weight** yet Robust tool construction
- **Soft-grip handle** reduces Workman fatigue



### Most suited for:

- ✓ Tightening / removing **Self-tapping Screws** on a variety of materials
- ✓ Tightening / removing **Standard Machine Screws** on a variety of materials and surfaces
- ✓ Loosening **stubborn screws** on parts & components
- ✓ **Drilling holes** (with suitable drill bits) in a variety of materials such as wood, sheet metal, aluminium, plastic, etc.



Machine #62

Packing: 10 Pcs. / Carton

### SPECIFICATIONS:

Driving Shank (Hex)	:6.35mm (1/4")
Rated Input Power	:230W
Rated Voltage	:220~240 V
Rated Frequency	:50 Hz
Impact Per Minute	:0-3200 IPM
No-Load-Speed	:0-3600 RPM
Max. Torque	:100N.m
Capacity	
Machine Screw	:M4-M8
Standard Bolt	:M5-M14
High Tensile Bolt	:M5-M10
Net Weight	:1.1kgs.

### DOUBLE INSULATION

Also Include:

- 1 Pc. Screwdriver Bit

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
 Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## SCREWDRIVER DRILL

10MM / 300W

F SD 10-30 RE



Double Insulation



- **Powerful 300W**  
Double Insulation Motor
- **23 Torque Settings** – Varied Torque delivery for different torque requirements
- **10mm Keyless Chuck** – Easy to operate
- **Forward / Reverse Rotation**  
– Easy Screw Fastening & un-fastening
- **Variable Speed** facilitates “controlled” Fastening / Drilling in different materials
- **Lock-On Switch** for continuous working
- **Compact, Light-weight** yet Robust tool construction
- **Soft-grip handle** reduces operator fatigue



### Most suited for:

- ✓ Screwdriver Bit – Driving Screws : Flat & Philip Head
- ✓ Torx-Head Screwdriver Bit – Driving Torx-head Screws – Max T40 size
- ✓ Nut Driver Bit – Driving nuts – Max M6 size
- ✓ Drill Bit – Drilling holes – Max 10mm Drill Dia



Machine #8

Packing: 10 Pcs. / Carton

### SPECIFICATIONS:

Max. Drill Dia	:10mm
Rated Input Power	:300W
Rated Voltage	:220-240V
Rated Frequency	:50 Hz
No-Load Speed	:0-750 RPM
Torque Setting	:23+1
Max. Torque	:20Nm
Net Weight	:1.4 kgs.

### DOUBLE INSULATION

Also include:

- 1 Pc. Screwdriver Bit

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®


MY TOOLS MY TRUST

## ELECTRIC IMPACT WRENCH

### High Torque

12.7mm (1/2") / 450w

F EIW 20-450 HT



Double Insulation



- Powerful 450w – Double Insulation Motor – Safe Tool for the **workman**
- 380 Nm torque power (rotational force) delivery by tool with minimum exertion by the **workman**
- Big Gears and Counter Gears ensure long machine & parts life
- High Impact Rate – Wrench delivers quick torque pulses, meaning higher **workman** productivity
- Robust Gear-box construction for handling challenging work conditions
- Soft-grip handle reduces **Workman** fatigue



### Most suited for:

- ✓ Removing and tightening lug nuts on wheels during tire changes
- ✓ Loosening stubborn fasteners on parts & components
- ✓ Installing decking and other structural components
- ✓ Applications in Assembly lines where high torque is required
- ✓ Tightening large bolts on machinery
- ✓ Machine maintenance and repair



Machine #109

Packing: 5 Pcs. / Carton

### SPECIFICATIONS:

Square Drive	:12.7x12.7mm
Rated Input Power	:450w
Rated Voltage	:220~240 V
Rated Frequency	:50 Hz
No-Load-Speed	:1700-1900 RPM
Rated Impact Frequency	:2400 IPM
Max. Torque	:380 N.m
Max. Capacity (Bolt Size)	
Standard Bolt	:M12-M20
High Tensile Bolt	:M12-M18
Net Weight	:3.2 kgs.

### DOUBLE INSULATION

Also Include:

- Socket : 1 Pc.

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## DIAMOND CORE DRILL

### Hand-Held

### 90-135MM / 2000W

### F DCD 90R - 2000



Double Insulation



- **Most-Powerful-In-Class 2000W** – Double Insulation Motor – Safe for working in water soaked conditions
- **Sturdy Tool Construct** provides high-torque and feed speed for fast drilling
- **Variable Speed Regulator** – Controlled drilling speed
- **Lock-On Switch** – For continuous working
- **Universal 1.1/4"-7 UNC Spindle** – Can handle heavy-duty drilling
- **Safety-clutch System** – Protects against mechanical overload
- **Overload-protection circuit** – Protects motor
- **Water Cooling & Lubrication system**
- **Soft Shoulder Pad** – For comfortable machine push
- **All branded bearing construction** – low noise, low vibration
- **DRILL STAND ALSO AVAILABLE**



#### Most suited for:

- ✓ Construction and Building – Drilling holes in concrete for pipes, conduits, and anchors in foundations, walls, and floors
- ✓ Brick and block drilling for plumbing, electrical installations
- ✓ HVAC, pipes & vent installation for air conditioning units
- ✓ Electrical and Telecommunications conduit, Fiber optic installation
- ✓ Machine installation: Drilling holes for machine anchors, pipes, and conduits in industrial settings
- ✓ Glass and Ceramic drilling
- ✓ Material sampling: Drilling holes in various materials for sampling and testing purposes

**FORTé®**  
**CARE**

Use genuine Forté spares for performance and life of tool



Armature



Field Coil



Carbon Brush



Gear Assembly



Switch



Machine #82

Packing: 2 Pcs. / Carton

#### SPECIFICATIONS:

Max Drilling Dia:	
Reinforced Concrete	: 90mm
Concrete	: 135mm
Bricks Wall	: 135mm
Spindle	: 1 1/4"-7UNC
Rated Input Power	: 2000W
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
No-Load Speed	: 0-1950 rpm
Net Weight	: 4.1kgs

#### DOUBLE INSULATION

Also Include:  
Inner Hexagon Spanner – 1 Pc.

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## DIAMOND CORE DRILL With Stand

160-230MM / 3200W  
F DCD 230-320



Double Insulation



- **Most-Powerful-In-Class 3200W** – Double Insulation Motor – Safe for working in water soaked conditions
- **Sturdy Tool Construct** provides high-torque and feed speed for fast drilling
- **Drilling capacity:**
  - 160mm dia max in RCC
  - 230mm dia max in Brick wall
- **Large-base, strong-built Drill Stand** supports stable & low-vibration heavy-duty drilling
- **Universal 1.1/4"-7 UNC Spindle** – Can handle heavy-duty drilling
- **Safety-clutch System** – Protects against mechanical overload
- **MCB Switch with Overload-protection circuit** – Protects motor
- **Water Cooling & Lubrication system**
- **All branded bearing construction** – low noise, low vibration



### Most suited for:

- ✓ Construction and Building – Drilling holes in concrete for pipes, conduits, and anchors in foundations, walls, and floors
- ✓ Brick and block drilling for plumbing, electrical installations
- ✓ HVAC, pipes & vent installation for air conditioning units
- ✓ Electrical and Telecommunications conduit, Fiber optic installation
- ✓ Machine installation: Drilling holes for machine anchors, pipes, and conduits in industrial settings
- ✓ Glass and Ceramic drilling
- ✓ Material sampling: Drilling holes in various materials for sampling and testing purposes

**FORTé®**  
**CARE**

Use genuine Forté spares for performance and life of tool



Armature



Field Coil



Carbon Brush



Gear Assembly



Switch



Machine #78

### SPECIFICATIONS:

Max Drill Dia	: 230mm
Rated Input Power	: 3200W
Rated Voltage	: 220-240V
Rated Frequency	: 50Hz
No-Load Speed	: 900 rpm
Net Weight	: 19.5 kgs

### DOUBLE INSULATION

### Also Include:

Handle, Lifting Unit Handle, Operating Handle  
Cap Screw, Inner Hexagon Spanner

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## DIAMOND CORE DRILL With Stand

200-230MM / 3500W  
F DCD 200R-3500



Double Insulation



- **Most-Powerful-In-Class 3500W** – Double Insulation Motor – Safe for working in water soaked conditions
- **Sturdy Tool Construct** provides high-torque and feed speed for fast drilling
- **Drilling capacity:**
  - 200mm dia max in RCC
  - 250mm dia max in Brickwall
- **Large-base, strong-built Drill Stand** supports stable & low-vibration heavy-duty drilling
- **Universal 1.1/4"-7 UNC Spindle** – Can handle heavy-duty drilling
- **Safety-clutch System** – Protects against mechanical overload
- **MCB Switch with Overload-protection circuit** – Protects motor
- **Water Cooling & Lubrication system**
- **All branded bearing construction** – low noise, low vibration



### Most suited for:

- ✓ Construction and Building – Drilling holes in concrete for pipes, conduits, and anchors in foundations, walls, and floors
- ✓ Brick and block drilling for plumbing, electrical installations
- ✓ HVAC, pipes & vent installation for air conditioning units
- ✓ Electrical and Telecommunications conduit, Fiber optic installation
- ✓ Machine installation: Drilling holes for machine anchors, pipes, and conduits in industrial settings
- ✓ Glass and Ceramic drilling
- ✓ Material sampling: Drilling holes in various materials for sampling and testing purposes



Machine #83

### SPECIFICATIONS:

Max Drilling Dia:	
Reinforced Concrete	: 200mm
Concrete	: 230mm
Bricks Wall	: 230mm
Spindle	: 1 1/4"-7 UNC
Rated Input Power	: 3500W
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
No-Load Speed	: 750 rpm
Net Weight	: 19.5 kgs

### DOUBLE INSULATION

### Also Include:

- Inner Hexagon Spanner – 1 Pc.

**FREE!**

**ONE PAIR OF CARBON BRUSH**

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®


MY TOOLS MY TRUST

## DIAMOND CORE DRILL

### With Stand

250-300MM / 4200W

F DCD 250R-4200



Double Insulation



- ▶ **Most-Powerful-In-Class 4500W** – Double Insulation Motor – Safe for working in water soaked conditions
- ▶ **Sturdy Tool Construct** provides high-torque and feed speed for fast drilling
- ▶ **Drilling capacity:**
  - 200mm dia max in RCC
  - 300mm dia max in Brickwall
- ▶ **Large-base, strong-built Drill Stand** supports stable & low-vibration heavy-duty drilling
- ▶ **Universal 1.1/4"-7 UNC Spindle** – Can handle heavy-duty drilling
- ▶ **Safety-clutch System** – Protects against mechanical overload
- ▶ **MCB Switch with Overload-protection circuit** – Protects motor
- ▶ **Water Cooling & Lubrication system**
- ▶ **All branded bearing construction** – low noise, low vibration



#### Most suited for:

- ✓ Construction and Building – Drilling holes in concrete for pipes, conduits, and anchors in foundations, walls, and floors
- ✓ Brick and block drilling for plumbing, electrical installations
- ✓ HVAC, pipes & vent installation for air conditioning units
- ✓ Electrical and Telecommunications conduit, Fiber optic installation
- ✓ Machine installation: Drilling holes for machine anchors, pipes, and conduits in industrial settings
- ✓ Glass and Ceramic drilling
- ✓ Material sampling: Drilling holes in various materials for sampling and testing purposes



Machine #86

#### SPECIFICATIONS:

Max Drilling Dia:	
Reinforced Concrete	: 250mm
Concrete	: 230mm
Bricks Wall	: 300mm
Spindle	: 1 1/4"-7 UNC
Rated Input Power	: 4200W
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
No-Load Speed	: 550 rpm
Net Weight	: 22.5 kgs

#### DOUBLE INSULATION

#### Also include:

- Inner Hexagon Spanner – 1 Pc.

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®


MY TOOLS MY TRUST

## ROTARY HAMMER

### Variable Speed

2-20MM / 500W

F RH 2-20 VS



Double Insulation



- Powerful **500W** – Double Insulation Motor
- **2-Functions** : Rotary Drilling & Hammer Drilling
- **SDS-Plus** Tool holder
- **Variable Speed** facilitates “controlled” Drilling in different materials
- **Lock-On** Switch for continuous working
- **360° Rotating Side Handle** enables easy machine holding while drilling from different angles
- **Robust Tools Design** – Machine can handle rigorous working conditions
- **Ergonomic handle** reduces operator fatigue
- **Branded Bearings** for low noise & low vibration



#### Most suited for:

- ✓ Drilling Holes, with suitable **SDS-Plus Hammer Drill Bit**, in Concrete Wall, Slabs & Beams, Masonry & Brick-wall
- ✓ Drilling Holes, with suitable **SDS-Plus shank Diamond Core Bits**, in Concrete & Brick Wall
- ✓ Making holes, with suitable **hammer drill / diamond core bit** in **Granite, Marble, Tiles**, all types of **Stones** slabs and blocks, etc.



Machine #23

Packing: 4 Pcs. / Carton

#### SPECIFICATIONS:

Drilling Capacity	
Concrete	:20MM
Wood	:30MM
Steel	:13MM
Shank	:SDS PLUS
Rated Input Power	:500W
Rated Voltage	:220~240V
Rated Frequency	:50 Hz
No-Load-Speed	:0-1000 RPM
Impact Rate	:0-3900 BPM
Net Weight	:2.75 kgs.

#### DOUBLE INSULATION

**FREE!** 3 Pcs. SDS PLUS HAMMER DRILL BITS  
(1 Pc. Each 5mm, 6mm, 10mm)

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## ROTARY HAMMER

### Reverse/Forward

### 2-20MM / 500W

### F RH 2-20 RE



Double Insulation



- Powerful **500W** – Double Insulation Motor
- **2-Functions** : Rotary Drilling & Hammer D
- **SDS-Plus** Tool holder
- **Reverse / Forward** function facilitates easy drill withdrawal / removal
- **Variable Speed** facilitates "controlled" Drilling in different materials
- **Lock-On** Switch for continuous working
- **360° Rotating Side Handle** enables easy machine holding while drilling from different angles
- **Robust Tools Design** – Machine can handle rigorous working conditions
- **Ergonomic handle** reduces operator fatigue
- **Branded Bearings** for low noise & low vibration



#### Most suited for:

- ✓ Drilling Holes, with suitable **SDS-Plus Hammer Drill Bit**, in Concrete Wall, Slabs & Beams, Masonry & Brick-wall
- ✓ Drilling Holes, with suitable **SDS-Plus shank Diamond Core Bits**, in Concrete & Brick Wall
- ✓ Making holes, with suitable **hammer drill / diamond core bit** in Granite, Marble, Tiles, all types of Stones slabs and blocks, etc.



Machine #42

Packing: 4 Pcs. / Carton

#### SPECIFICATIONS:

Drilling Capacity	
Concrete	:20MM
Wood	:30MM
Steel	:13MM
Impact Energy	:1.5J
Rated Input Power	:500W
Rated Voltage	:220~240V
Rated Frequency	:50 Hz
No-Load-Speed	:0-1000 RPM
Impact Rate	:0-3900 BPM
Net Weight	:2.75 kgs.

#### DOUBLE INSULATION

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## ROTARY HAMMER

Reverse / Forward

2-26MM / 800W

F RH 2-26 RE



Double Insulation



- Powerful **800W** – Double Insulation Motor
- **3-Functions** : Rotary Drilling & Hammer Drilling
- **SDS-Plus** Tool holder
- **Chipping** Function for light masonry breaking work
- **Reverse / Forward** function facilitates easy drill withdrawal / removal
- **Variable Speed** facilitates "controlled" Drilling in different materials
- **Lock-On** Switch for continuous working
- **360° Rotating Side Handle** enables easy machine holding while drilling from different angles
- **Robust Tools Design** – Machine can handle rigorous working conditions
- **Ergonomic handle** reduces operator fatigue
- **Branded Bearings** for low noise & low vibration



### Most suited for:

- ✓ Chipping with suitable SDS-Plus shank Chisels, cement plaster on brick-wall, breaking joints in brick-wall & similar light-masonry breaking work
- ✓ Drilling Holes, with suitable SDS-Plus Hammer Drill Bit, in Concrete Wall, Slabs & Beams, Masonry & Brick-wall
- ✓ Drilling Holes, with suitable SDS-Plus Hammer Drill Bit, in Concrete Wall, Slabs & Beams, Masonry & Brick-wall



Machine #24

Packing: 4 Pcs. / Carton

### SPECIFICATIONS:

<b>Drilling Capacity</b>	
Concrete	:26MM
Wood	:30MM
Steel	:13MM
Impact Energy	:3.2J
Rated Input Power	:800W
Rated Voltage	:220~240V
Rated Frequency	:50 Hz
No-Load-Speed	:0-1100 RPM
Impact Rate	:0-4600 BPM
Net Weight	:3.2 kgs.

### DOUBLE INSULATION

#### Accessories:

- SDS Shank Drill : 3 Pcs. (8mm, 10mm & 12mm)
- Steel Chisels : 1 Pc. (Flat Tip)

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## ROTARY HAMMER

### NEW

2-26MM / 800W

F RH 2-26 NEW



Double Insulation



- Powerful **800W** – Double Insulation Motor
- **3-Functions** : Rotary Drilling & Hammer Drilling
- **SDS-Plus** Tool holder
- **Chipping** Function for light masonry breaking work
- **Proven Tools Design** – Standard machine construct – Easy repairs at all service stations
- **Reverse / Forward** function facilitates easy drill withdrawal / removal
- **Variable Speed** facilitates "controlled" Drilling in different materials
- **Lock-On** Switch for continuous working
- **360° Rotating Side Handle** enables easy machine holding while drilling from different angles
- **Ergonomic handle** reduces operator fatigue
- **Branded Bearings** for low noise & low vibration



#### Most suited for:

- ✓ Chipping with suitable **SDS-Plus** shank Chisels, cement plaster on brick-wall, breaking joints in brick-wall & similar light-masonry breaking work
- ✓ Drilling Holes, with suitable **SDS-Plus Hammer Drill Bit**, in Concrete Wall, Slabs & Beams, Masonry & Brick-wall
- ✓ Drilling Holes, with suitable **SDS-Plus** shank **Diamond Core Bits**, in Concrete & Brick Wall



Machine #80

Packing: 4 Pcs. / Carton

#### SPECIFICATIONS:

Max Drill Diameter	26mm SDS Plus (Optimum Drilling Range 6-18mm)
Concrete	26mm
Steel	13mm
Wood	30mm
Rated Input Power	800W
Rated Voltage	220~240V
Rated Frequency	50 Hz
No-Load-Speed	0-1000 RPM
Impact Rate	0-4900 bpm
Impact Energy	3J
Net Weight	3.2 kgs.

#### DOUBLE INSULATION

ACCESSORIES:  
- HAMMER DRILL BITS (SDS-PLUS) - 6, 8, 10 MM - 1 PC EACH  
- STEEL CHISELS (SDS-PLUS) - 1 PC POINTED & 1 PC FLAT

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®


MY TOOLS MY TRUST

## COMBINATION HAMMER

### SDS-PLUS

3-26MM / 1010W

F CH 3-26 SDS+



Double Insulation



- Powerful 1010w – Double Insulation Motor
- 2-Functions : Hammer Drilling & Chipping / breaking
- 3 Kg Class breaking hammer
- SDS-Plus Tool holder
- Chipping / Breaking Function for medium masonry breaking work
- 360° Rotating Side Handle enables easy machine holding while drilling from different angles
- Robust Tools Design – Machine can handle rigorous working conditions
- Easy-access Switch built inside handle enable single handle working
- Ergonomic handle reduces operator fatigue
- Branded Bearings for low noise & low vibration



#### Most suited for:

- ✓ Drilling Holes, with suitable SDS-Plus Hammer Drill Bit, in Concrete Wall, Slabs & Beams, Masonry & Brick-wall
- ✓ Drilling Holes, with suitable SDS-Plus Shank Diamond Core Bits, in Concrete & Brick Wall
- ✓ Making holes, with suitable hammer drill / diamond core bit in Granite, Marble, Tiles, all types of Stones slabs and blocks, etc.



Machine #25

Packing: 3 Pcs. / Carton

#### SPECIFICATIONS:

Max. Drill Diameter	: 26mm
Rated Input Power	: 1010W
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
No Load Speed	: 880 r/min
Impact Frequency	: 4400 bpm
Impact Energy	: 5J
Net Weight	: 4.5 kgs.

#### DOUBLE INSULATION

#### ALSO INCLUDE:

- Side Handle
- SDS Chisel : 2 Pcs (Flat tip & Point tip)
- SDS Drill Bits : 3 Pcs (8mm, 10mm & 12mm)

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## ROTARY HAMMER

### Metal Gear-Box

### 2-26MM / 800W

### F RH 2-26 MG



Double Insulation



- Powerful **800W** – Double Insulation Motor
- **Metal Gear-Box** – Robust construction for powerful drilling performance and long tool life
- **3-Functions** : Rotary Drilling & Hammer Drilling
- **SDS-Plus** Tool holder
- **Chipping** Function for light masonry breaking work
- **Reverse / Forward** function facilitates easy drill withdrawal / removal
- **Variable Speed** facilitates “controlled” Drilling in different materials
- **Lock-On** Switch for continuous working
- **360° Rotating Side Handle** enables easy machine holding while drilling from different angles
- **Ergonomic handle** reduces operator fatigue
- **Branded Bearings** for low noise & low vibration



#### Most suited for:

- ✓ Chipping with suitable **SDS-Plus** shank Chisels, cement plaster on brick-wall, breaking joints in brick-wall & similar light-masonry breaking work
- ✓ Drilling Holes, with suitable **SDS-Plus** Hammer Drill Bit, in Concrete Wall, Slabs & Beams, Masonry & Brick-wall
- ✓ Drilling Holes, with suitable **SDS-Plus** shank **Diamond Core Bits**, in Concrete & Brick Wall



Machine #63

Packing: 4 Pcs. / Carton

#### SPECIFICATIONS:

Max Drill Diameter (SDS Plus):	
• Concrete	: 26 mm
• Steel	: 13 mm
• Wood	: 30 mm
Rated Input Power	: 800 W
Rated Voltage	: 220 ~ 240 V
Rated Frequency	: 50 Hz
No-load Speed	: 0 – 1100 rpm
Impact Frequency	: 0 – 4900 bpm
Impact Energy	: 3 J
Net Weight	: 3.2 kgs

#### DOUBLE INSULATION

#### Accessories:

- Hammer Drill Bits (SDS-Plus): 6, 8, 10 mm – 1 pc each
- Steel Chisel (SDS-Plus):
- 1 pc Pointed
- 1 pc Flat

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## ROTARY HAMMER SDS-MAX Variable Speed 7-40MM / 1300W F RH 7-40 VS



Double Insulation



- 40mm Rotary Hammer Drill
- 7 Kg Class Breaking Hammer
- SDS-MAX Tool holder
- **Most-Powerful-In-Class 1300w** – Double Insulation Motor
- Variable Speed facilitates “controlled” Drilling / breaking
- **Active-Vibration-Reduction** system minimizes workman fatigue
- **LED Indicators** for tool-plug-in and carbon brush life
- **360° Rotating Side Handle** enables easy machine holding while drilling
- **Ergonomic handle** reduce operator fatigue
- **Easy-access Switch** built inside handle enable single handle working
- **Branded Bearings** for low noise & low vibration



### Most suited for:

- ✓ Drilling Holes with suitable SDS-MAX Hammer Drill Bit in Concrete Wall, Slabs & Beams, Masonry & Brick-wall
- ✓ Drilling Holes with suitable SDS-Plus MAX Diamond Core Bits in Concrete & Brick Wall
- ✓ Chipping / breaking with suitable SDS-MAX shank Chisels, cement plaster on brick-wall, breaking joints in brick-wall & similar medium-masonry breaking work



Machine #52

Packing: 2 Pcs. / Carton

### SPECIFICATIONS:

Max. Drill Diameter	: 40mm SDS-MAX
Rated Input Power	: 1300w
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
No Load Speed	: 180-390 rpm
Impact Rate	: 1300-2900 bpm
Impact Energy	: 13 J
Tool Holder	: SDS MAX
Net Weight	: 8.5 kgs.

### DOUBLE INSULATION

#### ALSO INCLUDE:

- Concrete / Hammer Drill Bit: 12-40 mm (recommended drill dia: 18-32 mm)
- Concrete core cutters: 90mm Max.

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## DEMOLITION HAMMER

5 KG / 1300W / 25J

F DH 5-13



Double Insulation



- 5 Kg Class Breaker
- 21 Joules Impact Energy
- 17mm HEX Tool Holder
- 1300w Double Insulation Motor
- Anti-Vibration handle – Minimizes workman fatigue
- All-Allen-Screws tool construction – Most-Robust-Tool-In-Class
- 360° Rotating Soft-Grip Side Handle enables easy machine holding while drilling
- Easy-access Switch built inside handle enable single handle working
- Out-side Carbon-Brush window for easy access
- Branded Bearings for low noise & low vibration



### Most suited for:

- ✓ Chipping / Chiselling Concrete, Masonry, Mortar and Debris
- ✓ Scrapping / Removing Cement plaster, adhesive, paint coating from wall
- ✓ Demolition & Breaking bricks block, stone structure, floor, walls & foundries
- ✓ Breaking & Removing asphalt & pavement bricks



Machine #26

Packing: 2 Pcs. / Carton

### SPECIFICATIONS:

Tool Holder	: 17mm Hex
Rated Input Power	: 1300w
Impact Energy	: 21 Joules
Impact Rate	: 3600 bpm
Rated Voltage	: 220~240V
Rated Frequency	: 50 Hz
Net Weight	: 6.7kgs.

### DOUBLE INSULATION

#### ALSO INCLUDED

- Auxiliary handle
- 1 Pc. Chisel-Pointed
- 1 Pc. Chisel-Flat
- 1 Pc. Chisel-Spade
- 1 Pc. Spanner

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## DEMOLITION HAMMER SDS-MAX

7 KG / 1400W / 24 J  
F DH 7-14 MAX



Double Insulation



- 7 Kg Class Breaker
- 24 Joules Impact Energy
- SDS-MAX Tool Holder
- 1400w Double Insulation Motor
- Anti-Vibration handle – Minimizes workman fatigue
- All-Allen-Screws tool construction – Most-Robust-Tool-In-Class
- 360° Rotating Soft-Grip Side Handle enables easy machine holding while drilling
- Easy-access Switch built inside handle enable single handle working
- Out-side Carbon-Brush window for easy access
- Branded Bearings for low noise & low vibration



### Most suited for:

- ✓ Chipping / Chiselling, with SDS-Max chisel, Concrete, Masonry, Mortar and Debris
- ✓ Scrapping / Removing Cement plaster, adhesive, paint coating from wall using SDS-Max Chisel
- ✓ Demolition & Breaking, with SDS-Max Chisel bricks block, stone structure, floor, walls & foundries
- ✓ Breaking & Removing asphalt & pavement bricks using SDS-Max Chisel



Machine #56

Packing: 2 Pcs. / Carton

### SPECIFICATIONS:

Tool Holder	: SDS-MAX
Rated Input Power	: 1400w
Impact Energy	: 24 Joules
Impact Rate	: 3600 bpm
Rated Voltage	: 220~240V
Rated Frequency	: 50 Hz
Net Weight	: 8.0 kgs.

### DOUBLE INSULATION

Also include:  
Auxiliary handle  
2 Pcs. SDS-Max chisels (1 Pc. Flat & 1 Pc Pointed)

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

New

## DEMOLITION HAMMER

### 11-E

11 KG / 1500 W / 25 J

### F DH 11-E



Double Insulation



- Powerful 1500W – Double Insulation Motor – **Long Life Motor**
- **Time-tested machine construction** with high-quality parts for reliable performance
- **12-Positions** Chisel Holder – Easy maneuverability for effective breaking
- **Variable-Speed Governor** for controlled chiselling / breaking
- Each machine supplied with two (2) SDS-Max chisels – **Ready-to-use tool**
- **Strong, Plastic carry-case** – easy portability of machine and accessories



#### Most suited for:

- ✓ Breaking up large & thick concrete structures, such as foundations, slabs, columns, beams, etc.
- ✓ Demolition of concrete structures, masonry & brick walls, Chiseling on concrete and masonry & brick walls
- ✓ Cutting, de-burring, cleaning, hole-making, edge cutting and demolition of masonry, brick & light concrete structures
- ✓ Breaking large stone into small, manageable pieces



Machine #112

Packing: Single Pc./Carton

#### SPECIFICATIONS:

Tool Holder	: SDS MAX
Rated Input Power	: 1500W
Impact Energy	: 6-25J
Impact Rate	: 900-1300 bpm
Chisel Positions	: 12 positions
Concrete Removal Capacity	: 490kg/h
Rated Voltage	: 220 ~ 240V
Rated Frequency	: 50 Hz
Net Weight	: 10.3 kgs

#### DOUBLE INSULATION

##### Also include:

- Spanner : 1 Pc.
- Oil Box : 1 Pc.
- Flat Chisel : 1 Pc.
- Pointed Chisel : 1 Pc.

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)




# FORTé®

MY TOOLS MY TRUST

## DEMOLITION HAMMER SDS-MAX

11 KG / 1800W / 25 J  
FDH 11-18



Double Insulation



- 11 Kg Class Breaker
- 25 Joules Impact Energy
- SDS-MAX Tool Holder
- 1800W – Most Powerful in-class Double Insulation Motor
- Variable-Speed governor for controlled hammering / breaking
- Current-Control circuit ensures constant uniform power supply during overload conditions
- 360° Rotating Soft-Grip Side Handle enables easy machine holding while drilling
- Out-side Carbon-Brush window for easy access
- Branded Bearings for low noise & low vibration
- 2 pcs. Chisels with machine
- Plastic Carry Case



### Most suited for:

- ✓ Demolition & Breaking, with SDS-Max Chisels, Concrete wall, floor, slabs, beams & foundation
- ✓ Breaking & Removing asphalt & pavement bricks
- ✓ Demolition & Breaking bricks block, stone structure, floor, walls & foundries
- ✓ Chipping / Chiselling Concrete, Masonry, Mortar and Debris



Machine #27

### SPECIFICATIONS:

Tool Holder	: SDS MAX
Rated Input Power	: 1800W
Impact Energy	: 25 Joules
Impact Rate	: 1000–1900 bpm
Rated Voltage	: 230V
Rated Frequency	: 50 Hz
Net Weight	: 11.5 kgs

### DOUBLE INSULATION

Also Include:  
Chisels: 2 Nos.

**FREE** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

**New**

## DEMOLITION HAMMER PRO

15 KG / 1600W / 45 J  
F DH 15-16 PRO



- 15 Kg Weight
- 45 Joules Impact Energy
- "LIGHT-WEIGHT" & "HIGH-IMPACT-ENERGY" Breaker !!!!
- 30mm HEX Tool Holder
- 1600W – Powerful Motor
- 2 pcs. SELF-SHARPENING CHISELS with each machine
- Trolley Carry Case



### Most suited for:

- ✓ Demolition & Breaking, with 30mm Hex Chisels, Concrete wall, floor, slabs, beams & foundation
- ✓ Breaking & Removing asphalt & pavement bricks
- ✓ Demolition & Breaking bricks block, stone structure, floor, walls & foundries
- ✓ Chipping / Chiselling Concrete, Masonry, Mortar and Debris



Machine #125

### SPECIFICATIONS:

Tool Holder	: 30mm Hex
Rated Input Power	: 1600W
Impact Energy	: 45 Joules
Impact Rate	: 2000 bpm
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
Net Weight	: 14.6 kgs.

### DOUBLE INSULATION

#### Also Include:

- Auxiliary handle
- 1 box Grease
- 1 Pc. Wrench
- 1 Pc. Self-sharpening Chisel – Pointed
- 1 Pc. Self-sharpening Chisel – Flat

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## DEMOLITION HAMMER NG

16 KG / 1700W / 48 J  
F DH 16-17 NG



Double Insulation



- 16 Kg Class Breaker
- 48 Joules Impact Energy
- 30mm HEX Tool Holder
- 1700W – Most Powerful in-class Double Insulation Motor
- Robust Striking System comprising of Cylinder, Piston & Valve
- All Metal Housing Frame & Handle for extra strength
- 360° Rotating Soft-Grip Side Handle enables easy machine holding while drilling
- Out-side Carbon-Brush window for easy access
- Branded Bearings for low noise & low vibration
- 1 pcs. Chisels with machine
- Plastic Carry Case



### Most suited for:

- ✓ Demolition & Breaking, with 30mm Hex Chisels, Concrete wall, floor, slabs, beams & foundation
- ✓ Breaking & Removing asphalt & pavement bricks
- ✓ Demolition & Breaking bricks block, stone structure, floor, walls & foundries
- ✓ Chipping / Chiselling Concrete, Masonry, Mortar and Debris



Machine #73

### SPECIFICATIONS:

Tool Holder	: 30mm Hex
Rated Input Power	: 1700W
Impact Energy	: 48 Joules
Impact Rate	: 1400 bpm
Rated Voltage	: 230V
Rated Frequency	: 50 Hz
Net Weight	: 15.75 kgs

### DOUBLE INSULATION

#### Also Include:

- Auxiliary handle
- 1 box Grease
- 1 Pc. Wrench
- 1 Pc. Chisel - Pointed

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## DEMOLITION HAMMER

16 KG / 1700W / 48 J  
F DH 16-17



Double Insulation



- 16 Kg Class Breaker
- 48 Joules Impact Energy
- 30mm HEX Tool Holder
- 1700W – Most Powerful in-class Double Insulation Motor
- Robust Striking System comprising of Cylinder, Piston & Valve
- All Metal Housing Frame & Handle for extra strength
- 360° Rotating Soft-Grip Side Handle enables easy machine holding while drilling
- Out-side Carbon-Brush window for easy access
- Branded Bearings for low noise & low vibration
- 2 pcs. Chisels with machine
- Plastic Carry Case



### Most suited for:

- ✓ Demolition & Breaking, with 30mm Hex Chisels, Concrete wall, floor, slabs, beams & foundation
- ✓ Breaking & Removing asphalt & pavement bricks
- ✓ Demolition & Breaking bricks block, stone structure, floor, walls & foundries
- ✓ Chipping / Chiselling Concrete, Masonry, Mortar and Debris



Machine #28

### SPECIFICATIONS:

Tool Holder	: 30mm Hex
Rated Input Power	: 1700W
Impact Energy	: 48 Joules
Impact Rate	: 1400 bpm
Rated Voltage	: 230V
Rated Frequency	: 50 Hz
Net Weight	: 15.75 kgs

### DOUBLE INSULATION

#### Also Include:

- 1 Side Handle
- 2 Chisels:
  - Pointed Chisel: 1 Pc
  - Flat Chisel: 1 Pc
- 3 Wrench: 1 Pc

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## WALL CHASER (with 6 blades) 150MM / 2400W F WCM 150-240



Double Insulation



- ▶ Powerful Motors: 2400W, Double Insulation – Safe for wet cutting
- ▶ Double Roller: Easy to slide / glide machine with minimum efforts
- ▶ Groove Cutting Dimensions:
  - 28mm Cutting width
  - 8–43mm Cutting Depth
- ▶ Diamond blades: 6 Pcs. Special design rim Diamond Blade with machine for efficient wall cutting
- ▶ Dust Extraction System: Built-in dust extraction system for vacuum attachment
- ▶ Water-sprinkle-system: Set of attachment for wet-cutting



Machine #50

### SPECIFICATIONS:

Blade Diameter	: 150mm
Cutting Depth	: 8–43mm
Max Cutting Width	: 28mm
Rated Input Power	: 2400W
Rated Voltage	: 220–240V
Rated Frequency	: 50 Hz
No Load Speed	: 8000 rpm
Net Weight	: 9.5 kgs

### DOUBLE INSULATION

- Also Include:
- Set of Spanners.

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS – MY TRUST

## PLANER Metal Gear-Box 82MM / 680W F PL 82 - HS



- **Powerful 680W Motor**
- **Strong Metal Gear-Box** can withstand long, continuous working hours
- **Vertical Depth-adjust** regulator for precision planing depth
- **Trigger Switch** - Dust-Proof and High-Endurance for long-life
- **Lock-On** feature for continuous tool running
- **Branded Bearings** for low noise & low vibration
- **Soft-Grip** handle for comfortable tool holding
- **High-Speed-Steel (HSS) Blade** – Low wear-out and long blade life



### Applications:

- ✓ **Smoothering** wood surface to achieve a smooth & even surface
- ✓ **Stock-Removal** - Reducing thickness of wood board / panel
- ✓ **Planing-Off** old paint, varnish, chemicals from wood surface
- ✓ **Wood Edge Deburring / Profile Planing**
- ✓ **Rabbeting** wood surface, corners to create wood-joints



Machine #29

Packing: 4 Pcs./Carbon

### SPECIFICATIONS:

Planing Width	: 82mm
Planing Depth	: 1mm
Rabbeting Depth	: 7mm
Rated Input Power	: 680W
Rated Voltage	: 220~240V
Rated Frequency	: 50 Hz
No-Load-Speed	: 16,700rpm
Net Weight	: 3.4 kgs

### DOUBLE INSULATION

### ALSO INCLUDE:

- 1 Pc. Rule
- 1 Pc. Sharpening Holder
- 1 Pc. Blade Gauge
- 1 Pc. Wrench

FREE!

ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS – MY TRUST

## PLANER Heavy-Duty 82MM / 710W F PL 82-71 HD



- **Most-Powerful-In-Class 710W Motor** for **90mm width** wood planing upto **2mm depth**
- Robust tool construct for long, continuous working hours
- **Vertical-Depth-adjust** regulator for precision planing depth
- Special Design **Rotary Drums** ensure fast stock removal with smooth surface finish
- **Trigger Switch** - Dust-Proof and High-Endurance for long-life
- **Lock-On** feature for continuous tool running
- **Branded Bearings** for low noise & low vibration
- **Soft-Grip** handle for comfortable tool holding
- **High-Speed-Steel (HSS) Blade** – Low wear-out and long blade life



### Applications:

- ✓ Smoothing wood surface to achieve a smooth & even surface
- ✓ Stock-Removal - Reducing thickness of wood board / panel
- ✓ Planing-Off old paint, varnish, chemicals from wood surface
- ✓ Wood Edge Deburring / Profile Planing
- ✓ Rabbeting wood surface, corners to create wood-joints

**FORTé®**  
**CARE**  
Use genuine Forté spares for performance and life of tool

Armature      Field Coil  
Carbon Brush      Gear Assembly      Switch



Machine #30

Packing: 4 Pcs./Carbon

### SPECIFICATIONS:

Planing Width	: 82mm
Planing Depth	: 2mm
Rabbeting Depth	: 9mm
Rated Input Power	: 710W
Rated Voltage	: 220~240V
Rated Frequency	: 50 Hz
No-Load-Speed	: 16, 500rpm
Net Weight	: 3.2 kgs

### DOUBLE INSULATION

### ALSO INCLUDE:

- 1 Pc. Rule
- 1 Pc. Sharpening Holder
- 1 Pc. Blade Gauge
- 1 Pc. Wrench

**FREE!**

ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS – MY TRUST

New

## PLANER Heavy-Duty 90MM / 1250W F PL 90 HD



Double Insulation



- **Most-Powerful-In-Class 1250W Motor** for 90mm width wood planing upto 2mm depth
- **Strong Metal Gear-Box** can withstand long, continuous working hours
- **Three (3) V-Shape grooves** for edge chamfering
- **Special Design Rotary Drums** ensure fast stock removal with smooth surface finish
- **Trigger Switch** - Dust-Proof and High-Endurance for long-life
- **Lock-On** feature for continuous tool running
- **Branded Bearings** for low noise & low vibration
- **Soft-Grip** handle for comfortable tool holding
- **High-Speed-Steel (HSS) Blade** – Low wear-out and long blade life



Professional Tool Box

### Applications:

- ✓ Smoothing wood surface to achieve a smooth & even surface
- ✓ Stock-Removal - Reducing thickness of wood board / panel
- ✓ Planing-Off old paint, varnish, chemicals from wood surface
- ✓ Wood Edge Deburring / Profile Planing
- ✓ Rabbeting wood surface, corners to create wood-joints



Machine #128

Packing: 3 Pcs./Carbon

### SPECIFICATIONS:

Planing Width	: 90mm
Planing Depth	: 0-2mm
Rabbeting Depth	: 0-7.5mm
Rated Input Power	: 1250W
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
No-Load-Speed	: 16000rpm
Net Weight	: 4.6 kgs

### DOUBLE INSULATION

#### ALSO INCLUDE:

- 1 Pcs. Rule
- 1 Pcs. Sharpening Holder
- 1 Pcs. Blade Gauge
- 1 Pcs. Wrench

**Forte India Enterprises Pvt. Ltd**

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## JIG SAW LITE

65MM / 450W  
F JS-L 65-45



Double Insulation



- **Powerful 450W**, Double Insulation motor
- "Pendulum / Orbital" action sawing
- **3-Levels Orbital-Action** control lever – To adjust sawing aggression
- **Variable-Speed Trigger-Switch** – To adjust sawing speed
- **45° Bevel Adjust Base Plate** for angular sawing
- **Lock-On-Switch** feature for continuous tool running
- **Branded Bearings** for low noise & low vibration
- **Soft-Grip** handle for comfortable tool holding



### Most suited for:

- ✓ **Wood-Working:**
  - Curved Cuts
  - Irregular Shapes
- ✓ **Metal-Working:**
  - Metal Cutting
  - Curved Metal Cuts
- ✓ **Drywall & Plaster:**
  - Straight cut
  - Curved Cut
- ✓ **Other Applications:**
  - Pipe & Conduit cutting
  - Fiberglass & composite cutting
  - Automotive Body-shop



Machine #31

Packing: 5 Pcs./Carbon

### SPECIFICATIONS:

No-Load Stroke Rate	: 3100 s/m
Stroke Length	: 18mm
Rated Input Power	: 450W
Rated Voltage	: 220-240V
Rated Frequency	: 50Hz
Net Weight	: 1.9 kgs
Cutting Capacity:	
Wood	: 65mm
Aluminum	: 10mm
Steel	: 6mm

DOUBLE INSULATION

### Also Include:

- 2 Pcs. Blade
- 1 Pc. Allen key

**FREE!**

ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## JIG SAW Metal Gear-Box 85MM / 650W F JSM 85-65



Double Insulation



- **Powerful 650W**, Double Insulation motor
- **Metal-Gear-Box** for heavy-duty working for long hours
- "Pendulum / Orbital" action sawing
- **3-Levels Orbital-Action** control lever – To adjust sawing aggression
- **Variable-Speed-Dial** Trigger-Switch – To adjust sawing speed
- **45° Bevel Adjust** Base Plate for angular sawing
- **Lock-On-Switch** feature for continuous tool running
- **Branded Bearings** for low noise & low vibration
- **Soft-Grip** handle for comfortable tool holding



### Most suited for:

- ✓ **Wood-Working:**
  - Curved Cuts
  - Irregular Shapes
- ✓ **Metal-Working:**
  - Metal Cutting
  - Curved Metal Cuts
- ✓ **Drywall & Plaster:**
  - Straight cut
  - Curved Cut
- ✓ **Other Applications:**
  - Pipe & Conduit cutting
  - Fiberglass & composite cutting
  - Automotive Body-shop



Machine #32

Packing: 6 Pcs./Carbon

### SPECIFICATIONS:

No-Load Stroke Rate	: 0 – 2,600 spm
Stroke Length	: 26 mm
Rated Input Power	: 650 W
Rated Voltage	: 220–240V
Rated Frequency	: 50Hz
Net Weight	: 2.1 kgs
Cutting Capacity:	
Wood	: 85mm
Aluminum	: 20mm
Steel	: 10mm

DOUBLE INSULATION

Also Include:  
• 2 Pcs. Blade  
• 1 Pc. Allen key

**FREE!**

ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)




# FORTÉ®

MY TOOLS MY TRUST

## TRIMMER

6MM / 520W

F TR 6-52



Double Insulation



- **Best-In-Class 520W**, Double Insulation motor
- **Slim-body** for firm machine grip
- **Compact, Lightweight** yet powerful machine
- **Toggle-Switch** for continuous tool running
- **Slide & Lock Base** for easy depth adjust
- **Transparent Base** for clear visibility of trimming edge
- **Out-Side Carbon Brush Window** for quick change
- **Branded Bearings** for low noise & low vibration



### Most suited for:

- ✓ **Wood-Working:**
  - Edge trimming
  - Profile cutting
- ✓ **Construction & renovation:**
  - Door & Window trimming
  - Base-board and moulding trimming
- ✓ **Signage making and Display:**
  - Acrylic & Plastic Trimming
  - Display & exhibition material trimming
- ✓ **Metalworking & Fabrication**
- ✓ **Other Applications:**
  - Pipe & Conduit cutting

**FORTÉ®**  
**CARE**

Use genuine Forté spares for performance and life of tool



Armature



Field Coil



Carbon Brush



Gear Assembly



Switch



Machine #33

Packing: 5 Pcs./Carbon

### SPECIFICATIONS:

Chuck Diameter	: 6MM
Rated Input Power	: 520W
Rated Voltage	: 220V
Rated Frequency	: 50Hz
No Load Speed	: 28,000 RPM
Net Weight	: 2.1 kgs

**DOUBLE INSULATION**

Also Include:  
• Wrench

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

**New**

## TRIMMER PRO

6MM / 6.35MM / 8MM – 550W

F TR 6-PRO



Double Insulation



- **Heavy-Duty 550W**, Double Insulation motor
- **Slim-body** for firm machine grip
- **Compact, Lightweight** yet powerful machine
- **Toggle-Switch** for continuous tool running
- **Gear-wheel** assisted base sliding system
- **Transparent Base** for clear visibility of trimming edge
- **Out-Side Carbon Brush Window** for quick change
- **Branded Bearings** for low noise & low vibration
- Each machine supply with 6mm, 6.35mm (1/4"), 8mm Collet



### Most suited for:

- ✓ **Wood-Working:**
  - Edge trimming
  - Profile cutting
- ✓ **Construction & renovation:**
  - Door & Window trimming
  - Base-board and moulding trimming
- ✓ **Signage making and Display:**
  - Acrylic & Plastic Trimming
  - Display & exhibition material trimming
- ✓ **Metalworking & Fabrication**
- ✓ **Other Applications:**
  - Pipe & Conduit cutting



Machine #99

Packing: 6 Pcs./Carbon

### SPECIFICATIONS:

Collet Chuck Capacity	: 6MM
	: 6.35MM (1/4") 8MM
Rated Input Power	: 550W
Rated Voltage	: 220-240V
Rated Frequency	: 50Hz
No-Load Speed	: 30,000 RPM
Net Weight	: 1.5 kgs

### DOUBLE INSULATION

#### Also include:

- Set of Spanners
- 1 Pc. 6MM Collet
- 1 Pc. 6.35 (1/4") Collet
- 1 Pc. 8MM Collet

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## WOOD ROUTER

8MM / 1200W

F WR 8 - 120 VS



Double Insulation



- **Powerful 1200W**, Double Insulation motor
- **Metal-Gear-Box** for heavy-duty working for long hours
- **Plunge-Router** – Featuring 'spring-loaded' base allowing router-bit to plunge into work piece
- **Depth-stop** feature for precision engraving / milling
- **Variable-Speed-Dial** – Allows to fix speed to adjust cutting speed
- **Toggle-Switch** for continuous tool running
- **Soft-grip Ergonomic handle** for comfortable working
- **Out-Side Carbon Brush Window** for quick change
- **Branded Bearings** for low noise & low vibration



### Most suited for:

- ✓ **Furniture making & Wood Carving:** Furniture decoration & inlay carving
- ✓ **Door & Window manufacturing** – Frames & Panel raising
- ✓ **Edge Profiling:** Edge shaping & Edge trimming
- ✓ **Moulding & Trim Work:** Moulding creation & Trim-work
- ✓ **Cabinetmaking & Joinery:** Dado joint, Dovetail joint, etc.
- ✓ **Engraving & Sign making:** Wood-engraving, Wood sign-making



Machine #65

Packing: 2 Pcs./Carton

### SPECIFICATIONS:

Collet Dia	: 8mm
Max. Plunge Depth	: 0-57mm
Rated Input Power	: 1200W
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
No-Load Speed	: 11500-32000 rpm
Net Weight	: 4.20 kgs

### DOUBLE INSULATION

#### Also include:

- Set of Spanners
- 8mm Router Bit – 1 Pc.
- 6mm Collet – 1 Pc.

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## WOOD ROUTER

12MM / 2100W

F WR 12 - 210 VS



Double Insulation



- **Powerful 2100W**, Double Insulation motor
- **Metal-Gear-Box** for heavy-duty working for long hours
- **Plunge-Router** – Featuring 'spring-loaded' base allowing router-bit to plunge into work piece
- **Depth-stop** feature for precision engraving / milling
- **Variable-Speed-Dial** – Allows to fix speed to adjust cutting speed
- **Toggle-Switch** for continuous tool running
- **Soft-grip Ergonomic handle** for comfortable working
- **Out-Side Carbon Brush Window** for quick change
- **Branded Bearings** for low noise & low vibration



### Most suited for:

- ✓ **Furniture making & Wood Carving:** Furniture decoration & Inlay carving
- ✓ **Door & Window manufacturing** – Frames & Panel raising
- ✓ **Edge Profiling:** Edge shaping & Edge trimming
- ✓ **Moulding & Trim Work:** Moulding creation & Trim-work
- ✓ **Cabinetmaking & Joinery:** Dado joint, Dovetail joint, etc.
- ✓ **Engraving & Sign making:** Wood-engraving, Wood sign-making



Machine #34

Packing: 2 Pcs./Carton

### SPECIFICATIONS:

Collet Dia	: 8mm, 12mm
Max. Plunge Depth	: 55mm
Rated Input Power	: 2100W
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
No-Load Speed	: 8000-23500 rpm
Net Weight	: 5.4 kgs

### DOUBLE INSULATION

#### Also Include:

- Set of Spanners
- 12 mm Router Bit

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## RANDOM ORBITAL SANDER

### Variable Speed

125MM / 350W

F ROS 125-35 VS



Double Insulation



- **Powerful 350W**, Double Insulation motor
- Strong **Eccentric Rotary** motion for fast material removal
- **Variable-Speed-Dial** – To adjust speed
- **Light-weight** yet strong PA6 housing body
- **Dust-Proof Rocker Switch** – Long life
- **Lock-On** feature – Continuous tool running
- **Palm-Fit, Soft-grip Ergonomic handle** for comfortable working
- **Long-life** sanding pad
- **Dust-extraction** system with built-in dust collection box
- **Branded Bearings** for low noise & low vibration



### Most suited for:

- ✓ Smoothing and levelling surfaces
- ✓ Removing paint from wood
- ✓ Preparing surfaces for filling operations
- ✓ Filler sanding
- ✓ Sanding primer and large surfaces

**FORTÉ® CARE**

Use genuine Forté parts for performance and life of tool

Armature      Field Coil

Carbon Brush      Gear Assembly      Switch



Machine #49

Packing: 6 Pcs./Carbon

### SPECIFICATIONS:

Pad Dia	: 125mm
Rated Input Power	: 350W
Rated Voltage	: 220V
Rated Frequency	: 50 Hz
No-Load Speed	: 0-12,000 rpm
Net Weight	: 1.2 kgs

DOUBLE INSULATION

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## RANDOM ORBITAL SANDER

### Variable Speed

150MM / 450W

F ROS 150-45 VS



Double Insulation



- **Powerful 450W**, Double Insulation motor
- **Metal Gear-Box** – Can withstand long sanding cycles
- Strong **Eccentric Rotary** motion for fast material removal
- **Dust-Proof Trigger Switch** – with press-control variable-speed function
- **Lock-On** feature – Continuous tool running
- **Long, Soft-grip Ergonomic handle** for comfortable two hands working
- **Long-life** sanding pad
- **Dust-extraction** system with built-in dust collection box
- **Branded Bearings** for low noise & low vibration



### Most suited for:

- ✓ Smoothing and levelling surfaces
- ✓ Removing paint from wood
- ✓ Preparing surfaces for filling operations
- ✓ Filler sanding
- ✓ Sanding primer and large surfaces

**FORTé**  
CARE

Use genuine Forté spares for performance and life of tool



Armature



Field Coil



Carbon Brush



Gear Assembly



Switch



Machine #67

Packing: 6 Pcs./Carbon

### SPECIFICATIONS:

Disc Diameter	: Ø150mm
Rated Input Power	: 450W
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
No-Load Speed	: 4000-13000/min
No-Load Oscillation	: 8000-26000/min
Eccentricity	: 2mm
Net Weight	: 1.6 kgs

DOUBLE INSULATION

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## ORBITAL SANDER

110MM / 230W

F OS 110-23



Double Insulation



- **Powerful 230W**, Double Insulation motor
- **Light-weight yet strong PA6 housing body**
- **Robust Orbit Sander clamping design & parts**
- **Long-life sanding pad**
- **Dust-Proof-Switch** for continuous tool running
- **Soft-grip Ergonomic handle** for comfortable working
- **Branded Bearings** for low noise & low vibration



### Most suited for:

- ✓ Smoothing and levelling surfaces
- ✓ Removing paint from wood
- ✓ Preparing surfaces for filling operations
- ✓ Filler sanding
- ✓ Sanding primer and large surfaces



Machine #35

Packing: 6 Pcs./Carton

### SPECIFICATIONS:

Cushion size	: 100 × 110mm
Rated Input Power	: 230W
Rated Voltage	: 220V
Rated Frequency	: 50 Hz
No-Load Speed	: 15,000 rpm
Net Weight	: 1.2 kgs

**DOUBLE INSULATION**

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## ORBITAL SANDER

185MM / 320W

F OS 185-32



Double Insulation



- **Powerful 230W**, Double Insulation motor
- **Light-weight yet strong PA6 housing body**
- **Robust Orbit Sander clamping design & parts**
- **Long-life sanding pad**
- **Dust-Proof-Switch** for continuous tool running
- **Lock-On** feature for continuous tool running
- Innovative **palm-rest handle** for controlled two-hand working
- **Soft-grip Ergonomic handle** for comfortable working
- **Branded Bearings** for low noise & low vibration



### Most suited for:

- ✓ Smoothing and levelling surfaces
- ✓ Removing paint from wood
- ✓ Sanding wood-joints
- ✓ Preparing surfaces for filling operations
- ✓ Filler sanding
- ✓ Sanding primer and large surfaces

**FORTé® CARE**

Use genuine Forté spares for performance and life of tool

Armature      Field Coil

Carbon Brush      Gear Assembly      Switch



Machine #36

Packing: 6 Pcs./Carton

### SPECIFICATIONS:

Cushion size	: 93 × 185mm
Rated Input Power	: 320W
Rated Voltage	: 220V
Rated Frequency	: 50 Hz
No-Load Speed	: 14,000 rpm
Net Weight	: 1.5 kgs

**DOUBLE INSULATION**

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## CAR POLISHER

**Variable Speed**

**180MM / 1200W**

**F PS 180-120 VS**



Double Insulation



- **Most-Powerful-In-Class**  
**1200W**, Double Insulation motor  
– Safe tool for operating in high moisture environment
- **Robust Metal Gear-Box** for heavy-duty polishing for long hours
- **Variable-Speed dial** – Control speed as work demands
- **Constant-Speed Control** – Delivers consistent rotary speed under load conditions
- **Over-load protection Circuit** – Ensures power-off at excessive overload conditions
- **Dust-Proof Trigger Switch** – Easy to operate & long life
- **Lock-On feature** – Continuous tool running
- **"D-handle"** – Easy to manoeuvre
- **Out-Side Carbon Brush Window** for quick change
- **Branded Bearings** for low noise & low vibration



### Most suited for:

- ✓ Paint Correction – Removing scratches, eliminating swirl marks
- ✓ Paint Restoration – Restoring oxidized paint, remove old wax and sealants, preparing surface for new protective coatings
- ✓ Restoring hazy headlights and removing oxidation & scratches from headlight lenses
- ✓ Wheel and Trim Restoration
- ✓ Detailing and Maintenance



Machine #88

Packing: 5 Pcs./Carbon

### SPECIFICATIONS:

Disc Dia	: 180mm
Spindle	: M14
Rated Input Power	: 1200W
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
No-Load Speed	: 600-3300 rpm
Net Weight	: 2.1 kgs

### DOUBLE INSULATION

#### Also Include:

- Sanding Pad – 1 Pc.
- Wool (real wool) Bonnet – 1 Pc.
- G shape Auxiliary Handle – 1 Pc.
- Wrench – 1 Pc.
- Side Handle – 1 Pc.

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## STONE POLISHER (VERTICAL POLISHER)

150MM / 710W

F VP 150-71



Double Insulation



- **Powerful 710W**, Double Insulation motor – Safe tool for workman operating in water-soaked working conditions
- **High-Speed** – 4500 rpm – for super-fast polishing
- **Robust construct** machine with M16 spindle for powerful polishing performance and tool life
- **Rubber Back-pad** – Specially designed to assist comfortable shoulder-press
- **Dust-Proof Trigger Switch** – Easy to operate & long life
- **Lock-On** feature – Continuous tool running
- **2-Positions** side-handle
- **Out-Side Carbon Brush Window** for quick change
- **Branded Bearings** for low noise & low vibration



### Most suited for:

- ✓ Granite Monument polishing
- ✓ Granite / Marble Headstone polishing
- ✓ Granite / Marble Floor & Wall polishing
- ✓ Granite / Marble Vanity top polishing
- ✓ Polishing Quartz / Granite countertops
- ✓ Polishing limestone surfaces, such as columns, pillars, arches, etc.

**FORTÉ®**  
CARE

Use genuine Forté spares for performance and life of tool



Armature



Field Coil



Carbon Brush



Gear Assembly



Switch



Machine #44

Packing: 6 Pcs./Carbon

### SPECIFICATIONS:

Disc Diameter	: 150mm
Rated Input Power	: 710W
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
No Load Speed	: 4500 rpm
Net Weight	: 1.8 kgs

### DOUBLE INSULATION

Also Include:  
• Set of Spanners

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## PAINT MIXER

### Variable Speed

1200W

F PM 1200 VS



Double Insulation



- **Most-Power-In-Class 1200W**, Double Insulation motor – Safe tool for workman operating in water-soaked working conditions
- **High-Torque** – most suitable for mixing / blending paint, putty, resins, chemicals, etc.
- Comfortable ergonomic **twin-handle** ensures weight balance and firm grip while mixing
- **Infinite variable-speed** for mixing without splashing
- **Dust-Proof-Trigger-Switch** – Easy to operate & long life
- **Lock-On** feature – Continuous tool running
- **Robust construct** machine with strong M14 spindle mixing paddle
- **Branded Bearings** for low noise & low vibration



### Most suited for:

- ✓ Mixing paints, stains, and varnishes
- ✓ Mixing epoxies, polyurethanes, and acrylics
- ✓ Mixing / Blending automotive paint, coatings, and other materials
- ✓ Mixing primers, topcoats, and sealants
- ✓ Blending adhesives, composites, for various industrial applications
- ✓ Mixing antifouling coatings to prevent marine growth and corrosion



Machine #47

Packing: 4 Pcs./Carbon

### SPECIFICATIONS:

Spindle Size	: M14
Rated Input Power	: 1200W
Rated Voltage	: 220-240V
Rated Frequency	: 50Hz
No-Load Speed	: 0-680 rpm
Net Weight	: 3.5 kgs

### DOUBLE INSULATION

#### Also Include:

- One (1) Pc. Mixing Blade
- Set of Spanners

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## DRYWALL SANDER

### Variable Speed

### 180MM / 750W

### F DS 180-7 VS



Double Insulation



- **Powerful 750W**, Double Insulation motor – Safe tool for operating in high moisture environment
- **Light-weight** yet powerful tool construct
- **Variable-Speed dial** – Control speed as work demands
- **Dust-Proof-Trigger-Switch** – Easy to operate & long life
- **Lock-On** feature – Continuous tool running
- **10W LED light** surrounding pad – helps see cupped / raised spots on the wall
- **Out-Side Carbon Brush Window** for quick change
- **Separate Air Vents** – for motor cooling and for dust-extraction
- **Dust-extraction chute** – for attaching vacuum
- **Branded Bearings** for low noise & low vibration



#### Most suited for:

- ✓ **Drywall Finishing:** Smoothing joints, removing imperfections
- ✓ **Texture removal:** Removing pop-corn ceilings, removing textured finishes
- ✓ **Renovation & Restoration:** Restoring drywall, preparing surfaces for painting
- ✓ **New Construction:** Finishing new drywall, sanding drywall seams for seamless finish
- ✓ **Repairing drywall damages**



Machine #100

Packing: 2 Pcs./Carbon

#### SPECIFICATIONS:

Disc Dia	: 180mm
Rated Input Power	: 750W
Rated Voltage	: 220-240V
Rated Frequency	: 50Hz
No-Load Speed	: 1500-2700 rpm
Net Weight	: 2.2 kgs

#### DOUBLE INSULATION

#### Also include:

- 1 Pc of 2 Mtr. flexible pipe for dust extraction
- 1 Pc Hexagonal Spanner
- 1 Pc Dust Bag
- 1 Pc Side Handle
- 1 Pc Dust Mask
- 9 Pcs Sanding Paper (180mm, 8 holes)
- 3 Pcs each of #80, #150, #240

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## BLOWER

### Variable Speed

### 2.8 CMM / 600W

### F BL VS



Double Insulation



- **Powerful 600W**, Double Insulation, Copper winding motor
- **Light-weight** yet powerful tool construct
- **Variable-Speed dial** – Control speed as work demands
- **Easy-access switch** – built in the handle for single hand working
- **Dust-Proof Trigger Switch** – Easy to operate & long life
- **Lock-On** feature – Continuous tool running
- **Versatile Two-tools-in-one:** Quickly converts to a vacuum
- **Branded Bearings** for low noise & low vibration



#### Most suited for:

- ✓ Dusting and cleaning: Ceilings, fans, AC vents, machines, equipment, etc.
- ✓ Blowing air after concrete cutting, stone carvings, etc.
- ✓ Drying and Evaporation: Floors, walls, cement joints, drying paint, ink, or adhesives; inflation and sealing
- ✓ Industrial and Commercial building & office maintenance
- ✓ Agricultural: Drying crops, grains, fruits, and vegetables
- ✓ Horticultural: Removing dry leaves and twigs from greenhouses and gardens

**FORTé**  
CARE

Use genuine Forté spares for performance and life of tool



Armature



Field Coil



Carbon Brush



Gear Assembly



Switch



Machine #37

Packing: 6 Pcs./Carbon

#### SPECIFICATIONS:

Input Power	: 600W
Wind Volume	: 2.8 Cubic Meter / Minute
Rated Voltage	: 220V
No Load Speed	: 0-13,000 rpm
Net Weight	: 1.8 kgs

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## HEAT GUN (With 5 Attachments)

600°C / 1800W

F HG 600-18

- **1800W** – Durable and powerful heat gun with variable temperature control
- **2-speed** blower settings for ease-of-operation
- **Rotary air-flow nozzle** distributes hot air evenly and efficiently
- **Special ceramic wall** around heating element prevents heat loss
- Delivers upto **600°C** temperature at **500L/min**
- Easy-to-operate **slide-switch**
- **Extra-support rear stand** supports gun in up position for operator convenience
- **Ergonomic soft-grip handle** for operators' comfort
- **Special nozzle set** with each machine



### Most suited for:

- ✓ **Painting and Decorating** – Paint stripping, drying paint
- ✓ **Automotive Repair** – Removing old adhesives, emblems, trim, and decals
- ✓ **Shrink wrapping & tubing**
- ✓ **Plumbing and HVAC** – Removing old caulk and sealants from surfaces
- ✓ **Roofing and Construction** – Removing old roofing, shingles and tar, old vinyl flooring, etc.



Machine #38

Packing: 6 Pcs./Carbon

### SPECIFICATIONS:

#### Working Temperature:

- Stage I: 400°C
- Stage II: 600°C

#### Air Volume:

- Stage I: 300 L/min
- Stage II: 500 L/min

Rated Input Power : 1800W

Rated Voltage : 220V

Rated Frequency : 50 Hz

Net Weight : 1.2 kgs

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## HEAT GUN

### Variable Speed

600°C / 2000W

F HG 2000

- ▶ Special design nozzle for circular air-flow
- ▶ Ceramic heating element for long life
- ▶ Variable Temperature Control regulator
- ▶ 3-Stages Temperature & Air-flow Control Switch



**Variable Temperature Control Regulator**

#### Most suited for:

- ✓ Temperature control allows heat-shrinking of a variety of materials & thickness
- ✓ High temperature helps paint/adhesive stripping with ease
- ✓ Variable air-flow improves workmen productivity in removing vinyl flooring, furniture repairing, etc.

**FORTé CARE**

Use genuine Forté spares for performance and life of tool

Armature      Field Coil

Carbon Brush      Gear Assembly      Switch



Machine #97

Packing: 6 Pcs./Carbon

#### SPECIFICATIONS:

##### Working Temperature:

- Stage I: 50°C
- Stage II: 50-600°C
- Stage III: 50-600°C

##### Air Volume:

- Stage I: 350 L/min
- Stage II: 350 L/min
- Stage III: 500 L/min

Rated Input Power	: 2000W
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
Net Weight	: 1.3 kgs

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
 Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## ELECTRIC CHAINSAW

405MM (16") / 1800W

F ECS 16-18



Double Insulation



- **1800W** – Most-Powerful-In-Class Double Insulation Motor – Safe to work in high moisture working conditions
- **Automatic Oil Pumping** on chain – Constant lubrication facilitating fast cutting and longer chain life
- **Emergency brake system** for safe working
- **Trigger-Switch** built-in handle for easy access
- **Lock-On** switch feature for continuous cutting
- **Anti-Slip, Soft-Grip** handle
- **High-Quality and Long-life** saw chain & guide-bar
- **Easy-access Carbon-Brush** for fast replacement
- **Branded Bearings** for low noise & low vibration



### Most suited for:

- ✓ **Carpentry & Woodworking:** Cutting lumber (wood logs), plywood for furniture making, decking, and fencing
- ✓ **Forestry:** Harvesting small trees, pruning big trees & hedges
- ✓ **Landscaping and Gardening:** Cutting firewood, tree felling
- ✓ **Agricultural and Farming:** Pruning orchards, vineyards, cutting bushes and small trees



Machine #69

Packing: 2 Pcs./Carbon

### SPECIFICATIONS:

Max Guide Bar Length	: 405mm (16 Inch)
Rated Input Power	: 1800W
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
No-Load Speed	: 600 m/min
Net Weight	: 3.5 kgs

### DOUBLE INSULATION

Also include:

- 16-inch Chain – 1 pc
- 16-inch Guide-bar – 1 pc
- Set of Spanners

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## MOTOR BRUSH-CUTTER SIDE-WAYS

52cc / 1.75 KW

F MBC 52-175 SW

- **Engine Power:** A powerful 52cc / 2-Stroke engine delivers 1.75Kw power
- **Large Cutting Head:** Supports metal blades, nylon blades, and saw blades
- **Versatile Sideways Shaft:** Long, robust shaft for comfortable working and better control
- **Ergonomics & Handling:** Well-designed handle with ergonomic grip reduces fatigue
- **Safety Features:** Protective guards and shoulder strap for safe handling
- **Large Fuel Tank:** 1.2L fuel tank for long working hours



**FORTé**  
CARE

Use genuine Forté spares for performance and life of tool

Armature      Field Coil  
Carbon Brush      Gear Assembly      Switch



Machine #96

Packing: 2 Pcs./Carbon

### SPECIFICATIONS:

Engine type	: 2-Stroke, Air-cooled
Displacement	: 52 cc
Rated power output	: 1.55 KW / 2.1 HP
Idling speed	: 3000 ± 200 rpm
Fuel tank capacity	: 1250 ml
Net Weight	: 7 kgs

### Standard Fittings with Machine:

- Bump head – 1 Pc.
- 3-teeth blade – 1 Pc.
- Strap / harness – 1 Pc.
- Tool kit – 1 Set
- Plastic container – 1 Pc.

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## MOTOR BRUSH-CUTTER

### BACK-PACK

52cc / 1.75 KW

F MBC 52-175 BP

- **Engine Power:** A powerful 52cc / 2-Stroke engine delivers 1.75Kw power
- **Large Cutting Head:** Supports metal blades, nylon blades, and saw blades
- **Versatile Sideways Shaft:** Long, robust shaft for comfortable working and better control
- **Ergonomics & Handling:** Well-designed handle with ergonomic grip reduces fatigue
- **Safety Features:** Protective guards and shoulder strap for safe handling
- **Large Fuel Tank:** 1.2L fuel tank for long working hours



**FORTé®**  
CARE

Use genuine Forté spares for performance and life of tool

Armature      Field Coil

Carbon Brush      Gear Assembly      Switch



Machine #87

Packing: 2 Pcs./Carbon

#### SPECIFICATIONS:

Engine type	: 2-Stroke, Air-cooled
Displacement	: 52 cc
Rated power output	: 1.55 KW / 2.1 HP
Idling speed	: 3000 ± 200 rpm
Fuel tank capacity	: 1250 ml
Net Weight	: 7 kgs

#### Standard Fittings with Machine:

- Bump head – 1 Pc.
- 3-teeth blade – 1 Pc.
- Strap / harness – 1 Pc.
- Tool kit – 1 Set
- Plastic container – 1 Pc.

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## MOTOR CHAINSAW

(METAL)

22 Inch / 58cc / 2.4 KW

F MCS 22-58c – METAL



Double Insulation



- Engine Power: 58cc / 2-Stroke Engine – Delivers 2.4Kw power !!!
- Starter Assembly: METAL starter assembly for long life
- Chain & Guide-bar: Professional quality & long cutting life
- Sprocket: Spur-sprocket – Tested for long life
- Safety: Chain brake
- Ergonomic: Ergonomic handle with anti-slip grip



**FORTé®**  
CARE

Use genuine Forté spares for performance and life of tool

Cylinder body	Carburetor	Piston
Spark-plug	Chain	Guide bar



Machine #76

Packing: 2 Pcs./Carbon

### SPECIFICATIONS:

Engine type	: 1-Cylinder, 2-Stroke
Displacement	: 58CC
Power	: 2.2 KW
Bar length	: 56cm (22 inch)
Idle speed	: 3000 rpm
Max speed	: 8000 rpm
Oil tank capacity	: 0.28 L
Fuel tank capacity	: 0.60 L
Net Weight	: 7.6 kgs

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## MOTOR CHAINSAW

(METAL)

18 Inch / 58cc / 2.4 KW

F MCS 18-58c – METAL



Double Insulation



- Engine Power: 58cc / Engine – Delivers 2.4Kw power !!!
- Starter Assembly: METAL starter assembly for long life
- Chain & Guide-bar: Professional quality & long cutting life
- Sprocket: Spur-sprocket – Tested for long life
- Safety: Chain brake
- Ergonomic: Ergonomic handle with anti-slip grip



Machine #75

Packing: 2 Pcs./Carbon

### SPECIFICATIONS:

Engine type	: 1-Cylinder, 2-Stroke
Displacement	: 58CC
Power	: 2.2 KW
Bar length	: 46cm (18 inch)
Idle speed	: 3000 rpm
Max speed	: 8000 rpm
Oil tank capacity	: 0.28 L
Fuel tank capacity	: 0.60 L
Net Weight	: 7.2 kgs

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

## HIGH-PRESSURE WASHER

(Copper-wire Induction Motor)

190 Bar / 2500W

F PW-I 2500-190B



Double Insulation



- **Most-Powerful-In-Class 2500W** – Copper-winding induction motor – Safe for working in water soaked conditions
- **Auto-Cut-Off System** – Simultaneous stopping of motor and water spray
- **Water-Pressure-Regulator** – To control spray pressure
- **Strong-built machine trolley** with large wheel – Easy portability
- **Steel-armoured hose pipe** – Long life
- **All-Brass-Gun** – Long working life
- **Built-in soap tank**
- All **branded** bearing construction – Low noise, low vibration



### Most suited for:

- ✓ Professional washing of earth moving / hydraulic equipment, commercial and private vehicles
- ✓ Cleaning of industrial shop-floor, walls & ceiling
- ✓ Outdoor cleaning of high-rise building, residential complex, pavements, etc.

**FORTé**  
CARE

Use genuine Forté spares for performance and life of tool

 Induction Motor	 Pump body & Pump Block	 Hose
 Wrist bearing	 Gun	 Safety valve assembly



Machine #43

### SPECIFICATIONS:

Rated Input Power	: 2500W
Rated Voltage	: 220-240V
Rated Frequency	: 50Hz
Rated Pressure	: 130 Bar
Max. Pressure	: 190 Bar
Rated Flow	: 7 L/min
Max. Flow	: 7.8 L/min
Max. Inlet Water Pressure	: 1.2 MPa
Net Weight	: 19.5 kgs

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## HIGH-PRESSURE WASHER

(Copper-wire Induction Motor)

1650W / 140 Bar

F PWI 165-140B



Double Insulation



- Powerful, 1650W, Copper-wire, Induction Motor
- Self-priming motor
- Auto-Cut-Off motor system
- Branded Bearings



Brass-nozzle  
Foaming System

### Most suited for:

- ✓ Professional washing of earth moving / hydraulic equipment, commercial and private vehicles
- ✓ Cleaning of industrial shop-floor, walls & ceiling
- ✓ Outdoor cleaning of high-rise building, residential complex, pavements, etc.

**FORTÉ®**  
**CARE**

Use genuine Forté spares for performance and life of tool

Induction Motor	Pump body & Pump Block	Hose
Ball bearing	Gun	Safety valve assembly



Machine #98

Packing: 2 Pcs./Carbon

### SPECIFICATIONS:

Rated Input Power	: 1650W
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
Rated Pressure	: 90 Bar
Max. Pressure	: 140 Bar
Max Flow	: 7 L/min
Net Weight	: 16 kgs

### DOUBLE INSULATION

Accessories supply with machine

- Water ripple connector
- Plastic quick connector
- Water inlet pipe - 3M
- Water filter
- Transparent water inlet filter
- Steel sheath hose pipe - 3M
- Water gun + nozzle
- Barrel (extension rod)
- Through nozzle
- Foam gun with nozzle
- Foam and trigger quick connect

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## CONCRETE VIBRATOR PORTABLE

1200W  
F CV 1200



Double Insulation



- Most-Powerful-In-Class, **1200W** – Double Insulation Motor – **Safe tool** for working in water-soaked environment
- **Pistol-handle** enables firm yet comfortable grip
- Robust **Metal Gear-Box** can withstand high-torque and high-frequency vibration
- Powerful **Gear-Transmission** generates high-torque translating into high-frequency vibration
- **Switch-built-in-handle** facilitates easy access while holding the tool
- **Lock-On Switch** for continuous working
- **Branded Bearings** for low noise & low vibration



### Most suited for:

- ✓ **Portable Vibrator Shaft:**
  - 35mm / 50mm dia Needle
  - 1.5M, 2M, 3M and 4M Shaft Length
- ✓ Consolidation of concrete by removing air pockets by displacing air trapped inside
- ✓ Compaction of concrete by settling concrete evenly
- ✓ Surface Finishing by levelling and smoothing concrete mix



Machine #48

Packing: 5 Pcs./Carton

### SPECIFICATIONS:

Head Diameter	: 35mm
Rated Input Power	: 1200W
Rated Voltage	: 220V
Rated Frequency	: 50 Hz
No-Load Speed	: 4500 rpm
Net Weight	: 2.5 kgs

DOUBLE INSULATION

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## CONCRETE VIBRATOR STAND-TYPE

2300W  
F CV 2300



Double Insulation



- Most-Powerful-In-Class, **2300W** Motor – Designed for heavy-duty running for long periods
- **Robust Design Stand** fitted to the machine gives stability while it's running
- Strong **Metal Gear-Box** can withstand high-torque and high-frequency vibration
- **Powerful Gear-Transmission** generates high-torque translating into high-frequency vibration
- **Rocker Switch** – Dust-Proof & Water-Proof and High-Endurance for long-life
- **Branded Bearings** for low noise & low vibration



### Most suited for:

- ✓ **Vibrator Shaft**
  - 35mm / 50mm dia Needle
  - 4M & 6M Shaft Length
- ✓ **Consolidation of concrete** by removing air-pockets by displacing air trapped inside
- ✓ **Compaction of concrete** by settling concrete evenly
- ✓ **Surface Finishing** by levelling and smoothing concrete mix



Machine #40

Packing: 2 Pcs./Carbon

### SPECIFICATIONS:

Vibration Hose Dia	: 25 / 30 / 35 / 42 mm
Rated Input Power	: 2300W
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
No-Load Speed	: 4000 rpm
Vibration Frequency	: 13,200 vpm
Horizontal Amplitude	: 0.8 mm
Vertical Amplitude	: 1.64 mm
Net Weight	: 6.5 kgs

DOUBLE INSULATION

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTÉ®

MY TOOLS MY TRUST

## AAC BLOCK CUTTER

14 Inch / 1200W

F ABC 14-120



Double Insulation



- ▶ Anti self-locking switch for safety operation
- ▶ Suitable for cutting light brick, aerated brick & foam brick
- ▶ 1200W High performance Double Insulation motor
- ▶ Symmetrical weight balance of machine & blade
- ▶ Downwards guide-bar: Cut downwards using the weight of the machine
- ▶ Quick replace blade function
- ▶ Hand guard & Low kickback – Total safety
- ▶ High quality carbide tips, precision brazing to steel chain links for long cutting life



### Most suited for:

- ✓ AAC (autoclaved aerated concrete) block cutting
- ✓ AAC block wall cutting
- ✓ Brick-wall cutting
- ✓ Cutting window in AAC block wall & Brick-wall



Machine #103

Packing: 2 Pcs. / Carton

### SPECIFICATIONS:

Guide-bar Length	: 350mm (14 Inch)
Rated Input Power	: 1200W
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
No-Load Speed	: 720 mt./min.
Net Weight	: 5.5 kgs

### DOUBLE INSULATION

#### Also include:

- 14 Inch Carbide Tip Chain – 1 pc.
- 14 Inch Guide-bar – 1 pc.

**FREE!** ONE PAIR OF CARBON BRUSH

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)




[Back to Index](#)

**New**

## TRACK WALL-CUTTER BRUSHLESS

710MM / 4200W  
F TWC-BL 28-420



- **Highest Safety - No machine throwback** – Completely safe for operators!
- **Easy to operate** - Machine & Blade mounted on tracks, fixed to the wall
- **Brushless Motor** -Durability and Low Maintenance
- **High Cutting Depth** – 305mm (12inch)
- **Levers for cutting depth adjustment** and for machine's forward movement
- **Precision Cutting** – Thanks to wall-mounted track for machine movement – no-manual handling of machine
- **Soft-Start** – Ensures controlled initial cutting
- **Diamond Blade** – Each machine supplied with high-performance 710mm Diamond Blade

### Applications:

- ✓ Cutting Brick, Masonry walls
- ✓ Cutting Concrete / Reinforced-Concrete slabs, columns, beams
- ✓ Create Control joints in concrete, asphalt surface
- ✓ Making deep grooves in all the above materials and surface types



### Machine #126

#### Packing:

- 1 Full Set of machine comprises of :
    - 1 Pc. Cutter machine
    - 1 Pair of Track with 1 pc.
    - Control unit and brackets
    - 1 Pc. 710mm Diamond Blade
- Full Set packed in 3 Cartons

#### SPECIFICATIONS:

Disc Diameter	:710 MM
Disc Bore Dia :	:50MM
Max Cutting Depth	:305 MM
Rated Input Power	:4200W
Rated Voltage	:220~240V
Rated Frequency	:50 Hz
No-Load Speed	:1700 RPM
Net Weight	:32.4 kgs

#### Double Insulation

- Also Include:**
- 1) Wheel Guard
  - 2) Side Handle
  - 3) Wheel Key

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



**New**

## 16" CONCRETE CUTTER

420MM / 3200W

FCC 16-320



Double Insulation



- Powerful 3200W – Double Insulation Motor – **Safe Tool for the workman**
- **170mm (approx. 7") Cutting Depth** – Sufficient to cut concrete slabs & walls at all types of construction sites
- **Four (4) Wheels Machine Base** – Just place the machine on surface & hold and push forward for effortless cutting with minimum workman fatigue
- **Long Handle** allows precision cutting depth
- Each machine is pre-fitted with 1 Pc. 16" Concrete Cutting Blade – **Ready-to-use Tool**
- Each machine is supplied with **water-spray system**, including a small electric water pump



### Most suited for:

- ✓ Cutting Concrete / Reinforced-Concrete slabs, columns, beams
- ✓ Cutting Brick, Masonry walls
- ✓ Create Control joints in concrete, asphalt surface
- ✓ Cutting large marble, granite, stone blocks & columns
- ✓ Making deep grooves in all the above materials and surface types



Machine #116

Packing: Single Pc./Carton

### SPECIFICATIONS:

Disc Diameter:	230mm (9 inch) up to 420mm (16 inch)
Disc Bore Dia	: 25.4mm
Max Cutting Depth	: 170mm
Rated Input Power	: 3200W
Rated Voltage	: 220-240V
Rated Frequency	: 50 Hz
No-Load Speed	: 3500 rpm
Net Weight	: 11.5 kgs

Double Insulation

Supply with machine:  
 • 1 Pc. 420mm Diamond Blade  
 • Water supply system  
 • Set of Spacers

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)





# FORTÉ®

MY TOOLS – MY TRUST

**New**

## RING-SAW BRUSHLESS

410MM / 4000W  
F RS-BL 16-400



Double Insulation



- **Brushless Motor** - Minimum maintenance
- **4000W** - Powerful motor
- **Constant Speed** - Uniform cutting speed under load conditions
- **Long, D-Shape Handle** - Easy machine holding - away from body
- **Light-Weight** - Less tiresome for long working hours
- **Secure Grip:** Toothed inner circumference firmly holds the blade, preventing slippage
- **Smooth Control:** Reduces breakage.
- **Safe Use:** Minimizes kick-back.
- **Load-Indicator** - Green, Yellow & RED light to display load conditions



### Most suited for:

- ✓ Cutting Brick, Masonry walls
- ✓ Cutting AAC Blocks Wall
- ✓ Create Control joints in concrete, asphalt surface
- ✓ Making deep grooves in all the above materials and surface types

**FORTÉ® CARE**

Use genuine Forté spares for performance and life of tool

Armature      Field Coil

Carbon Brush      Gear Assembly      Switch



Machine #130

Packing: 1 Pcs./Carbon

### SPECIFICATIONS:

Disc Diameter	: 410mm (16 Inch)
Max Cutting Depth	: 310 mm
Rated Input Power	: 4000W
Rated Voltage	: 220~240V
Rated Frequency	: 50 Hz
No-Load-Speed	: 2000 rpm
Net Weight	: 9.7 kgs

### Double Insulation

- 410mm Diamond Ring-Saw Blade- 1 Pc.
- Spanners - 1 Set
- Water Pump & Water-supply System - 1 Set

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

MY TOOLS MY TRUST

New

## ELECTRIC REBAR CUTTER PORTABLE 25MM / 1600W F ERC 25-160



- **Portable** (Hand-held) Re-bar Cutting machine - Super Handy, & Light-weight
- **Most-Powerful-In-Class** 1600W Motor for 25mm Dia Re-bar Cutting
- Powerful hydraulic pump for efficient and precise Cutting
- Strong **Piston & Cylinder** can withstand long, continuous working hours
- Ideal for on-site bar-cutting - **Easy to maneuver in tight spaces**
- **Ergonomic handle** design with easy switch access



### Most suited for:

- ✓ Construction (Re-bar, wires, etc)
- ✓ Fabrication (Metal parts)
- ✓ Housing (Gates, Channels, etc.)
- ✓ Agriculture (Fencing, Equipment frames, etc.)



Plastic Carry Case

Machine # 137

Packing: 1 Pc./Carton

### SPECIFICATIONS:

CUTTING RANGE	: 4-25mm
RATED INPUT POWER	: 1600W
RATED VOLTAGE	: 220~240v
RATED FREQUENCY	: 50Hz
MACHINE WEIGHT	: 22 kgs

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)  
Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)



# FORTé®

New

MY TOOLS MY TRUST

## ELECTRIC REBAR BENDING MACHINE PORTABLE 25MM / 1200W F ERBM 25-120

- **Portable** (Hand-held) Re-bar Bending machine - Super Handy, & Light-weight
- **Most-Powerful-In-Class** 1200W Motor for 25mm Dia Re-bar Bending
- Powerful hydraulic pump for efficient and precise bending
- Ideal for on-site bar-bending - **Easy to maneuver in tight spaces**
- **Ergonomic handle** design with easy switch access



### Most suited for:

- ✓ Construction (Re-bar, wires, etc)
- ✓ Fabrication (Metal parts)
- ✓ Housing (Gates, Channels, etc.)
- ✓ Agriculture (Fencing, Equipment frames, etc.)



Plastic Carry Case

Machine # 138

Packing: 1 Pc./Carton

### SPECIFICATIONS:

BENDING RANGE	: 16-25mm
RATED INPUT POWER	: 1200W
RATED VOLTAGE	: 220~240v
RATED FREQUENCY	: 50Hz
MACHINE WEIGHT	: 19 kgs

## Forte India Enterprises Pvt. Ltd

Customer Care Call : 0512-2212 509 • Write : [customercare@forteindia.co.in](mailto:customercare@forteindia.co.in)

Toll Free : 1800-212-4282 • Visit : [www.forteindia.co.in](http://www.forteindia.co.in)



[Back to Index](#)

